

**V-TAC**<sup>®</sup>  
**INNOVATIVE LED LIGHTING**

**5** **YEAR**  
**WARRANTY**



Q-1 [2019]

LED TUBES

LED PANELS

HIGHBAYS

SMART LIGHTS

WALL LIGHTS

MOTION SENSORS

POWER BANK

STREET LIGHTS

EXIT LIGHTS

LED DOME LIGHTS


FLOODLIGHTS

LED DOWN LIGHTS

SMART HOME

LED BULBS

# OUR JOURNEY SO FAR.....



V-TAC was developed and designed by Energy and Lighting specialist to not only bring Sustainable LED Lighting Solutions to your homes but to Keep Adding Value and Live up to the expectations of our Customers and Distributors.

Thanks to our ceaseless innovation, our broad portfolio includes a diverse range of next-generation LED Lighting technologies designed to provide a Professional solution for Professionals. Introducing an enhanced product range with a 5-Year Warranty.

The V-TAC Pro Series is set to take the LED Market by storm with Samsung's reliable and efficient LED Chips. Creating a better world for Modern Lighting through innovative technology and modern components.

2018 has been a ground-breaking year here at V-TAC, with the introduction of our newest range of PRO-Series products. The range, which was developed in partnership with Samsung, was accepted with fervor and we offered a whole new variety of products to our consumers with the PRO-Series Range.

The PRO Series range offers V-TAC's core range of top-quality LED lighting products for professionals, by professionals. Now upgraded with LED provided by Samsung and coming with five (5) years of warranty, With the success of the PRO-Series, V-TAC is emboldened to take the brand onwards and upwards. The ever-expanding distribution network we have across Europe enables us to take to market innovative products. With that in mind, V-TAC is introducing a plethora of new product lines that will take V-TAC further into a bright future.



Following are the new series that we plan to develop more in the coming year.

1. NEW SUPER PRO SERIES – a new range of high-intensity LED lighting solutions with high-lumen rating, superior quality drivers, and LED provided by Samsung for maximum, heavy-duty performance perfect for outdoor lighting.



2. V-TAC POWER - a completely new field we are taking on with the same standards we keep ourselves to, VTAC POWER offers high quality power sockets, that are suitable for all of our markets and is a perfect complement to our existing and future product lines



3. V-TAC Digital Accessories - Introducing our first wave of new digital accessories, with a variety of products such as power banks, mobile chargers and assorted cables. We are also launching a brand new range of home electric appliances that are curated using customers' feedback, and we are ready to expand the range as customer demand increases.



---


These new products, alongside our stellar logistical and extensive sourcing team, will harness our brand's and our vast distribution network's potential to fulfill V-TAC's vision to grow into THE premier brand in our industry from 2019 and beyond!

## LED Flood Lights - 08

**LED Flood Lights**  
White | Grey | Black



**LED Flood Lights**  
PIR Sensor White | Black



**LED Flood Lights**  
Rechargeable FloodLights



**LED Flood Lights**  
Sports Light



**LED Flood Lights**  
Super Pro Series



## LED Street Lights - 32

**NEW**

**Street Lights**  
Super Pro Series



**LED Garden Light**  
Super Pro Series



**Street Lights**  
140 Lumen/w



**Street Lights**  
120 Lumen/w



**Street Lights**



## LED Highbays - 44

**LED Highbays**  
180 Lumen/w



**LED Highbays**  
120 Lumen/w



**LED Highbays**  
120 Lumen/w



**LED Linear Lights**  
LED Low Bay Lights



**LED Highbays**  
LED Canopy Light




## LED Panels - 58

**LED Big Panels**  
Square Panels-60x60



**LED Mini Panels**  
Adjustable Panels



**LED Mini Panels**  
Premium Series Panels



**LED Mini Panels**  
Edge Series



## LED Tubes - 74

**LED Tubes**  
G13-T8 -Nano Plastic Tube



**Fixtures with LED**  
LED Prismatic Fittings



**Fixtures with LED**  
T5 Batten Fitting



**Fixtures with LED**  
CCT Changeable Batten Fitting



**Fixtures with LED**  
LED Waterproof Fittings



## LED Linear Lights - 92

**Linear Lights**  
Linear Hanging Lights



**Linear Lights**  
Up-down Lights



**Linear Lights**  
Recessed Linear



**Linear Lights**  
Linear Trunking



**LED TrackLights**  
4 Line TrackLights



## LED Bulkhead and DownLights - 118

### 2D Bulkhead

Emergency Battery Backup and Sensor



PAGE  
120

### Slim Domelight

Emergency Battery Backup and Sensor



PAGE  
124

### LED Down Lights

Fire Rated Downlight



PAGE  
128

### LED Down Lights

LED Cabinet & Night Lights



PAGE  
130

### LED Solar Lights

LED Solar Wall and Bollard Lights



PAGE  
132

## LED Emergency Lights - 134

**NEW**

### Exit Light

Surface



PAGE  
136

### Exit Light

Recessed



PAGE  
136

### Exit Light

Bulkhead



PAGE  
137

## LED Strip Lights - 138

### LED Strip Lights


CRI >95



PAGE  
140

### LED Strip Lights

Neon Flex Light



PAGE  
141

## LED Spot Lights - 142

### LED Spot Lights

LED Capsules Lights



PAGE  
144

### LED Spot Lights

LED GU10 Lights



PAGE  
145

### LED Spot Lights

MR16 | GU10



PAGE  
146

## LED Filament Bulbs - 148

### LED Bulbs

Amber Filament Bulbs



PAGE  
150

### LED Filament Bulbs

Clear Filament Bulbs



PAGE  
152

## LED Plastic Bulbs - 155

### LED Plastic Bulbs

High Lumen Bulbs



PAGE  
156

### LED Plastic Bulbs

Candle | A58 | A65 | A80



PAGE  
158

### LED Plastic Bulbs

Reflectors & PAR Bulbs



PAGE  
167

### LED Plastic Bulbs

UFO Bulbs



PAGE  
169

### LED Plastic Bulbs

LED Big Bulb



PAGE  
170

## LED Bulbs - 172

CRI > 95



LED Bulbs



Blister Packing



Filament Special Bulbs



Amber Cover



Clear Filament



Accessory



## LED Spot Lights - 218

Capsules-G9




GU10



GU10 Fitting



LED PAR Lamps & AR111



## LED Floodlights - 244

Slimline Floodlights



Solar Floodlight

**NEW**



PIR Floodlights



SMART Floodlights

**NEW**



Accessory



## LED Panels - 258

Big Panels



LED Mini Panels



## LED Tube Lights - 282

T8-Nano Plastic



T5-With Fitting



Waterproof Fitting



## LED Highbays - 294

UFO-High Lumen



Linear Highbay



## LED Street Lights - 298

CRI > 95



High Lumen



## LED Strip Lights - 302

LED Strip Lights



PAGE  
303

Neon Flex



PAGE  
308

Aluminium Profile



PAGE  
312

Power Supply



PAGE  
321

## LED Track Lights - 326

Smart Color Changing



PAGE  
327

Tracklights



PAGE  
329

CRI >95



PAGE  
330

Accessory



PAGE  
333

## LED Downlights - 334

Hotel Downlight

**NEW**



PAGE  
335

Reflector Series



PAGE  
337

Step Light



PAGE  
339

## LED Dome Lights - 345

CCT Changeable



PAGE  
346

Ceiling Lights



PAGE  
351

Dome Series



PAGE  
355

Fire Rated Downlight



PAGE  
359

Fire Rated Fitting



PAGE  
361

## Motion Sensors - 363

Infrared Sensor



PAGE  
364

## LED Emergency Lights - 370

Exit Light



PAGE  
371

Exit Light Bulkhead



PAGE  
373

## LED Floor & Table Lamps - 374

Floor Lamp Touch & Knob Dimming



PAGE  
375

Table Lamps



PAGE  
378

Table Lamps Speaker

**NEW**



PAGE  
382

Floor Lamp



PAGE  
383

Desk & Hanging Lamp



PAGE  
384

## LED Innovative Lights - 385

Solar Wall Light



PAGE  
386

Smart Switches




PAGE  
388



works with  
amazon alexa

works with the  
Google Assistant

LED Smart Bulb



PAGE  
392

LED Smart Spotlight



PAGE  
393

LED Smart Panel



**NEW** PAGE  
394

LED Smart Striplight Kit



PAGE  
394

**NEW**



works with  
amazon alexa

works with the  
Google Assistant

works with  
nest

Touch Switches



PAGE  
396

Plugs



PAGE  
399

Power Strips



**NEW** PAGE  
400

RF433 Gateway



PAGE  
401

**NEW**

## Smart Cameras - 402



Indoor Camera



PAGE  
403

Indoor Outdoor Camera



PAGE  
404

Video Doorbell & CHIME



PAGE  
405

## Digital Accessories



Power Banks



PAGE  
406

Earphones & Headset



PAGE  
410

USB Cables



PAGE  
412

Tower Fans



PAGE  
414



## Sockets and Adapters - 416

<b>NEW</b>	<p><b>European Sockets</b></p>  <p>PAGE 417</p>	<p><b>Universal Adapter</b></p>  <p>PAGE 423</p>	<p><b>Italian Sockets</b></p>  <p>PAGE 424</p>
------------	--	---	--

## LED Wall Lights - 430

LED Wall Lights Water proof



PAGE 431

LED Wall Lights Indoor



PAGE 441

## LED Outdoor Lights - 448

Wall Fitting



PAGE 449

Garden Lamp



PAGE 453

Pool Lights



PAGE 454

## Garden Lamps - 455

Wall Lamp



PAGE 456

Ceiling Lamp



PAGE 461

Stand Lamp



PAGE 462

## LED Display Screen -465

P3 Indoor LED Display Screen



**NEW**  
PAGE 466

P4 Indoor LED Display Screen



**NEW**  
PAGE 467

P5 Indoor LED Display Screen



**NEW**  
PAGE 468

P6 Indoor LED Display Screen



**NEW**  
PAGE 469

## Pendants - 470

Pendants



PAGE 471

Holders



PAGE 507

LED Pendants



PAGE 512

Decorative Lights



**NEW**  
PAGE 534

Chandeliers



PAGE 540



# LED FLOODLIGHTS

V-TAC's all new slimline series are manufactured with cutting-edge components to deliver an exceptional performance. Together with its new sleek design, its diecast aluminum and IP65-rated body makes each unit extremely sturdy and perfect for outdoor applications.

This extensive range of 10w to 300w floodlights is ready to impress in terms of efficiency, as it has powerful illumination of up to 16000 lumens, brought by its Samsung LED chip. The auto-cutoff function comes with the PIR series which disables the sensor with a switch.

## APPLICATION

Recommended for any outdoor lighting application in residential, commercial, and industrial areas





## KEY FEATURES

- IP65 Rated: high-quality components used to ensure waterproof/airtight performance
- Modern and ultra-strong enclosure with a minimalistic design, for high-end support and design
- Includes black, white, grey, and PIR series
- Select units inclusive of a 1-metre wire for easy installation





IP65  
RATING

ONE METER WIRE

5  
YEAR  
WARRANTY


# LED FLOODLIGHTS

## Slimline-White Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-10-W

- SKU: 427 | 3000K WARM WHITE
- SKU: 428 | 4000K DAY WHITE
- SKU: 429 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-20-W

- SKU: 442 | 3000K WARM WHITE
- SKU: 443 | 4000K DAY WHITE
- SKU: 444 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-30-W

- SKU: 403 | 3000K WARM WHITE
- SKU: 404 | 4000K DAY WHITE
- SKU: 405 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-50-W

- SKU: 409 | 3000K WARM WHITE
- SKU: 410 | 4000K DAY WHITE
- SKU: 411 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-W


- SKU: 415 | 3000K WARM WHITE
- SKU: 416 | 4000K DAY WHITE
- SKU: 417 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-W


- SKU: 478 | 3000K WARM WHITE
- SKU: 479 | 4000K DAY WHITE
- SKU: 480 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-W


- SKU: 420 | 4000K DAY WHITE
- SKU: 421 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-W

- SKU: 486 | 4000K DAY WHITE
- SKU: 487 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



## LED FLOODLIGHTS



ONE METER WIRE

**5** YEAR  
WARRANTY\*

# LED FLOODLIGHTS


## Slimline-Black Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-10-B

- SKU: 424 | 3000K WARM WHITE
- SKU: 425 | 4000K DAY WHITE
- SKU: 426 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-20-B

- SKU: 439 | 3000K WARM WHITE
- SKU: 440 | 4000K DAY WHITE
- SKU: 441 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-30-B

- SKU: 400 | 3000K WARM WHITE
- SKU: 401 | 4000K DAY WHITE
- SKU: 402 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-50-B

- SKU: 406 | 3000K WARM WHITE
- SKU: 407 | 4000K DAY WHITE
- SKU: 408 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-B


- SKU: 412 | 3000K WARM WHITE
- SKU: 413 | 4000K DAY WHITE
- SKU: 414 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-B


- SKU: 475 | 3000K WARM WHITE
- SKU: 476 | 4000K DAY WHITE
- SKU: 477 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-B


- SKU: 418 | 4000K DAY WHITE
- SKU: 419 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-B

- SKU: 422 | 4000K DAY WHITE
- SKU: 423 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



## LED FLOODLIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



ONE METER WIRE

**5** YEAR  
WARRANTY\*


# LED FLOODLIGHTS

## Slimline-Grey Body

V-TAC's unbreakable LED floodlights, now with Samsung LED chips for a diffused, high-performance outdoor lighting encased in a diecast IP65 body for durability. Available in 10w to 300w watts, in an elegant and ivory white finish.

- Diecast body
- 100° beam angle
- 30,000-hr lifespan
- CRI: >80
- PF: >0.9
- AC:220-240V,50Hz
- IP65 Rating


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-10-G

- SKU: 430 | 3000K WARM WHITE
- SKU: 431 | 4000K DAY WHITE
- SKU: 432 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-20-G

- SKU: 445 | 3000K WARM WHITE
- SKU: 446 | 4000K DAY WHITE
- SKU: 447 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-30-G

- SKU: 454 | 3000K WARM WHITE
- SKU: 455 | 4000K DAY WHITE
- SKU: 456 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2400	10 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




### VT-50-G

- SKU: 463 | 3000K WARM WHITE
- SKU: 464 | 4000K DAY WHITE
- SKU: 465 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4000	8 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-100-G


- SKU: 472 | 3000K WARM WHITE
- SKU: 473 | 4000K DAY WHITE
- SKU: 474 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	8000	4 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150-G


- SKU: 481 | 3000K WARM WHITE
- SKU: 482 | 4000K DAY WHITE
- SKU: 483 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	12000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-200-G


- SKU: 484 | 4000K DAY WHITE
- SKU: 485 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	16000	2 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-300-G

- SKU: 488 | 4000K DAY WHITE
- SKU: 489 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
300w	24000	2 pcs



① METER WIRE



## LED FLOODLIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



# LED FLOODLIGHTS


## PIR Sensor White Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek white finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-10-S-W


SKU: 433 | 3000K WARM WHITE  
 SKU: 434 | 4000K DAY WHITE  
 SKU: 435 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-20-S-W


SKU: 448 | 3000K WARM WHITE  
 SKU: 449 | 4000K DAY WHITE  
 SKU: 450 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-30-S-W


SKU: 457 | 3000K WARM WHITE  
 SKU: 458 | 4000K DAY WHITE  
 SKU: 459 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



① METER WIRE


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-50-S-W

SKU: 466 | 3000K WARM WHITE  
 SKU: 467 | 4000K DAY WHITE  
 SKU: 468 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



① METER WIRE




# LED FLOODLIGHTS

## PIR Sensor Black Body

Incorporating security in its function, we have a full range of LED floodlights equipped with PIR sensors, available in 10w to 50w. Now upgraded with Samsung LED for an even better, high-end performance, these LED PIR floodlights are truly a modern take on traditional floodlights. Easily disable the sensor with a switch through its auto-cutoff function. Widely used to for any outdoor application. Available in 10w to 50w, in a sleek black finish.

- **SMD Samsung LED**
- **30,000-hr lifespan**
- **100° Beam Angle**
- **AC:220-240V,50Hz**
- **Die casting Aluminium Body**
- **Auto-cutoff function: disable sensor with a switch**
- **Suitable for facade lighting, lobby area, garages, walkways, parking lots, etc.**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-10-S-B


SKU: 436 | 3000K WARM WHITE  
 SKU: 437 | 4000K DAY WHITE  
 SKU: 438 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
10w	800	20 pcs



**1 METER WIRE**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-20-S-B


SKU: 451 | 3000K WARM WHITE  
 SKU: 452 | 4000K DAY WHITE  
 SKU: 453 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
20w	1600	20 pcs



**1 METER WIRE**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-30-S-B


SKU: 460 | 3000K WARM WHITE  
 SKU: 461 | 4000K DAY WHITE  
 SKU: 462 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	2550	20 pcs



**1 METER WIRE**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-50-S-B

SKU: 469 | 3000K WARM WHITE  
 SKU: 470 | 4000K DAY WHITE  
 SKU: 471 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	4250	10 pcs



**1 METER WIRE**



# LED FLOODLIGHTS

## Rechargeable Floodlight

Strong, reliable portable lamp – V-TAC's new compact and rechargeable LED floodlights can easily be recharged through its micro socket & is built with USB output port making it perfect for home projects, garages, warehouses, basements, gardens, workshops, car repair shops, parking lots, camping, fishing, hiking, and more.

- Rechargeable
- No Lead or Mercury content
- Life Hours of 30,000 Hours
- LED provided by Samsung
- IP Rating - IP44
- AC: 100-240V


### VT-10-R

SKU:503 | 4000K DAY WHITE

WATTS	LUMENS	BOX
10w	700	20 pcs



BATTERY  
 3.7V Li-Ion 3600mAh




### VT-11-R

SKU:502 | 4000K DAY WHITE

WATTS	LUMENS	BOX
10w	700	20 pcs



BATTERY  
 3.7V Li-Ion 3600mAh




### VT-20-R

SKU:504 | 6400K WHITE

WATTS	LUMENS	BOX
20w	1400	20 pcs



BATTERY  
 3.7V Li-Ion 7200mAh





DIMMABLE



Your Reliable Power Partner

5 YEAR WARRANTY\*


# LED FLOODLIGHTS

## Sports Light

120 LM/WATT

The new LED Sports Light with Samsung LED offers a range of distributions and up to 67500 lumens, offering excellent energy efficiency, low maintenance, and an unbreakable, strong design that can eliminate chances of breaking at ball strikes compared to traditional fluorescent and HID options.




- Using MEAN WELL driver
- No Lead or Mercury content
- Life Hours of 30,000 Hours
- LED provided by Samsung
- Saves 80% energy
- IP65 Rating



**VT-500D**

SKU: 490 | 5000K WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	45°	1 pcs



**VT-501D**

SKU: 493 | 5000K WHITE

WATTS	LUMENS	BEAM ANGLE	BOX QTY.
500w	67500	110°	1 pcs





# LED FLOODLIGHTS

## LED Super Pro Floodlights



Available in 250W, 500W and 1000W, our heavy-duty IP66 LED Floodlights make a good choice for outdoor applications that need intensive and bright lighting. Never worry about efficiency — these floodlights are equipped with highly acclaimed LEDs provided by Samsung and Mean Well drivers for energy saving and temperature dissipation excellence.

- AC: 100-277V
- IP66 Rating and strong die cast aluminum body for durability
- 50,000-hr lifespan
- Available in 60° & 120° Beam Angle
- CRI: >70
- PF: > 0.9



BEAM ANGLE 120°

### VT-253D


SKU: 494 | 4000K DAY WHITE  
SKU: 501 | 6000K WHITE

WATTS	LUMENS	BOX	WEIGHT
250w	31250	1 pcs	8KG

BEAM ANGLE 60°

### VT-252D

SKU: 495 | 4000K DAY WHITE  
SKU: 500 | 6000K WHITE



BEAM ANGLE 120°

### VT-503D


SKU: 496 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
500w	62500	1 pcs	20.5KG

BEAM ANGLE 60°

### VT-502D

SKU: 497 | 4000K DAY WHITE



BEAM ANGLE 120°

### VT-1003D


SKU: 498 | 4000K DAY WHITE

WATTS	LUMENS	BOX	WEIGHT
1000w	125000	1 pcs	30.8KG

BEAM ANGLE 60°

### VT-1002D

SKU: 499 | 4000K DAY WHITE





**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING





## LED STREET LIGHTS

Light the path to a brighter future -- now upgraded with premium-quality LEDs from Samsung and drivers from Mean Well, V-TAC's extensive range of efficient LED Street Lights uses state-of-the-art LED technology to provide uniform brightness and illumination for safety on highways, streets, projects, cross roads, tunnels, plazas, industrial facilities, car parks, etc.

### KEY FEATURES

- Modern and efficient replacement for traditional streetlights
- Saves 80% on electricity cost
- Low maintenance; longer lifespan
- Weatherproof body – IP65/66 sealed optical cavities
- Optically optimized glass lenses to prevent eye strains
- Uniformity in light distribution – maximizes efficiency
- Fully operational in extreme weather
- DALI Driver available on select models

### APPLICATION

Optimized and engineered for streets, public parks, roads & highways, crossroads, tunnels, car parks, industrial facilities, etc.



# LED STREETLIGHT

## CLASS II, TYPE III-M LENS



The new Class II Type III-M lens from V-TAC offers a wide beam angle of 150x80° — especially designed for road lighting, general parking areas, and other spaces where a wide-area lighting is required. Available in 80w to 200w, with select models available with DALI driver.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 24000 lumen output available**
- **AC: 176-305V, 50/60Hz**
- **IP66 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **150 x 80° Beam Angle**

### VT-80ST


SKU: 541 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
80w	9600	1 pcs

Available with



SKU: 546



### VT-120ST


SKU: 542 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
120w	14400	1 pcs

Available with



SKU: 547



### VT-160ST


SKU: 543 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
160w	19200	1 pcs

Available with



SKU: 548



### VT-200ST


SKU: 544 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
200w	24000	1 pcs

Available with



SKU: 548





# LED GARDEN LIGHT

## CLASS II, TYPE III-M LENS



V-TAC's all new LED Garden Light series includes 50W & 100W garden and suspended lighting for outdoor lighting. Equipped with high-quality LEDs from Samsung and the Mean Well driver, these efficient, energy-saving garden lights are a great alternative to traditional street lighting.


- **CRI: >70**
- **PF: > 0.9**
- **Up to 12000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **50,000-hr lifespan**
- **Beam Angle: 150x80° | 160x100° (Suspended Light)**

Garden Light

**VT-55-1**

SKU: 782 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
50w	6000	8.36	1 pcs




Garden Light

**VT-105**

SKU: 783 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	12000	13.28	1 pcs





Suspended Light

**VT-115ST**

SKU: 545 | 4000K DAY WHITE

WATTS	LUMENS	WEIGHT	BOX QTY.
100w	12000	11.16	1 pcs





140+  
+  
LUMENS/WATT

5 YEAR  
WARRANTY\*

## LED STREETLIGHT

Available in 100W to 200W, V-TAC's innovative range of streetlights introduces the new dimmable series with LEDs provided by Samsung and world-renowned Inventronics driver. These streetlights are recommendable to help streets easily adapt to the varied night lighting need of different areas or regions which can ultimately lead to even bigger savings in energy consumption.


- **CRI: >70**
- **PF: > 0.9**
- **Up to 28000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **153x70° Beam Angle**



### VT-102ST

SKU: 883 | 4000K DAY WHITE  
SKU: 884 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
100w	14000	1 pcs



### VT-122ST

SKU: 885 | 4000K DAY WHITE  
SKU: 886 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
120w	16800	1 pcs



### VT-152ST

SKU: 887 | 4000K DAY WHITE  
SKU: 888 | 6400K WHITE


WATTS	LUMENS	BOX QTY.
150w	21000	1 pcs



### VT-202ST

SKU: 889 | 4000K DAY WHITE  
SKU: 890 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
200w	28000	1 pcs






# LED STREETLIGHT

## Streetlight-Grey

Retaining the classic design of the V-TAC streetlight, the grey streetlight series boasts of high-quality LEDs from Samsung and the Mean Well driver with superb efficiency. Available in 30W to 150W, and impressive lumen output of up to 18000.

- 110° Beam Angle
- CRI: >70
- PF: > 0.9
- Up to 18000 lumen output available
- AC: 175-265V, 50/60Hz
- IP65 Rating and strong & durable diecast Aluminium body
- 50,000-hr lifespan


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-30ST

SKU: 525 | 4000K DAY WHITE  
 SKU: 526 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3600	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-50ST

SKU: 527 | 4000K DAY WHITE  
 SKU: 528 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	6000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-100ST

SKU: 529 | 4000K DAY WHITE  
 SKU: 530 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	12000	2 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-150ST

SKU: 531 | 4000K DAY WHITE  
 SKU: 532 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
150w	18000	2 pcs






## LED STREETLIGHT

Retaining the classic design of the V-TAC streetlight in Iron Grey finish, this streetlight series boasts of high-quality LEDs from Samsung and the Mean Well driver with superb efficiency. Available in 30W to 150W, and impressive lumen output of up to 12000.

- **CRI: >70**
- **PF: > 0.9**
- **Up to 12000 lumen output available**
- **AC:200-240V**
- **IP65 Rating and strong & durable diecast Aluminium body**
- **30,000-hr lifespan**
- **Beam Angle: 110° | 65x135° (with lens)**


LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-31ST

SKU: 537 | 4000K DAY WHITE  
 SKU: 538 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
30w	3000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-51ST

SKU: 539 | 4000K DAY WHITE  
 SKU: 540 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
50w	5000	4 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM




## VT-101ST

SKU: 535 | 4000K DAY WHITE  
 SKU: 536 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
100w	10000	2 pcs




LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



## VT-121ST

SKU: 533 | 4000K DAY WHITE  
 SKU: 534 | 6400K WHITE

WATTS	LUMENS	BOX QTY.
120w	12000	2 pcs





## LED HIGHBAY

One of the forerunners in the PRO series is the LED Highbays. This 100w to 200w highbay range includes subgroups with Mean Well and Samsung driver upgrades, both key players in the LED driver market that boasts of exceptional energy-saving features.

With up to a staggering 180++ lumen-per-watt rating and drivers that provide a lifespan of up to 50,000 hours, V-TAC's new generation of LED highbays are the strongest and most efficient LED high bays available in the market today.

## APPLICATION

Recommended for lighting in warehouses, factories, gymnasiums, or any large open area with high ceiling





## KEY FEATURES

- Professional upgraded drivers
- Strong and durable diecast aluminum body
- Select highbays are fully compatible with daylight sensors
- IP65-rated
- SMD LED
- Compatible with Daylight Sensors
- Up to 30,000-hr lifespan
- Available reflectors for a customized beam angle: aluminum & PC transparent



V-TAC PERFORMANCE  
**180**  
LUMENS/WATT

 **IP65**  
RATING

**MW**  
MEAN WELL  
*Your Reliable Power Partner*

**Optional**  
DAYLIGHT SENSOR  
SKU - 1369

 **1-10V**  
DIMMABLE



# REFLECTOR HIGHBAYS

## MEAN WELL Driver

Powerful performance with ultra-efficient energy management. With a staggering high-lumen rating of 180 lm/w matched with the highly acclaimed Mean Well driver and IP65 Aluminum body, this range of highbays with LEDs provided by Samsung is the optimal choice for heavy-duty industrial lighting in warehouses, factories, and workshops. Perfectly compatible with daylight sensors, Aluminum and PC reflectors are also available for maximum directional customizability.



- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**

**5** YEAR  
WARRANTY\*




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-102	100w	18000	120°	2 pcs

SKU: 566 | 4000K DAY WHITE  
 SKU: 567 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-120	120w	21600	120°	2 pcs

SKU: 568 | 4000K DAY WHITE  
 SKU: 569 | 6400K WHITE



### COVER OPTIONS




Aluminum Reflector  
 90° SKU-570



Aluminum Reflector  
 120° SKU-571



PC Transparent Reflector  
 120° SKU-586



120  
LUMENS/WATT

IP65  
RATING

MW  
MEAN WELL  
*Your Reliable Power Partner*

Optional  
DAYLIGHT SENSOR  
SKU - 1369

1-10V  
DIMMABLE



## UFO HIGHBAYS

## MEAN WELL Driver

This advanced LED highbays from V-TAC's PRO series are ready to impress with its high-lumen rating of 120 lm/w and LED chip from Samsung. This range is equipped with drivers from Mean Well -- a key player in the LED driver industry for a strong and efficient performance.


- Available in 100 and 120 watts
- SMD LED Type
- 30,000 hrs Lifespan
- AC:100-277V,50/60Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

5  
YEAR  
WARRANTY\*

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-106	100w	12000	120°	1 pcs


SKU:585 | 4000K DAY WHITE

**DALI**  
Dimming




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-100	100w	12000	90°	4 pcs

SKU: 564 | 4000K DAY WHITE  
 SKU: 565 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-150	150w	18000	90°	2 pcs

SKU: 560 | 4000K DAY WHITE  
 SKU: 561 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-101	100w	12000	120°	4 pcs

SKU: 562 | 4000K DAY WHITE  
 SKU: 563 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-151	150w	18000	120°	2 pcs

SKU: 558 | 4000K DAY WHITE  
 SKU: 559 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-200	200w	24000	120°	1 pcs


SKU: 580 | 4000K DAY WHITE  
 SKU: 581 | 6400K WHITE



**NEW**

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-500	500w	60000	120°	1 pcs

SKU: 509 | 4000K DAY WHITE



120  
LUMENS/WATT

IP65  
RATING

USING  
**SAMSUNG**  
POWER SUPPLY

Optional  
DAYLIGHT SENSOR  
SKU - 1369

1-10V  
DIMMABLE



## REFLECTOR HIGHBAYS

### SAMSUNG Power Supply


A new strong addition to V-TAC's PRO series are these LED highbays with Samsung drivers. With our latest in-branding program with Samsung, these highbays boasts of efficiency in every lumen with Samsung's cutting-edge drivers. With strong, IP65-rated diecast aluminum enclosing and unparalleled lighting performance, these LED highbays are sure to take the industrial lighting market by storm.

- 120 lm/w
- 30,000 hrs Lifespan
- AC:220-240V,50Hz
- PF: >0.9
- CRI:>80
- Die cast Aluminum

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-108	100w	18000	120°	1 pcs

SKU: 575 | 4000K DAY WHITE  
 SKU: 576 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-103	100w	12000	120°	1 pcs

SKU: 577 | 4000K DAY WHITE  
 SKU: 578 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-105	100w	12000	90°	1 pcs

SKU: 583 | 4000K DAY WHITE  
 SKU: 584 | 6400K WHITE



COVER OPTIONS



Aluminum Reflector  
 90° SKU-570



Aluminum Reflector  
 120° SKU-571



PC Transparent Reflector  
 120° SKU-586



## UFO HIGHBAYS


This new range of IP44-LED high bays from V-TAC's PRO series delivers strong lighting for spacious areas that require intense lighting from high ceilings like manufacturing facilities and construction/development areas. Equipped with the advanced, Samsung LED Chip, it has exceptional performance without flickers and warm-up periods.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **PF: >0.9**
- **CRI:>80**
- **Die cast Aluminum**

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-98	100w	8000	90°	4 pcs

SKU: 556 | 4000K DAY WHITE  
 SKU: 557 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-148	150w	12000	90°	2 pcs

SKU: 552 | 4000K DAY WHITE  
 SKU: 553 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-99	100w	8000	120°	4 pcs

SKU: 554 | 4000K DAY WHITE  
 SKU: 555 | 6400K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-149	150w	12000	120°	2 pcs

SKU: 550 | 4000K DAY WHITE  
 SKU: 551 | 6400K WHITE





# LED LINEAR HIGHBAY

## LED Low Bay Lights


V-TAC's new series of LED Low Bay fixtures allow parallel lighting on supermarket aisles, workshops, warehouses, and factories which is proven to be approximately 50% more efficient than a perpendicular lighting layout and also decreases eye strain. Available in 100w to 200w, our low bay series offers strong and ample light with promising 120 lumen-per-watt options and impressive energy-saving features compared to its traditional counterparts.

- **Ideal for workshops, supermarkets, warehouses, factories, etc.**
- **High-lumen (120 lm/w) options available**
- **Aluminium body**
- **Heat and Shock Resistant.**
- **Low-maintenance**
- **Upgraded with premium-quality Samsung LEDs**




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-109	100w	10000	90°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 589 | 4000K DAY WHITE  
 SKU: 590 | 6400K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-112	100w	12000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 891 | 4000K DAY WHITE  
 SKU: 892 | 6000K WHITE




MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-152	150w	15000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 893 | 4000K DAY WHITE  
 SKU: 894 | 6000K WHITE



MODEL	WATTS	LUMENS	BEAM ANGLE	PF	CRI	LED	BODY	BOX QTY.
VT-9-202	200w	20000	120°	>0.9	>80	SMD	Aluminum	6 pcs

SKU: 895 | 4000K DAY WHITE  
 SKU: 896 | 6000K WHITE







## LED CANOPY LIGHTING

A specialized addition to V-TAC's current roster of innovative LED lighting solutions, the new LED canopy light with Samsung LED is precisely designed for petrol stations. It has a slim design that is suitable for recessed or surface-mounted installation. This canopy is aluminum-made, having a tough exterior made to withstand extreme temperature or UV conditions.

- Specially designed for gas stations
- Suitable for recessed or surface mounted installation
- Super slim design and nice looking, easier to install
- Instant start, no noise, no flickering.
- Heat and Shock Resistant.
- Reduce maintenance costs up to 90%, almost free of maintenance.
- Suit for both indoor and outdoor use.

MODEL	WATTS	LUMENS	BEAM ANGLE	BOX QTY.
VT-9-155	150w	18000	110°	2 pcs

SKU: 572 | 4000K DAY WHITE  
 SKU: 573 | 6400K WHITE





## LED PANELS

The PRO Series LED panels range are all made with top-quality PMMA diffusers which provides a uniformly distributed light and prevents the panels from turning yellow.

It proves its durability with exteriors composed of an innovative combination of Aluminum+PMMA+PP, and its energy-saving upgrade through the improved driver box and Samsung LED chip. Both frameless and big panels are inclusive of a quick connector for easy installation.

## APPLICATION

Widely used in offices, schools, hospitals, and commercial establishments

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING






## KEY FEATURES

- Inclusive of a quick connector
- Flicker-free; stable drivers eliminate flashes
- Better light quality: less false colour plots
- 80% lower power consumption than conventional downlights
- Standard dimensions for big panels available
- Choose from square and round frameless mini panels

**QUICK  
CONNECTOR**





QUICK CONNECTOR

# LED BIG PANELS

## Square Panels-60x60


Our 36w and 45w LED panels are made with high quality PMMA diffusers which prevents it from turning yellow over time and makes it emit strong and evenly distributed light. Also available is the TP(a)-rated panel to meet fire safety standards. All our LED panels have quick connectors that will save installation time and costs.

- Quick Connector
- SMD LED Type
- 30,000 hrs Lifespan
- 110° Beam Angle
- AC:220-240V,50Hz
- CRI: >80
- Aluminum+ PMMA+PP
- Flicker Free

**5** YEAR  
**WARRANTY\***

SKU:750 | 4000K DAY WHITE  
 SKU:751 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-636	36w	3600	6 pcs





### TP(A) POLYCARBONATE MICROPRISMATIC DIFFUSER

SKU: 632 | 3000K WARM WHITE  
 SKU: 633 | 4000K DAY WHITE  
 SKU:634 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-645	45w	3600	6 pcs

**PMMA Diffuser**





**QUICK  
CONNECTOR**



# LED BIG PANELS


## Rectangle Panels-120x60

**5** YEAR  
WARRANTY\*

SKU:748 | 4000K DAY WHITE  
SKU:749 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-646	45w	5400	2 pcs

**PMMA Diffuser**



# LED MINI PANELS

## Round Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR WARRANTY\*

SKU: 727 | 3000K WARM WHITE  
 SKU: 728 | 4000K DAY WHITE  
 SKU: 729 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610RD	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 733 | 3000K WARM WHITE  
 SKU: 734 | 4000K DAY WHITE  
 SKU: 735 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619RD	18w	1350	20 pcs



Cutting Size: 75-100mm

SKU: 739 | 3000K WARM WHITE  
 SKU: 740 | 4000K DAY WHITE  
 SKU: 741 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625RD	24w	1800	20 pcs



Cutting Size: 75-200mm





# LED MINI PANELS

## Square Adjustable Panel


V-TAC's new innovative adjustable mini panels are equipped with adjustable clips for a flexible cutting size of up to 200 mm. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These slim & modern panels lights up all the way to the edges, giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor lighting.

- **Adjustable(Cut out) Panel**
- **SMD LED Type**
- **20,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR WARRANTY\*

SKU: 730 | 3000K WARM WHITE  
 SKU: 731 | 4000K DAY WHITE  
 SKU: 732 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-610SQ	12w	750	20 pcs



Cutting Size: 75-100mm

SKU: 736 | 3000K WARM WHITE  
 SKU: 737 | 4000K DAY WHITE  
 SKU: 738 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-619SQ	18w	1350	20 pcs




Cutting Size: 75-100mm

SKU: 742 | 3000K WARM WHITE  
 SKU: 743 | 4000K DAY WHITE  
 SKU: 744 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-625SQ	24w	1800	20 pcs



Cutting Size: 75-200mm



EXPANDABLE CLIPS TO ADJUST



# LED MINI PANELS

## Round Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR WARRANTY\*

SKU: 706 | 3000K WARM WHITE  
 SKU: 707 | 4000K DAY WHITE  
 SKU: 708 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606RD	6w	420	40 pcs



Cutting Size: ø110mm

SKU: 712 | 3000K WARM WHITE  
 SKU: 713 | 4000K DAY WHITE  
 SKU: 714 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612RD	12w	1000	20 pcs



Cutting Size: ø160mm

SKU: 718 | 3000K WARM WHITE  
 SKU: 719 | 4000K DAY WHITE  
 SKU: 720 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618RD	18w	1500	20 pcs





Cutting Size: ø210mm

SKU: 724 | 3000K WARM WHITE  
 SKU: 725 | 4000K DAY WHITE  
 SKU: 726 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624RD	24w	2000	10 pcs



Cutting Size: ø280mm



## LED PANELS

# LED MINI PANELS

## Square Premium Series Panel


V-TAC's efficient & trendy Premium Series Mini Panels are now upgraded with premium-quality Samsung LED chips for an even better lighting output and performance. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers. These square, slim & modern panels are ideal for residential, office, or commercial indoor lighting.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:85-265V,50/60Hz**
- **CRI: >80**
- **Aluminium Body**

**5** YEAR WARRANTY\*

SKU: 703 | 3000K WARM WHITE  
 SKU: 704 | 4000K DAY WHITE  
 SKU: 705 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-606SQ	6w	420	40 pcs



Cutting Size: 110x110mm

SKU: 709 | 3000K WARM WHITE  
 SKU: 710 | 4000K DAY WHITE  
 SKU: 711 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-612SQ	12w	1000	20 pcs



Cutting Size: 160x160mm

SKU: 715 | 3000K WARM WHITE  
 SKU: 716 | 4000K DAY WHITE  
 SKU: 717 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-618SQ	18w	1500	20 pcs





Cutting Size: 210x210mm

SKU: 721 | 3000K WARM WHITE  
 SKU: 722 | 4000K DAY WHITE  
 SKU: 723 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-624SQ	24w	2000	10 pcs



Cutting Size: 280x280mm



## LED PANELS

# LED MINI PANELS

## Round Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

**5** YEAR  
WARRANTY\*

SKU: 626 | 3000K WARM WHITE  
SKU: 627 | 4000K DAY WHITE  
SKU: 628 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608RD	8w	800	100 pcs



Cutting Size: ø 70 mm

SKU: 620 | 3000K WARM WHITE  
SKU: 621 | 4000K DAY WHITE  
SKU: 622 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615RD	15w	1500	40 pcs



Cutting Size: ø 95 mm

SKU: 614 | 3000K WARM WHITE  
SKU: 615 | 4000K DAY WHITE  
SKU: 616 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620RD	20w	2000	40 pcs



Cutting Size: ø 140 mm



Quick Connector



# LED MINI PANELS

## Square Edge Series


V-TAC's Round Edge Panel has an elegant, classic design that lights up all the way to the edges — giving a contemporary lighting effect that is ideal for residential, office, or commercial indoor areas. The quick connector feature lessens set-up time brought by complicated wirings. Built with the most stable drivers in the market, have low maintenance panels without the flashes and the flickers.

- **Quick Connector**
- **SMD LED Type**
- **30,000 hrs Lifespan**
- **120° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **ABS+Plastic Body**

**5** YEAR WARRANTY\*

SKU: 623 | 3000K WARM WHITE  
 SKU: 624 | 4000K DAY WHITE  
 SKU: 625 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-608SQ	8w	800	100 pcs



Cutting Size: 70 X 70mm

SKU: 617 | 3000K WARM WHITE  
 SKU: 618 | 4000K DAY WHITE  
 SKU: 619 | 6400K WHITE


MODEL	WATTS	LUMENS	BOX QTY.
VT-615SQ	15w	1500	40 pcs



Cutting Size: 95X 95mm


SKU: 611 | 3000K WARM WHITE  
 SKU: 612 | 4000K DAY WHITE  
 SKU: 613 | 6400K WHITE

MODEL	WATTS	LUMENS	BOX QTY.
VT-620SQ	20w	2000	40 pcs



Cutting Size: 142X 142mm

Quick Connector





## LED TUBES & FIXTURES WITH LED

V-TAC's extensive range of efficient tubes & fixtures boasts of premium quality LED provided by Samsung, a staggering lifespan of up to 30,000 hours, unbreakable body built with the most durable materials in the market, and a wide range of lengths and sizes for different applications.

More innovative additions in this range include

- 1) TP(a) rated fixtures compatible with emergency packs & microwave sensors
- 2) Batten Fittings with CCT-changing Switch
- 3) Linkable T5 Batten Fittings, and more.

## APPLICATION


Used for general purpose lighting in residences, commercial establishments, supermarkets, and offices


**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING



## KEY FEATURES

- LED provided by Samsung
- Lasts up to 30,000 hrs
- Built with strong, durable materials
- TP(a) Rated fittings for select models
- Programmable DIP Switch Driver for select models
- Emergency Pack & Sensor Compatibility
- Linkable/Continuous T5 fittings
- CCT Changing Switch for select models





# LED TUBES

## G13-T8 -Nano Plastic Tube


This modern range of high-lumen LED tubes with Samsung LED chip are the perfect retrofit for fluorescent fixtures. Complete with a series of pop kits (batten fittings inclusive of tubes), these sets of tubes are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **>80 CRI**
- **>0.5 PF**
- **Nano Plastic Body**
- **<0.5 s Instant Start**


**5 YEAR WARRANTY\***

MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-062	10w	18w	1100	0.1264	25 pcs

SKU: 686 | 4000K DAY WHITE  
SKU: 687 | 6400K WHITE





ROTATABLE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-122	18w	45w	2250	0.1904	25 pcs

SKU: 688 | 3000K WARM WHITE  
SKU: 672 | 4000K DAY WHITE  
SKU: 673 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-152	22w	75w	3000	0.2572	25 pcs

SKU: 674 | 4000K DAY WHITE  
SKU: 675 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-061	10w	18w	850	0.1264	25 pcs

SKU: 650 | 3000K WARM WHITE  
 SKU: 651 | 4000K DAY WHITE  
 SKU: 652 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-121	18w	36w	1700	0.1904	25 pcs

SKU: 653 | 3000K WARM WHITE  
 SKU: 654 | 4000K DAY WHITE  
 SKU: 655 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-151	22w	58w	2000	0.2572	25 pcs

SKU: 656 | 3000K WARM WHITE  
 SKU: 657 | 4000K DAY WHITE  
 SKU: 658 | 6400K WHITE



# LED BATTEN FITTINGS

## Single and Double Batten Fitting

This modern range of batten fittings offer durability and can house one to two LED tubes. These luminaires are available in standard lengths for general purpose lighting in residences, commercial establishments, supermarkets, and offices.

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **160° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **Nano Plastic Body**

**5** YEAR  
**WARRANTY\***



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12026	18w	1700	15000	>0.5	10 pcs

SKU: 6442 | 4000K DAY WHITE  
 SKU: 6443 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15023	22w	2000	15000	>0.5	10 pcs

SKU: 6438 | 4000K DAY WHITE  
 SKU: 6439 | 6400K WHITE







MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-12027	36w	3400	15000	>0.5	10 pcs

SKU: 6444 | 4000K DAY WHITE  
 SKU: 6445 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	PF	BOX QTY.
VT-15024	44w	4000	15000	>0.5	10 pcs

SKU: 6440 | 4000K DAY WHITE  
 SKU: 6441 | 6400K WHITE





# FIXTURES WITH LED

## LED Prismatic Fittings



Quick Connector


The reliable 10w to 60w range of efficient LED prismatic fittings from V-TAC all have a high-lumen rating of 120 lm/w and are equipped with quick connectors to lessen set-up time during installation. Available in 3000K, 4000K, and 6400K color temperatures, these durable fittings are ideal for any indoor lighting use

- **SMD LED Type**
- **30,000 hrs Lifespan**
- **110° Beam Angle**
- **15000 On/Off**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **>0.9 PF**
- **Plastic Body**
- **<0.5 s Instant Start**

**5** YEAR  
**WARRANTY\***


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-10	10w	1200	0.26	10 pcs

SKU: 659 | 3000K WARM WHITE  
 SKU: 660 | 4000K DAY WHITE  
 SKU: 661 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-20	20w	2400	0.42	10 pcs

SKU: 662 | 3000K WARM WHITE  
 SKU: 663 | 4000K DAY WHITE  
 SKU: 664 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-40	40w	4800	0.84	10 pcs

SKU: 665 | 3000K WARM WHITE  
 SKU: 666 | 4000K DAY WHITE  
 SKU: 667 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-50	50w	6000	1.00	10 pcs

SKU: 668 | 4000K DAY WHITE  
 SKU: 669 | 6400K WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-9-60	60w	7200	1.20	10 pcs

SKU: 670 | 4000K DAY WHITE  
 SKU: 671 | 6400K WHITE





# FIXTURES WITH LED

## LED Batten Fitting



V-TAC's all new range of LED Batten Fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional microwave sensor specially designed for LED Batten Fittings is also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**
- **Programmable DIP Switch Driver(Applicable for 60W and 80W only)**

**5** YEAR  
WARRANTY\*

**TP(a)**  
Polycarbonate




**Compatible Emergency Pack**



**Sensor Compatible**

MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-42	40w	4800	1.40	10 pcs


SKU: 755 | 4000K DAY WHITE






MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-62	60w	6900	1.72	10 pcs

SKU: 756 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-80	80w	8600	2.07	10 pcs

SKU: 757 | 4000K DAY WHITE



## Emergency Pack (Optional)

m-pack SKU: 758 Compatible with Batten

Charging time::

≥24 HOURS

Charge current:

200 MA

Working time :

3 HOURS



## Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

Detection area:

4M (@3M MOUNTING HEIGHT)

Detection angle:

150°(WALL) 360°(CEILING)

Hold time:

5S / 30S / 90S / 3MIN / 30MIN





**LINKABLE**  
UP TO 100 WATTS TOGETHER

## FIXTURES WITH LED

### T5 Batten Fitting


**5** YEAR  
WARRANTY\*

The new T5 Batten Fittings retain the premium qualities of V-TAC's fixtures with LED. Each fitting is fully compatible & linkable; multiple batten fittings can be connected with each other, making it an efficient alternative lighting fixture for both small and big indoor spaces.

- 30,000 Life Hours
- PF - 0.9
- On/Off Cycle - >15000 time
- Input Voltage - AC:220-240V
- CRI - >80
- LED Provided by Samsung


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-035	4w	360	0.065	25 pcs

SKU: 689 | 3000K WARM WHITE  
 SKU: 690 | 4000K DAY WHITE  
 SKU: 691 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-065	7w	630	0.112	25 pcs

SKU: 692 | 3000K WARM WHITE  
 SKU: 693 | 4000K DAY WHITE  
 SKU: 694 | 6400K WHITE




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-125	16w	1440	0.16	25 pcs

SKU: 695 | 3000K WARM WHITE  
 SKU: 696 | 4000K DAY WHITE  
 SKU: 697 | 6400K WHITE





EASY ACCESS FOR  
COLOR CHANGING  
WITH BUTTON



**CCT Changeable**



**FLICKER FREE**

## FIXTURES WITH LED

### LED Batten Fitting

**5** YEAR  
WARRANTY\*


The new Batten Fittings series from V-TAC boasts of its colour tuning feature with an easy-to-access, built-in switch — enabling users to gradually customise the light from a warm 3000-kelvin white light up to the standard 6400-kelvin white. Choose and switch to your preferred colour temperature anytime.

- **PC+Aluminium+Steel**
- **30,000 Life Hours**
- **CRI - >80**
- **Flicker Free**
- **PF - 0.9**
- **On/Off Cycle - >20000 time**
- **Input Voltage - AC:220-240V,50Hz**




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-43	40w	4000	1.68	10 pcs

SKU: 517 | 3IN1




MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-53	50w	5000	2.06	10 pcs

SKU: 518 | 3IN1



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-63	60w	6000	2.42	10 pcs

SKU: 519 | 3IN1





# FIXTURES WITH LED

## LED Batten Fitting



V-TAC's all new range of LED Batten fittings designed with LED chip by Samsung deliver high performance light output of 120 lumens/watt. These fittings are built strong using the materials Iron + Polycarbonate and are also TP(a) rated to meet the fire safety standards. Optional emergency pack and microwave sensor specially designed for LED Batten are also available.

- **TP(A) Rated**
- **30,000 Life Hours**
- **CRI - >80**
- **PF - 0.9**
- **On/Off Cycle - >15000 time**
- **Input Voltage - AC:220-240V**
- **Programmable DIP Switch Driver(Applicable for 60W only)**




**TP(a)**  
 Polycarbonate



**Sensor Compatible**


MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-41	40w	4800	2.90	4 pcs

SKU: 753 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	WEIGHT-KG	BOX QTY.
VT-8-61	60w	7200	3.65	4 pcs

SKU: 754 | 4000K DAY WHITE



## Microwave Sensor (Optional)

VT-8-6 SKU: 759 Compatible with Batten

**Detection area:**

4M (@3M MOUNTING HEIGHT)

**Detection angle:**

150°(WALL) 360°(CEILING)

**Hold time:**

5S / 30S / 90S / 3MIN / 30MIN





# FIXTURES WITH LED

## LED Waterproof Fittings


With its IP65 rating and tough aluminum exterior, the new LED Tri-Proof Fittings are the optimal choice for a strong and durable fitting for indoor and outdoor lighting. Available in 4ft, 5ft, and 6ft, these high-lumen tri-proof fittings are ideal for illuminating open spaces that are frequently exposed to dust and moisture.


- **SMD LED Type**
- **20,000 - 30,000 hrs Lifespan**
- **110° Beam Angle**
- **IP65 Rating**
- **AC:220-240V,50Hz**
- **CRI: >80**
- **PF: >0.9**

**5** YEAR  
**WARRANTY\***

MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-180	60w	5400	15000	Plastic	>0.9	1.30	9 pcs

SKU: 680 | 4000K DAY WHITE  
 SKU: 681 | 6400K WHITE






Aluminum Body frame


MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-160	60w	7200	15000	Plastic+Aluminium	>0.9	2.10	9 pcs

SKU: 678 | 4000K DAY WHITE  
 SKU: 679 | 6400K WHITE



MODEL	WATTS	LUMENS	ON/OFF	BODY TYPE	PF	WEIGHT-KG	BOX QTY.
VT-170	70w	8400	15000	Plastic+Aluminium	>0.9	2.67	9 pcs

SKU: 676 | 4000K DAY WHITE  
 SKU: 677 | 6400K WHITE



# LED LINEAR LIGHTS

V-TAC LED Linear Lights are an energy efficient, low maintenance alternative to traditional linear fluorescent in a variety of industrial, commercial, and light assembly applications. It is the optimal solution for conventional lighting systems and excellent for new installations due to its low installation cost.

## KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment
- Continuous row modular system

## APPLICATION


Ideal for lighting applications in residential, commercial, and hospitality locations.



# COMPLETE RANGE OF LINEAR LIGHTS


## Up & Down Linear Lights (Non-Linkable)

One (1) metre stand-alone suspended up & down lighting with cutting-edge reflectors for a soft yet sufficient lighting effect; available in Silver & White




## Up & Down Linear Hanging Lights

Continuous suspended upward & downward lighting with a broad 160mm width for a wider scope; modern tech reflectors to distribute just the right amount of light; available in Silver & White




## Up & Down Linear Hanging Lights (Slim)

Continuous suspended up & down lighting with a 75mm body; available in Black, Silver, and White




## Linear Hanging Lights (Non-Dimmable)

Continuous suspended downward lighting with a narrow 35mm body for a leaner scope; competitively priced for professional task lighting in commercial areas; available in Black, Silver, & White




## Linear Hanging Lights (Dimmable)

Dimmable suspended downward lighting with a 50mm body for narrower aisles; continuous up to 12m; available in Silver & White




## LED Recessed Linear (Linkable)


Recessed version of our continuous downward linear lighting with a 70mm body; available in Silver & White



## LED Recessed Linear (Linkable)

A broader version of our recessed linear lighting at 90mm width; continuous up to 12 metres; available in White





## LINEAR HANGING LIGHTS-NON LINKABLE

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC: 100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**

**5 YEAR WARRANTY\***

**SILVER**    VT-7-61-S

SKU:607 | 4000K DAY WHITE

**WHITE**    VT-7-61-W

SKU:606 | 4000K DAY WHITE

WATTS

UP 30w

DOWN 30w

LUMENS

UP-3300


DOWN-3300

SIZE

1179x64x35mm

BOX QTY.


8 pcs







## LED LINEAR LIGHTS



**LINKABLE**  
UP TO 12 METERS TOGETHER

## LINEAR HANGING LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in two colors variants Silver and White.


- **30,000 hrs Lifespan**
- **AC:100-270V,50/60Hz**
- **Aluminum Body**
- **UGR<6**

**5** YEAR  
WARRANTY\*

**SILVER** VT-7-62-S  
SKU:609 | 4000K DAY WHITE

**WHITE** VT-7-62-W  
SKU:608 | 4000K DAY WHITE

1190mm




WATTS	LUMENS
UP 30w	UP-3300
DOWN 30w	DOWN-3300

SIZE  
**1190x160x30mm**

BOX QTY.  
**4 pcs**



## LED LINEAR LIGHTS



**LINKABLE**  
UP TO 12 METERS TOGETHER

## LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

**5** YEAR  
WARRANTY\*

### BLACK VT-7-40-B

SKU:882 | 3000K WARM WHITE  
SKU:374 | 4000K DAY WHITE  
SKU:600 | 6000K WHITE

### SILVER VT-7-40-S



SKU:375 | 4000K DAY WHITE  
SKU:601 | 6000K WHITE

### WHITE VT-7-40-W

SKU:376 | 4000K DAY WHITE  
SKU:602 | 6000K WHITE


WATTS	LUMENS	SIZE
40w	4000	1200x35x67mm





C0(Max): —  
 C0/C180: —  
 C90/C270: —  
 Field angle(10%Imax):C0/180Left:79.2 Right:79.2  
 :C90/270Left:79.5 Right:79.5  
 Beam Angle(50%Imax):C0/180Left:53.4 Right:53.4  
 :C90/270Left:54.1 Right:54.1





**LINKABLE**  
UP TO 12 METERS TOGETHER

## LINEAR HANGING UP-DOWN LIGHTS

This modern range of suspended linear lights has up & down illumination for a more evenly distributed light that creates a subtle ambient yet sufficient lighting for any commercial lighting. Linear up & down lights are offered in three colors variants Black, Silver and White.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Aluminum Body**
- **Linkable with connectors**

**5** YEAR  
WARRANTY\*

**BLACK**    VT-7-60-B  
SKU:379 | 4000K DAY WHITE

**SILVER**    VT-7-60-S  
SKU:378 | 4000K DAY WHITE

**WHITE**    VT-7-60-W  
SKU:377 | 4000K DAY WHITE



WATTS	LUMENS
<b>UP 20w</b>	<b>UP-2000</b>
<b>DOWN 40w</b>	<b>DOWN-4000</b>


SIZE  
**1200x75x105mm**

100

LED LINEAR LIGHTS

\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)





**LINKABLE**  
UP TO 12 METERS TOGETHER

# LINEAR HANGING LIGHTS

Discover V-TAC's reliable 40w suspended linear lights with a staggering lifespan of 30,000 hours. Designed with excellent heat dissipation. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in three colors variants Black, Silver and White.

- **30,000 hrs Lifespan**
- **UGR<19**
- **Linkable with connectors**
- **Aluminum Body**
- **0-10V Dimmable**

**5 YEAR**  
**WARRANTY\***



**SILVER**    **VT-7-43-S**    |    **WHITE**    **VT-7-43-W**  
 SKU:384 | 4000K DAY WHITE    |    SKU:383 | 4000K DAY WHITE



WATTS	LUMENS	SIZE
40w	3400	1200x50x75mm


\*Suitable for 10-12 hours daily, usage of the product for 24 hours a day would void warranty





C180(Max): ———  
 C0/C180: ———  
 C90/C270: ———  
 Field angle(10%Imax):C0/180Left:81.0 Right:78.8  
                                   :C90/270Left:80.7 Right:80.0  
 Beam Angle(50%Imax):C0/180Left:57.8 Right:55.7  
                                   :C90/270Left:57.6 Right:56.8





**LINKABLE**  
UP TO 12 METERS TOGETHER

## LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung. Linear lights are offered in two colors variants Silver and White.

- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**

**5** YEAR  
**WARRANTY\***



**SILVER**      **VT-7-41-S**

SKU:380 | 4000K DAY WHITE  
SKU:603 | 6000K WHITE

**WHITE**      **VT-7-41-W**


SKU:381 | 4000K DAY WHITE  
SKU:604 | 6000K WHITE

WATTS	LUMENS	SIZE
<b>40w</b>	<b>4000</b>	<b>1211x70x35mm</b>




**8W**  
 VT-7-41-L

SILVER: SKU:386 | 4000K DAY WHITE  
 WHITE: SKU:385 | 4000K DAY WHITE




**10W**  
 VT-7-41-LN

SILVER: SKU:388 | 4000K DAY WHITE  
 WHITE: SKU:387 | 4000K DAY WHITE




**12W**  
 VT-7-41-LW

SILVER: SKU:390 | 4000K DAY WHITE  
 WHITE: SKU:389 | 4000K DAY WHITE




**14W**  
 VT-7-41-T

SILVER: SKU:392 | 4000K DAY WHITE  
 WHITE: SKU:391 | 4000K DAY WHITE



**16W**  
 VT-7-41-X

SILVER: SKU:394 | 4000K DAY WHITE  
 WHITE: SKU:393 | 4000K DAY WHITE





## LINKABLE

UP TO 12 METERS TOGETHER

# LED RECESSED LINEAR

Our new range of linear lights are also available for recessed installation, complete with necessary accessories for a seamless & continuous lighting system. Perfect replacement for traditional and inefficient linear lighting fixtures with the efficient LED provided by Samsung.


- **30,000 hrs Lifespan**
- **AC:200-240V,50/60Hz**
- **Linkable with connectors**
- **Aluminum Body**


**5** YEAR  
WARRANTY\*

**WHITE**    **VT-7-42-W**

SKU:382 | 4000K DAY WHITE


WATTS	LUMENS	SIZE
40w	4000	1211x90x35mm






10W  
 VT-7-42-L

: SKU:395 | 4000K DAY WHITE




10W  
 VT-7-42-LN

: SKU:396 | 4000K DAY WHITE




12W  
 VT-7-42-LW

: SKU:397 | 4000K DAY WHITE




14W  
 VT-7-42-T

: SKU:398 | 4000K DAY WHITE



16W  
 VT-7-42-X

: SKU:399 | 4000K DAY WHITE





## LED LINEAR LIGHTS

V-TAC's new Linear Trunking Light is a set of highly efficient, continuous linear light fixtures with a staggering 160 lm/w rating & a plug-and-play system. It provides an efficient, linkable modular system which means that each unit can be easily connected to the Linear Master Trunking through L, T, and X node connectors. 90°, 120°, and double asymmetric lenses are available for maximum adaptability on any space. Perfect suspended lighting for supermarkets, warehouse, service centers, and gymnasiums. No warm-up time, instant start-up. Sustained color temperature throughout long periods of usage.

### High lumen output

output: 160 lm/W to meet different requirements

V-TAC PERFORMANCE  
**160**  
LUMENS/WATT


### Flexible Beam angle


90°, 120°, double-asymmetric



### Modular system

Continuous row system, seamless connection, max 3500W /row





V-TAC PERFORMANCE  
**160**  
 LUMENS/WATT

**PRO** series

MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4551D	50w	>80	8000	>0.9	1500mm


LINEAR MASTER TRUNKING  
 SKU: 1360 | 4000K DAY WHITE



90° LENS



DIMMABLE




LINEAR MASTER TRUNKING  
 SKU: 1361 | 4000K DAY WHITE



120° LENS



DIMMABLE




LINEAR MASTER TRUNKING  
 SKU: 1362 | 4000K DAY WHITE




DOUBLE ASYMMETRIC  
 LENS




DIMMABLE






MODEL	WATTS	CRI	LUMENS	PF	SIZE
VT-4550D	50w	>80	8000	>0.9	1500mm



LINEAR FOLLOW TRUNKING  
 SKU: 1363 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING  
 SKU: 1364 | 4000K DAY WHITE



LINEAR FOLLOW TRUNKING  
 SKU: 1365 | 4000K DAY WHITE





## ACCESSORIES FOR LINEAR TRUNKING



LINEAR TRACK MODULE

SKU : 1382

---



END CAP-LINEAR LIGHT ACCESSORY

SKU : 1366

---



SUSPENDED CORD-LINEAR LIGHT ACCESSORY

SKU : 1367

---



8 WIRE-FEED IN MALE CONNECTOR-LINEAR

SKU : 1368

---



L NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1383

---



T NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1384

---



X NODE CONNECTOR-LINEAR ACCESSORY

SKU : 1385

---



S LINE-FOLLOW TRUNKING RAIL

SKU : 1451

---



S LINE-PC BLANK COVER

SKU : 1452

---



## LED TRACK LIGHTS

Color has a massive influence on purchasing decisions. V-TAC's new generation of innovative 4-Line LED Track Lights are the premiere choice for retail lighting since Samsung's COB solution are optimized for this purpose. The >90 CRI rating of these track lights provide vivid colors, highly enhancing any product's appeal to consumers. Single and 4-Line track lights are included in this new generation of track lights from V-TAC.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.





## KEY FEATURES

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, Compact & Adjustable design
- No Lead or Mercury content hence environment friendly
- Provides Uniform Radiance & Enhances appeal of any environment.
- Enhances measurable levels of performance as compared to older versions of high wattage halogen & HID light sources in retail & Commercial Lighting applications.

## LED TRACKLIGHTS

### 4 Line Tracklights-Black Body

**5** YEAR  
**WARRANTY\***


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, ebony black finish.

- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-B	7w	420	>0.5	>90	40 pcs	24°

SKU: 353 | 3000K WARM WHITE  
 SKU: 354 | 4000K DAY WHITE  
 SKU: 355 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-B	15w	1050	>0.5	>90	40 pcs	24°

SKU: 359 | 3000K WARM WHITE  
 SKU: 360 | 4000K DAY WHITE  
 SKU: 361 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-B	20w	1400	>0.9	>90	40 pcs	24°

SKU: 365 | 3000K WARM WHITE  
 SKU: 366 | 4000K DAY WHITE  
 SKU: 367 | 5000K WHITE



## LED TRACKLIGHTS

### 4 Line Tracklights-White Body

**5** YEAR  
WARRANTY\*


A complete range of durable 7w to 20w 4-line LED track lights with aluminum body equipped with LED Chip by Samsung. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in a stylish, clean white finish.



- **COB LED Type**
- **30,000 hrs Lifespan**
- **24° Beam Angle**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-407-W	7w	490	>0.5	>90	40 pcs	24°

SKU: 350 | 3000K WARM WHITE  
SKU: 351 | 4000K DAY WHITE  
SKU: 352 | 5000K WHITE




MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-415-W	15w	1200	>0.5	>90	40 pcs	24°

SKU: 356 | 3000K WARM WHITE  
SKU: 357 | 4000K DAY WHITE  
SKU: 358 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-420-W	20w	1600	>0.9	>90	40 pcs	24°

SKU: 362 | 3000K WARM WHITE  
SKU: 363 | 4000K DAY WHITE  
SKU: 364 | 5000K WHITE



## LED TRACKLIGHTS

### LED Shutter Tracklights

These durable 4-line LED track lights are equipped with shutters for flexibility — easily adjust them to achieve desired beam angle. These COB LEDs are also renowned for its high-CRI rating, perfect for retail lighting. Available in white and black body.


- **COB LED Type**
- **30,000 hrs Lifespan**
- **24°-60° Adjustable**
- **AC:220-240V,50Hz**
- **High CRI of > 90**
- **Aluminum Body**



**5** YEAR  
**WARRANTY\***


MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-B	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 371 | 3000K WARM WHITE
- SKU: 372 | 4000K DAY WHITE
- SKU: 373 | 5000K WHITE



MODEL	WATTS	LUMENS	PF	CRI	BOX QTY.	BEAM ANGLE
VT-433-W	33w	2640	>0.9	>90	8 pcs	24°-60° Adjustable

- SKU: 368 | 3000K WARM WHITE
- SKU: 369 | 4000K DAY WHITE
- SKU: 370 | 5000K WHITE





## LED LINEAR LIGHTS

[www.v-tac.eu](http://www.v-tac.eu) | [www.vtacexports.com](http://www.vtacexports.com)



## LED BULKHEAD LIGHTS

V-TAC's LED Bulkhead range is inclusive of IP65-rated 2D bulkheads made of state-of-the-art polycarbonate resins for a premium water and dustproof surface-mounted luminaire.

Each model has powerful combinations of two useful features: the emergency battery backup and the microwave sensor with 120°D detection angle. Together with the new elegant designs, this luminaire's highlight is its competitive outdoor effectiveness in efficiency and security.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING







## KEY FEATURES

- Four-options available: 3-in-1 2D Bulkhead with Emergency Battery Back-up & Microwave Sensor, 2D Bulkhead with Emergency Battery Back-up only, 2D Bulkhead with Microwave Sensor only, and stand-alone 2D Bulkhead with 5-years warranty
- Built-in power eliminates the need for an external power supply
- IP65 and strong PC covers for durability
- 3-hour Emergency Operation Time
- Microwave sensors: up to 10m detection
- upto 30,000hr lifespan
- Fully compatible with daylight sensors
- Equipped with a green LED charging indicator
- Suitable for open areas constantly exposed to dust and moisture like parking lots, corridors, airports, and malls.

  
Microwave Sensor



  
Emergency Battery Backup

**31**   
Emergency Battery Backup  
  
Microwave Sensor

## 2D BULKHEAD

EMERGENCY  
BATTERY  
BACKUP 

  
MICROWAVE  
SENSOR

**31** IN   
EMERGENCY  
BATTERY  
BACKUP  
  
MICROWAVE SENSOR

  
IP65  
RATING



# LED DOME LIGHTS

## 2D Bulkhead


Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

- AC:200-240V,50/60Hz
- PC Body type
- SMD LED Type
- 20,000 hrs Lifespan
- AC:200-240V,50/60Hz
- PC Body type
- SMD LED Type
- 20,000 hrs Lifespan


## 2D Bulkhead

Our resilient IP65 LED bulkheads make a good choice for outdoor residential, business, and industrial areas that need constant lighting since they can withstand weather, dust, and vandalism.

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 815   4000K DAY WHITE
VT-08	8w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 801   4000K DAY WHITE SKU: 802   6400K WHITE
VT-15	15w	1400	10 pcs	



## 2D Bulkhead with Emergency Battery


**Emergency Battery Backup** 

These IP65 LED bulkheads are equipped with Ni-Cad batteries that automatically charges while in use. These fixtures can operate up to three (3) hrs on emergency situations.


- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

**3 YEAR WARRANTY\***

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 816   4000K DAY WHITE
VT-11	10w	720	10 pcs	



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 806   4000K DAY WHITE
VT-17	17w	1400	10 pcs	



## 2D Bulkhead with Sensor



### Microwave Sensor


This range of LED bulkheads are recommended for purposes of increasing security in garages, walkways, and parking areas. With competitive detection range and dimmable functions, these bulkheads exhibit exceptional performance in outdoor security lighting.

- **AC:200-240V,50/60Hz**
- **120° / 360° Detection Angle**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **Max D10Mx4M Detection Range**
- **10S, 1min, 5min, 10min customized Hold Time**
- **Day, 10Lux, 30Lux, 50Lux optional Day light Sensor**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **30,000 hrs Lifespan**

**5** YEAR  
WARRANTY\*


MODEL	WATTS	LUMENS	BOX QTY.
VT-09	10w	720	10 pcs

SKU: 818 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-16	15w	1400	10 pcs


SKU: 803 | 3000K WARM WHITE  
SKU: 804 | 4000K DAY WHITE  
SKU: 805 | 6400K WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-22	15w	1450l	10 pcs

SKU:819 | 4000K DAY WHITE

**VANDAL-PROOF**





## 2D Bulkhead with Emergency Battery Backup and Sensor

**31** Emergency Battery Backup  
 Microwave Sensor


Our 3-in-1 LED bulkhead range is equipped with the complete package for a remarkable and reliable indoor/outdoor emergency and security lighting. With reliable Ni-Cad emergency battery back up, advanced microwave sensor, and optional dimmable functions, this range has impressive lighting abilities to make outdoor locations of residential, business, and industrial areas safer and easier to navigate.

- **AC:200-240V,50/60Hz**
- **>1.2 Watts Emergency Standby Watts**
- **60mA Battery Charging Current**
- **200mA Battery Discharging Current**
- **Ni-CD AA, 7.2V 1.0Ah Battery Type**
- **Green LED Charging indicate**
- **Including battery protection circuit & inhibiting mode**
- **120° / 360° Detection Angle**
- **Yes, 0, 10%, 20%, 30% optional Dimmable Function**
- **0.5~3m/s Detection Motion Speed**
- **PC Body type**
- **>3 hrs Emergency Operation time**
- **SMD LED Type**
- **3m, 5m, 8m, 10m (optional) Detection Distance**
- **30,000 hrs Lifespan**

**3** YEAR  
 WARRANTY\*


MODEL	WATTS	LUMENS	BOX QTY.
VT-12	10w	720	10 pcs

SKU: 817 | 4000K DAY WHITE



MODEL	WATTS	LUMENS	BOX QTY.
VT-19	15w	1400	10 pcs

SKU: 812 | 4000K DAY WHITE



NEW

EMERGENCY  
BATTERY  
BACKUP 

  
MICROWAVE  
SENSOR

**31** IN   
EMERGENCY BATTERY BACKUP  
  
MICROWAVE SENSOR

 **IP65**  
RATING



## SLIM DOMELIGHT


A new addition to our Bulkhead Lights series, V-TAC's new Slim IP65 LED bulkheads are re-designed with a sleeker, more compact built for a modern look – perfect lighting for outdoor areas in residential, business, and industrial zones.

### Slim Domelight

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65

**5** YEAR  
WARRANTY\*

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 820   4000K DAY WHITE
VT-12S	12w	1440	10 pcs	




## Slim Domelight with Emergency Backup

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Battery Charging Current - 60mA
- Battery Discharge Current - 200mA

**3** YEAR  
WARRANTY\*

Emergency   
Battery Backup

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 822   4000K DAY WHITE
VT-12SE	14w	1440	10 pcs	



## Slim Domelight with Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- Detection Motion Speed - 0.5-3m/s
- Hold Time - 30s, 40s, 50s customized
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override by dial switch

**5** YEAR  
WARRANTY\*

  
Microwave Sensor



MODEL	WATTS	LUMENS	BOX QTY.	SKU: 821   4000K DAY WHITE
VT-12SS	12w	1440	10 pcs	



## Slim Domelight with Emergency+Sensor

- AC:220-240V,50/60Hz
- 110° Beam Angle
- SMD LED chip type
- Body Material - PC
- 30,000 Life Hours
- CRI >80
- IP Rating IP65
- > 3 Hours emergency operation time
- Battery type -Ni-Cd 9.6V,1.0Ah
- Microwave Sensor
- 3-6m detection distance
- 10mx6m detection range
- 360°Ceiling/120°Wall Mounted
- 0.5-3m/s detection motion speed
- 30s, 40s, 50s customized (time delay)
- Daylight sensor -Day, 2lux, 10lux, 50lux optional
- Dimmable - Yes, 0, 10%,20% optional
- Manual Override

**3** YEAR  
WARRANTY\*

**31** IN  
Emergency   
Battery Backup  
  
Microwave Sensor

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 823   4000K DAY WHITE
VT-12SES	14w	1440	10 pcs	




**NEW**



## Domelight - Sensor

- Input: AC:110-240V, 50/60Hz
- 120° Beam Angle
- 30,000 Hours
- SMD LED Chip
- CRI >80

- Detection Distance - 6m Max
- Detection Range - 360°
- Time Delay - Min-10sec±3sec, Max-3min±30sec
- Detection motion Speed - 0.6-1.5m/s
- Ambient Light - <3-2000lux(adjustable)



MODEL	WATTS	LUMENS	BOX QTY.
VT-13	12w	800	10 pcs

- SKU: 807 | 3000K WARM WHITE
- SKU: 808 | 4000K DAY WHITE
- SKU: 809 | 6400K WHITE



**NEW**




## Reflector Downlight

Our new reflector downlights feature a quick connector for easy wiring and installation. The beam angle direction can be also be easily adjusted by tilting the downlight itself.

- Adjustable Angle
- Input: AC:85-240V,50/60Hz
- Body type Aluminium
- 120° Beam Angle
- LED (COB chip) provided by Samsung
- CRI >80

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-10	10w	900	40 pcs


SKU: 839 | 3000K WARM WHITE  
SKU: 840 | 4000K DAY WHITE  
SKU: 841 | 6400K WHITE



Cutting Size:  $\varnothing$ 80mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-20	20w	1800	20 pcs


SKU: 842 | 3000K WARM WHITE  
SKU: 843 | 4000K DAY WHITE  
SKU: 844 | 6400K WHITE



Cutting Size:  $\varnothing$ 145 mm

MODEL	WATTS	LUMENS	BOX QTY.
VT-2-30	30w	2700	10 pcs

SKU: 845 | 3000K WARM WHITE  
SKU: 846 | 4000K DAY WHITE  
SKU: 832 | 6400K WHITE



Cutting Size:  $\varnothing$ 195 mm

**NEW**



## Fire Rated Downlight

Our new Fire-Rated Spotlight Fittings are available in **Chrome, Nickel, and White** finish. With **3000K and 4000K CCT** options, built with **Aluminium alloy and iron**. They are an efficient replacement for traditional downlight fittings.


- 70° Beam Angle
- IP rating IP65
- Material - Iron+Aluminium Alloy
- CRI >80
- LED provided by Samsung
- 30,000 Hours

**30-60-90 MIN**  
**Fire Rated** 



**5** YEAR  
**WARRANTY\***

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8175   3000K WARM WHITE
VT-885-C	5w	500	Chrome	50 pcs	SKU: 8176   4000K DAY WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8173   3000K WARM WHITE
VT-885-N	5w	500	Nickel	50 pcs	SKU: 8174   4000K DAY WHITE



Cutting Size: Ø57mm

MODEL	WATTS	LUMENS	COLOR	BOX QTY.	SKU: 8177   3000K WARM WHITE
VT-885-W	5w	500	White	50 pcs	SKU: 8178   4000K DAY WHITE



Cutting Size: Ø57mm

**NEW**



**Included Bezels**



Black



Brush Nickel



Polish Chrome

## Fire Rated Downlight

An innovative addition to our Fire-Rated Downlight series, this new model has an easy switch for colour temperature tuning to achieve any lighting mood in any room. No need to worry about which colour temperature for any room when you can have it all – readily available with just a flick of a switch.

- IP65 Rating.
- Integrated COB LED (Non-replaceable).
- Isolate driver with terminal for easy and speedy installation

- 60° Beam Angle
- CRI >80
- LED provided by Samsung
- 30,000 Hours
- 85x75mm



EASY ACCESS FOR  
 COLOR CHANGING  
 WITH BUTTON



**CCT Changeable**

**30** MIN

**60** MIN

**90** MIN

**Fire Rated**

MODEL	WATTS	LUMENS	BOX QTY.	SKU: 881   3IN1
VT-18D	8w	720	30 pcs	

(When light intensity is more than 10 lx, light keep off even though people in. Less than 10 lx, PIR Sensor works)



# LED CABINET LIGHT

Enjoy the convenience of V-TAC's new LED cabinet lights with built-in PIR sensor. Ideal for wardrobes, bookshelves, drawers, and tool cabinets. Fully powered by batteries, designed for a neat installation.

- Easy to mount
- Automatic sensing
- Uses battery instead of power supply, no wires
- Ideal for wardrobes, bookcases, cupboards, and more...


**5** YEAR  
**WARRANTY\***

## VT-80

SKU: 813 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	80	50 pcs

3xAAA (Battery not included)




## VT-81

SKU: 814 | 4000K DAY WHITE

WATTS	LUMENS	BOX QTY.
1.5w	135	50 pcs

4xAA (Battery not included)




**NEW**

## LED Night Light

Eye-friendly LED night light, produce comforting gentle warm light to let you see better in the dark. This white LED nightlight can illuminate any dark space in your home or office.

- Voltage/Frequency: 220-240V, 50Hz
- Power: 0.45W
- RA: >80
- Body material: ABS+PC
- Box Qty: 100pcs



### VT-82RD


SKU: 824 | 3000K WARM WHITE  
 SKU: 825 | 4000K DAY WHITE

SIZE  
 ø65x53.4mm

### VT-82SQ

SKU: 826 | 3000K WARM WHITE  
 SKU: 827 | 4000K DAY WHITE

SIZE  
 65x65x53.4mm



### VT-83RD


SKU: 828 | 3000K WARM WHITE  
 SKU: 829 | 4000K DAY WHITE

SIZE  
 ø60x54.5mm

### VT-83SQ

SKU: 830 | 3000K WARM WHITE  
 SKU: 831 | 4000K DAY WHITE

SIZE  
 60x60x54.5mm



USB charging ports to charge  
 USB chargeable devices simul-  
 taneously



### VT-84RD

SKU: 505 | 3000K WARM WHITE  
 SKU: 506 | 4000K DAY WHITE

SIZE  
 ø60x54.5mm

### VT-84SQ

SKU: 507 | 3000K WARM WHITE  
 SKU: 508 | 4000K DAY WHITE

SIZE  
 60x60x54.5mm

**NEW**

## LED Solar Wall and Bollard Lights

### Mode 1: Sensor Mode

- Automatically turns on to 10% brightness at dusk
- Turns on to 100% brightness when a motion is detected in the range of < 5 metres
- Turn to 10% brightness in 30 seconds of no motion
- Turns off at dawn

### Mode 2: Constant Brightness Mode

- The sensor will be disabled.
- Automatically turns on at dusk (100% brightness) and works constantly until the battery capacity reduces to zero. (Up to 4 hours)

- 2Watts
- 50pcs of LED
- 5.5V 3 W Solar Panel
- Lithium battery 3.7V 2600mAh
- 3-5 meters Sensing Range
- 4-6 hours sunlight charging Time
- Min 3hrs / Max 12hrs Working Time
- IP65 Rating
- AL+PC Material



### VT-77

SKU: 784 | 3000K WARM WHITE

LUMENS      BEAM ANGLE

**220**      **170°**

BOX QTY.      SIZE

**10 pcs**      **140x140x290mm**



### VT-66

SKU: 785 | 3000K WARM WHITE

LUMENS      BEAM ANGLE

**280**      **120°**

BOX QTY.      SIZE

**10 pcs**      **140x140x500mm**



**NEW**


## LED Wall Light



**VT-7-06**

SKU: 780 | 3000K WARM WHITE

SKU: 781 | 4000K DAY WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.	SIZE
10w	800	110°	20 pcs	300x55x194mm

- AC220-240V,50/60Hz
- CRI: >80
- 15,000 times On/Off
- 20,000 hrs. Life span
- PC Material
- IP54 Rating


**NEW**

## Solar Wall Light



**VT-88**

SKU: 786 | 3000K WARM WHITE



WATTS	LUMENS	BEAM ANGLE	BOX QTY.	SIZE
0.5w	5	180°	10 pcs	240x62.5x225mm

- 4pcs of LED
- 5.5V 2.5W Solar Panel
- Lithium battery 3.7V 1800mAh
- 4-6 hours sunlight Charging Time
- Minimum 12hrs. Working Time
- IP44 Rating



# LED EMERGENCY LIGHTS

V-TAC new range of LED emergency lights comes at an age of increased awareness and standards for safety compliance in different infrastructures. Now equipped with highly efficient LEDs provided by Samsung, these emergency lights include clear-cut exit signs, and are powered by high performance batteries, to provide a longer lifespan, lower maintenance, with increased working time when activated.

V-TAC's emergency lights are a smart choice for effective emergency lighting to meet fire & safety assessments in residential and commercial buildings, offices, hotels, hospitals, and schools

## APPLICATION

Offices, hospitals, corporate buildings, schools, and commercial establishments







## KEY FEATURES


- Thermoplastic PC built
- High quality Ni-Cd batteries made for longevity & low maintenance reliable emergency backup of 3 hours
- Rectangular type plastic with different signs for various locations
- Single or double face configuration
- Wall, side, or ceiling mounted
- LED indicator light and push button test switch LEDs mounted on print circuit board
- 12-24-hour recharge after more than 3-hour discharge
- Efficient thermal management technology
- Corrosion-free mounting clamps
- Maintained operation mode



**Exit Light - Surface**

VT-519-S-12 SKU: 836 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



Watts: 2w  
 Lamp Type: 16 SMD LEDs  
 Lumens: 140lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP20  
 Material : PC  
 Exit Lamp Type: Wall/Ceiling  
 Viewing Distance: 24 Meters From Both Sides


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 3.6V,900mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 3 Stickers  
 Legends: 3 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 10pcs



**Exit Light-Recessed**

VT-522-S-12 SKU: 835 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



Watts: 2w  
 Lamp Type: 16 SMD LEDs  
 Lumens: 140lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP20  
 Material : PC  
 Exit Lamp Type: Recessed/Ceiling  
 Viewing Distance: 24 Meters From Both Sides


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 3.6V,900mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 3 Stickers  
 Legends: 3 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 10pcs



**Exit Light - Bulkhead**

VT-523-S-12 SKU: 837 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



**Exit Light - Bulkhead**

VT-523-S-24 SKU: 847 - 6000K WHITE

**24Hrs**  
 CHARGING TIME

Watts: 3w  
 Lamp Type: 16 SMD LEDs  
 Lumens: 140lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP65  
 Material : PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side


Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 3.6v, 1500mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 4 Stickers  
 Legends: 4 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 12pcs



**Exit Light - Bulkhead**

VT-524-S-12 SKU: 838 - 6000K WHITE

**12Hrs**  
 CHARGING TIME



Watts: 4w  
 Lamp Type: 30 SMD LEDs  
 Lumens: 190lm  
 Input Voltage: AC:220-240V,50/60Hz  
 IP Rating: IP65  
 Material : PC  
 Exit Lamp Type: Wall - Bulkhead  
 Viewing Distance: 22 Meters From One side

Emergency Operation Time: >3 Hours  
 Battery: Ni-Cd 4.8V,900mAh  
 Recharging Time: 12 Hours  
 Test Button: Green Light Indicator Test Button  
 Stickers: 3 Stickers  
 Legends: 3 Way Legend Available  
 Mode Of Operation: Maintained  
 Box Qty: 12pcs



# LED STRIP LIGHTS

V-TAC's efficient LED strip lights is an effective solution to light up tight spaces, or in simply decorating your kitchen, bedroom, and even your garden. Applicable both for accent lighting or task lighting, these strip lights are easy to install, compatible with controls, and are available in standard color temperatures.

## APPLICATION


Recommended for bedrooms, kitchens, restaurants, bars, and other residential and commercial areas





## KEY FEATURES

- Easy installation
- Available in 5m and 10m
- Exceptionally low power consumption



# LED STRIP & NEON FLEX LIGHTS

This range includes up to 18 watt dust and moisture-rated LED strip lights, equipped with Samsung LED Chips for an even further advanced and vivid performance. It also has our IP65 neon flex LED strip light that is specially designed for outdoor resistance. Available in 3000K Warm White, 4000K Day White, and 6400K White, we have the optimal range of low-energy consuming and easy-to-install strip lights with vibrant lighting.

- LED strip is a low voltage flexible ribbon available in 24v and 12V
- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

**3** YEAR  
WARRANTY\*

**NEW** CRI >95

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.	SKU: 331   3000K WARM WHITE
VT-10-240-1	18w	1800	DC:24V	40 Packets	SKU: 332   4000K DAY WHITE SKU: 333   6400K WHITE

**10**  
METER ROLL


MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-10-240	15w	1600	DC:24V	80 Packets

SKU: 320 | 3000K WARM WHITE  
 SKU: 321 | 4000K DAY WHITE  
 SKU: 322 | 6400K WHITE



MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-5-120	12w	1200	DC:12V	80 Packets

SKU: 323 | 3000K WARM WHITE  
 SKU: 324 | 4000K DAY WHITE  
 SKU: 325 | 6400K WHITE



ULTRA THIN  
 JUST 6 X 12MM

**WATERPROOF LED NEON FLEX**

MODEL	WATTS	LUMENS	VOLTAGE	BOX QTY.
VT-55	10w	300	DC:12V	40 Packets

SKU: 326 | 3000K WARM WHITE  
 SKU: 327 | 4000K DAY WHITE  
 SKU: 328 | 6400K WHITE





## LED SPOT LIGHTS

Our new range of LED spotlights with Samsung LEDs is your leading choice for efficient directional lighting solutions. This new range is perfectly compatible with existing GU10 holders. They deliver the same warm light as halogen spots while exhibiting the energy-saving benefits that LEDs provide. Ideal for retail and residential lighting.

## APPLICATION

Ideal for lighting applications in residential, commercial, and hospitality locations.

**V-TAC**<sup>®</sup>  
INNOVATIVE LED LIGHTING









## KEY FEATURES

- Classic halogen-like design with up to 80% power savings
- Compatibility ensured: available in all existing spotlight holders
- Optional beam angles: ranging from 38°D to 300°D
- Set the right tone: dimmable options available



## LED SPOTLIGHTS

### LED Capsules Lights

Our newly improved range of capsule lights are the ideal choice for replacing Halogen counterparts. Now equipped with LEDs provided by Samsung for maximum efficiency.

- 30,000-hr lifespan
- DC: 12V for G4
- AC: 220-240V, 50Hz for G9
- CRI: >80

**5** YEAR  
**WARRANTY\***



G4



G4





G9



G9



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-201	1.5w	10w	100	G4	200 pcs

- SKU: 240 | 3000K WARM WHITE
- SKU: 241 | 4000K DAY WHITE
- SKU: 242 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-234	3.2w	30w	385	G4	200 pcs

- SKU: 131 | 3000K WARM WHITE
- SKU: 132 | 4000K DAY WHITE
- SKU: 133 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-203	2.5w	20w	200	G9	200 pcs

- SKU: 243 | 3000K WARM WHITE
- SKU: 244 | 4000K DAY WHITE
- SKU: 245 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-204	3w	25w	300	G9	200 pcs

- SKU: 246 | 3000K WARM WHITE
- SKU: 247 | 4000K DAY WHITE
- SKU: 248 | 6400K WHITE



## LED SPOTLIGHTS

### LED GU10 Lights

Achieve a warm soft glow in any room with our improved range of GU10 spotlights with 30,000-hr lamp life.

- Clear and frost cover options
- Available in 38°D or 110°D beam angle
- Dimmable options available
- 30,000-hr lifespan
- DC: 12V for GU5.3
- AC: 220-240V, 50Hz for GU10
- CRI: >80

**5** YEAR WARRANTY\*



GU10





GU10



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-232	2w	15w	180	GU10	200 pcs

SKU: 869 | 3000K WARM WHITE  
 SKU: 870 | 4000K DAY WHITE  
 SKU: 871 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-205	5w	35w	400	GU10	200 pcs

SKU: 201 | 3000K WARM WHITE  
 SKU: 202 | 4000K DAY WHITE  
 SKU: 203 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275	5w	40w	380	GU10		192 pcs

SKU: 108 | 3000K WARM WHITE  
 SKU: 510 | 4000K DAY WHITE  
 SKU: 511 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-275D	5w	35w	380	GU10		192 pcs

SKU: 109 | 3000K WARM WHITE  
 SKU: 512 | 4000K DAY WHITE  
 SKU: 897 | 6400K WHITE



## LED SPOT LIGHTS

LED SPOTLIGHTS  
 MR16 | GU10

**5** YEAR  
 WARRANTY\*





GU5.3



GU10



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-257	6.5w	55w	450	GU5.3	200 pcs

- SKU: 204 | 3000K WARM WHITE
- SKU: 205 | 4000K DAY WHITE
- SKU: 206 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-267	6.5w	40w	450	GU5.3	200 pcs

- SKU: 207 | 3000K WARM WHITE
- SKU: 208 | 4000K DAY WHITE
- SKU: 209 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-247	6.5w	60w	480	GU10	200 pcs

- SKU: 192 | 3000K WARM WHITE
- SKU: 193 | 4000K DAY WHITE
- SKU: 194 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-227	6.5w	60w	480	GU10	200 pcs

- SKU: 189 | 3000K WARM WHITE
- SKU: 190 | 4000K DAY WHITE
- SKU: 191 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-247D 6.5w 55w 450 GU10 200 pcs**

SKU: 198 | 3000K WARM WHITE  
 SKU: 199 | 4000K DAY WHITE  
 SKU: 200 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-227D 6.5w 35w 450 GU10 200 pcs**

SKU: 195 | 3000K WARM WHITE  
 SKU: 196 | 4000K DAY WHITE  
 SKU: 197 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-277 7w 65w 480 GU10 200 pcs**

SKU: 165 | 3000K WARM WHITE  
 SKU: 166 | 4000K DAY WHITE  
 SKU: 167 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-291 8w 70w 720 GU10 200 pcs**

SKU: 875 | 3000K WARM WHITE  
 SKU: 876 | 4000K DAY WHITE  
 SKU: 877 | 6400K WHITE





MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-292 8w 70w 720 GU10 200 pcs**

SKU: 872 | 3000K WARM WHITE  
 SKU: 873 | 4000K DAY WHITE  
 SKU: 874 | 6400K WHITE



MODEL WATTS EQ.WATTS LUMENS BASE BOX QTY.  
**VT-271 10w 70w 1000 GU10 200 pcs**

SKU: 878 | 3000K WARM WHITE  
 SKU: 879 | 4000K DAY WHITE  
 SKU: 880 | 6400K WHITE





## LED BULBS

Find the right bulb in V-TAC's newly improved range of LED bulbs. With our recent in-branding program with Samsung, all LED chips used in the PRO Series lamp range.

From aesthetically-pleasing filament bulbs to our extensive options of 360° omnidirectional thermoplastic bulbs in all sizes, watts, and lumens, we have a complete range to replace 60w to 150w traditional lamps for your home, office, or business.

## APPLICATION

General lighting in residential, commercial, and industrial areas





## KEY FEATURES

- Includes Amber & Clear Filament Bulbs, High-Lumen Bulbs, Thermoplastic Bulbs, Reflector Bulbs, PAR Bulbs, Big Bulbs, and B22s.
- Lightweight yet durable body: made of Aluminum + ASA plastic
- Designed with optimal thermal management
- 80% lower power consumption
- Dimmable options available
- 30,000-hr lifespan: remarkable performance than conventional and other LED lamps



LM/WATT



DIMMABLE



ENERGY RATING

## LED AMBER FILAMENT

### A60

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
**WARRANTY\***





A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-214	4w	30w	350	E27	A60	50 pcs

SKU: 282 | 2200K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-266	6w	55w	725	E27	A60	50 pcs

SKU: 286 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-228	4w	35w	350	B22	A60	96 pcs

SKU:107 | 2200K WARM WHITE





## LED AMBER FILAMENT

G95 | G125 | ST64

V-TAC's decorative Amber Filament Lamp range is devised with the latest technology to provide the warm look and feel of conventional filament bulbs.

- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80


**5** YEAR  
**WARRANTY\***



G95





G125



ST64



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-296	6w	55w	725	E27	G95	20 pcs

SKU: 293 | 2200K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-297	6w	55w	725	E27	G125	20 pcs

SKU: 291 | 2200K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-276	6w	55w	725	E27	ST64	50 pcs

SKU: 290 | 2200K WARM WHITE



## LED CLEAR FILAMENT

### A60

V-TAC's decorative and efficient LED filament range also comes in an elegant, clear glass body for a classic vintage design in A60, candle, and globe shapes that can replace 35 to 60-watt traditional filament bulbs.

- **20,000 hrs Lifespan**
- **300° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
**WARRANTY\***





A60 | E27



A60 | B22



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-256	6w	60w	806	E27	A60	50 pcs

SKU: 287 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-208	4w	40w	400	B22	A60	96 pcs

SKU: 106 | 3000K WARM WHITE



# LED CLEAR FILAMENT

## Candle



Candle | B22



Candle | E14





Twist Candle



Flame Candle



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-222	4w	40w	400	B22	Candle	192 pcs

SKU: 105 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254	4w	35w	400	E14	Candle	100 pcs

SKU: 272 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-254D	4w	30w	350	E14	Candle	100 pcs

SKU: 278 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-274	4w	35w	400	E14	Candle	100 pcs

SKU: 279 | 2700K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-264	4w	35w	400	E14	Candle	100 pcs

SKU: 275 | 2700K WARM WHITE



LED CLEAR FILAMENT  
 Candle | G45 | G95 | G125

**5** YEAR  
 WARRANTY\*



Candle



G45



G95





G125

MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
VT-284D	4w	30w	350	B15	100 pcs

SKU: 862 | 3000K WARM WHITE





DIMMABLE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-244	4w	35w	400	E27	G45	100 pcs

SKU: 280 | 2700K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-286	6w	60w	806	E27	G95	20 pcs

SKU: 294 | 2700K WARM WHITE



120 LM/WATT





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-287	6w	60w	806	E27	G125	20 pcs

SKU: 292 | 2700K WARM WHITE




120 LM/WATT



# High Lumen Bulbs

Adequate light at an optimal cost – equipped with **Samsung LED chip**, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of modern LED lighting technology at 120 lumens per watt. Better design, quality, and performance; truly an innovative take on traditional lamps.

120 ±  
LUMENS/ WATT  
SUPER EFFICIENT



## HIGH LUMEN BULBS

### C37 | G45 | P45

Available in warm to bright color temperatures, this high-lumen range includes candelabra-style C37 lamps, 45mm diameter spheroid/ping pong G45 bulbs, and 45mm pear-shaped bulbs for a complete selection of lamps to meet a desired combination for mood and task lighting in residential and commercial spaces.

- **A++ energy rating**
- **120 lm/w**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
WARRANTY\*



C37





G45



P45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-255	4.5w	40w	470	E14	Candle	200 pcs

- SKU: 258 | 3000K WARM WHITE
- SKU: 259 | 4000K DAY WHITE
- SKU: 260 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-245	4.5w	40w	470	E27	G45	200 pcs

- SKU: 261 | 3000K WARM WHITE
- SKU: 262 | 4000K DAY WHITE
- SKU: 263 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-225	4.5w	40w	470	E14	P45	200 pcs

- SKU: 264 | 3000K WARM WHITE
- SKU: 265 | 4000K DAY WHITE
- SKU: 266 | 6400K WHITE



## HIGH LUMEN BULBS

### A60 | A65

Adequate light at an optimal cost – equipped with Samsung LED chip, V-TAC's complete range of high-lumen LED lamps includes a vast array of general-purpose lighting solutions with the efficiency of LED lighting technology. Better design, quality, and performance; truly a modern take on traditional lamps.

- A++ energy rating
- 120 lm/w
- 30,000-hr lifespan
- 200° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
WARRANTY\*





A60



A65



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-265	6.5w	60w	806	E27	A60	100 pcs

- SKU: 255 | 3000K WARM WHITE
- SKU: 256 | 4000K DAY WHITE
- SKU: 257 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-285	8.5w	75w	1055	E27	A60	100 pcs

- SKU: 252 | 3000K WARM WHITE
- SKU: 253 | 4000K DAY WHITE
- SKU: 254 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-295	12w	100w	1521	E27	A65	100 pcs

- SKU: 249 | 3000K WARM WHITE
- SKU: 250 | 4000K DAY WHITE
- SKU: 251 | 6400K WHITE





# LED Plastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

- Ideal retrofit for E27, E14 and B22 holders
- Longer lifespan than conventional bulbs
- Instant startup
- Options! Available in three color temperatures
- Set the right tone: dimmable options available
- Customized exterior for a stronger body



## LED PLASTIC BULBS

### ST26 | T37

A decorative and efficient range of Candle, G45, P45, lamps for intricate light fittings in wall lamps, chandeliers and table lamps. This new generation of LED plastic bulbs includes our 9w to 18w A58, A65, and A80 lamps which are ideal for general purpose lighting at residential, commercial, and industrial areas.

- **ST26, T37, C37, and G45 shapes available**
- **Standard color temperatures**
- **30,000-hr lifespan**
- **200° Beam Angle**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
WARRANTY\*



ST26





T37





T37



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-202</b>	<b>2w</b>	<b>20w</b>	<b>180</b>	<b>E14</b>	<b>ST26</b>	<b>400 pcs</b>
SKU: 234   3000K WARM WHITE SKU: 235   4000K DAY WHITE SKU: 236   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-248</b>	<b>8w</b>	<b>50w</b>	<b>660</b>	<b>E14</b>	<b>T37</b>	<b>200 pcs</b>
SKU: 267   3000K WARM WHITE SKU: 268   4000K DAY WHITE SKU: 269   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-237</b>	<b>8w</b>	<b>50w</b>	<b>660</b>	<b>E27</b>	<b>T37</b>	<b>200 pcs</b>
SKU: 144   3000K WARM WHITE SKU: 145   4000K DAY WHITE SKU: 146   6400K WHITE						



LED PLASTIC BULBS  
 Candle C37

**5** YEAR  
 WARRANTY\*



Candle | E14



Candle | E27





Flame Candle





Candle | E14



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-226	5.5w	40w	470	E14	Candle	200 pcs
SKU: 171   3000K WARM WHITE SKU: 172   4000K DAY WHITE SKU: 173   6400K WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-294D	5.5w	40w	470	E14	Candle	200 pcs
SKU: 859   3000K WARM WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-289	5.5w	40w	470	E27	Candle	200 pcs
SKU: 858   3000K WARM WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-258	5.5w	40w	470	E14	Candle	200 pcs
SKU: 117   3000K WARM WHITE SKU: 118   4000K DAY WHITE SKU: 119   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-268	7w		600	E14	Candle	200 pcs
SKU: 111   3000K WARM WHITE SKU: 112   4000K DAY WHITE SKU: 113   6400K WHITE						



# LED PLASTIC BULBS

G45 | P45

**5** YEAR WARRANTY\*





G45



P45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-246	5.5w	40w	470	E27	G45	200 pcs

SKU: 174 | 3000K WARM WHITE  
 SKU: 175 | 4000K DAY WHITE  
 SKU: 176 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-283	5.5w	40w	470	E27	G45	200 pcs

SKU: 857 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-290	7w	45w	600	E27	G45	200 pcs

SKU: 866 | 3000K WARM WHITE  
 SKU: 867 | 4000K DAY WHITE  
 SKU: 868 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-236	5.5w	40w	470	E14	P45	200 pcs

SKU: 168 | 3000K WARM WHITE  
 SKU: 169 | 4000K DAY WHITE  
 SKU: 170 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-282	5.5w	40w	470	E14	P45	200 pcs

SKU: 856 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-270	7w	45w	600	E14	P45	200 pcs

SKU: 863 | 3000K WARM WHITE  
 SKU: 864 | 4000K DAY WHITE  
 SKU: 865 | 6400K WHITE



## LED BULBS

LED PLASTIC BULBS

A58

**5** YEAR  
**WARRANTY\***





A58 | E14



A58 | E27



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-269	9w	60w	806	E14	A58	100 pcs

SKU: 114 | 3000K WARM WHITE  
 SKU: 115 4000K DAY WHITE  
 SKU: 116 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-209	9w	55w	725	E27	A58	100 pcs

SKU: 156 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-210	9w	60w	806	E27	A58	100 pcs

SKU: 228 | 3000K WARM WHITE  
 SKU: 229 | 4000K DAY WHITE  
 SKU: 230 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-211	11w	70w	975	E27	A60	100 pcs

SKU: 177 | 3000K WARM WHITE  
 SKU: 178 | 4000K DAY WHITE  
 SKU: 179 | 6400K WHITE



# LED PLASTIC BULBS

A58 | A65 | A80

**5** YEAR WARRANTY\*



A58





A65



A80



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-212	11w	75w	1055	E27	A60	100 pcs

- SKU: 231 | 3000K WARM WHITE
- SKU: 232 | 4000K DAY WHITE
- SKU: 233 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-215	15w	85w	1250	E27	A65	100 pcs

- SKU: 159 | 3000K WARM WHITE
- SKU: 160 | 4000K DAY WHITE
- SKU: 161 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-217	17w	100w	1521	E27	A65	100 pcs

- SKU: 162 | 3000K WARM WHITE
- SKU: 163 | 4000K DAY WHITE
- SKU: 164 | 6400K WHITE




MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-298	18w	125w	2000	E27	A80	100 pcs

- SKU: 126 | 3000K WARM WHITE
- SKU: 127 | 4000K DAY WHITE
- SKU: 128 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-233	20w	150w	2452	E27	A80	50 pcs

- SKU: 237 | 3000K WARM WHITE
- SKU: 238 | 4000K DAY WHITE
- SKU: 239 | 6400K WHITE



## LED PLASTIC BULBS

Candle | G45



**5** YEAR  
WARRANTY\*



Candle | B15





Candle | B22



G45



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299	5.5w	40w	470	B15	Candle	200 pcs

SKU: 860 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-299D	5.5w	40w	470	B15	Candle	200 pcs

SKU: 861 | 3000K WARM WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-223	5.5w	40w	470	B22	Candle	192 pcs

SKU: 103 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-221	5.5w	40w	470	B22	G45	192 pcs

SKU: 104 | 3000K WARM WHITE



LED PLASTIC BULBS  
**A58**





**5** YEAR  
**WARRANTY\***



A58



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-229	9w	60w	806	B22	A58	96 pcs

SKU: 101 | 3000K WARM WHITE  
 SKU:850 | 4000K DAY WHITE  
 SKU: 851 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-219	9w	60w	806	B22	A58	100 pcs

SKU: 270 | 3000K WARM WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-259D	9w	60	806	B22	A58	100 pcs

SKU: 852 | 3000K WARM WHITE



LED PLASTIC BULBS

A60 | A65



**5** YEAR  
**WARRANTY\***





A60




A65



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-213	11w	75w	1055	B22	A60	100 pcs
SKU: 271   3000K WARM WHITE SKU:110   4000K DAY WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-231	11w	75w	1055	B22	A60	96 pcs
SKU: 102   3000K WARM WHITE SKU: 853   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-281	15w	85w	1250	B22	A65	100 pcs
SKU: 854   3000K WARM WHITE SKU: 855   6400K WHITE						





## LED REFLECTOR BULB

We offer an energy-efficient reflectors range of various widths (39mm, 50mm, 63mm, 80mm) for diffused lighting that can serve as track or spotlight in residential, hospitality, or commercial spaces.

- Available in E14 and E27
- 30,000-hr lifespan
- 120° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
**WARRANTY\***



R39



R50





R63





R80



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-239	3w	25w	250	E14	R39	200 pcs
SKU: 210   3000K WARM WHITE SKU: 211   4000K DAY WHITE SKU: 212   6400K WHITE						





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-250	6w	40w	470	E14	R50	200 pcs
SKU: 138   3000K WARM WHITE SKU: 139   4000K DAY WHITE SKU: 140   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-263	8w	60w	570	E27	R63	200 pcs
SKU: 141   3000K WARM WHITE SKU: 142   4000K DAY WHITE SKU: 143   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-280	10w	75w	800	E27	R80	200 pcs
SKU: 135   3000K WARM WHITE SKU: 136   4000K DAY WHITE SKU: 137   6400K WHITE						



## LED PAR BULB

Provide precisely control LED beams of light to any space with V-TAC's improved range of LED PAR bulbs with 40° beam angle. With a significantly longer lifespan and up to 80% lower energy-consumption, our LED PAR series is your cost-efficient replacement for Halogen PAR lamps. Our PAR series offers advanced thermal management features and uses LEDs provided by Samsung.

- Uses IP-protected Samsung LED chip
- 20,000 hrs Lifespan
- 300° Beam Angle
- AC:220-240V,50Hz
- CRI: >80

**5** YEAR  
**WARRANTY\***



PAR20





PAR30



PAR38



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-220	7w	65w	495	E27	PAR20	100 pcs

- SKU: 147 | 3000K WARM WHITE
- SKU: 148 | 4000K DAY WHITE
- SKU: 149 | 6400K WHITE





MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-230	11w	95w	825	E27	PAR30	30 pcs

- SKU: 153 | 3000K WARM WHITE
- SKU: 154 | 4000K DAY WHITE
- SKU: 155 | 6400K WHITE



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
VT-238	14w	120w	1100	E27	PAR38	30 pcs

- SKU: 150 | 3000K WARM WHITE
- SKU: 151 | 4000K DAY WHITE
- SKU: 152 | 6400K WHITE



## LED BULBS

### UFO Bulb

V-TAC's Big Bulb range are ready to meet lighting demands for big spaces that require broader lighting with its range of unique designs, all with significantly greater luminous flux. This range has lamps with diameter ranging from 75mm up to 250mm. Despite the great size, these LED big bulbs are equipped with modern thermal management so it will not heat up and has LEDs provided by Samsung for maximum efficiency.

- **30,000 hrs Lifespan**
- **AC:220-240V,50Hz**
- **CRI: >80**

**5** YEAR  
WARRANTY\*



F150





F200




F250



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-216</b>	<b>15w</b>	<b>80w</b>	<b>1200</b>	<b>E27</b>	<b>F150</b>	<b>20 pcs</b>
SKU: 213   3000K WARM WHITE SKU: 214   4000K DAY WHITE SKU: 215   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-224</b>	<b>24w</b>	<b>120w</b>	<b>1900</b>	<b>E27</b>	<b>F200</b>	<b>20 pcs</b>
SKU: 216   3000K WARM WHITE SKU: 217   4000K DAY WHITE SKU: 218   6400K WHITE						



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-235</b>	<b>36w</b>	<b>170w</b>	<b>2900</b>	<b>E27</b>	<b>F250</b>	<b>20 pcs</b>
SKU: 219   3000K WARM WHITE SKU: 220   4000K DAY WHITE SKU: 221   6400K WHITE						



LED BULBS  
PAR Bulb | G120

**5** YEAR  
WARRANTY\*





GX53





G120



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	BOX QTY.
<b>VT-207</b>	<b>7w</b>	<b>45w</b>	<b>550</b>	<b>GX53</b>	<b>200 pcs</b>
SKU: 222	3000K WARM WHITE				
SKU: 223	4000K DAY WHITE				
SKU: 224	6400K WHITE				



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-218</b>	<b>17w</b>	<b>100w</b>	<b>1521</b>	<b>E27</b>	<b>G120</b>	<b>20 pcs</b>
SKU: 225	3000K WARM WHITE					
SKU: 226	4000K DAY WHITE					
SKU: 227	6400K WHITE					



MODEL	WATTS	EQ.WATTS	LUMENS	BASE	SHAPE	BOX QTY.
<b>VT-288</b>	<b>18w</b>		<b>2000</b>	<b>E27</b>	<b>G120</b>	<b>20 pcs</b>
SKU: 123	3000K WARM WHITE					
SKU: 124	4000K DAY WHITE					
SKU: 125	6400K WHITE					



LED BULBS

LED Big Bulb | Lowbay

**5** YEAR  
**WARRANTY\***



E27



E40




E40

MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-240	36w	3960	E27	20 pcs


- SKU: 283 | 3000K WARM WHITE
- SKU: 284 | 4000K DAY WHITE
- SKU: 285 | 6400K WHITE

**2** YEAR  
**WARRANTY\***



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-260	60w	4800	E40	20 pcs

- SKU: 186 | 3000K WARM WHITE
- SKU: 187 | 4000K DAY WHITE
- SKU: 188 | 6400K WHITE



MODEL	WATTS	LUMENS	BASE	BOX QTY.
VT-85	85w	6800	E40	4 pcs

- SKU: 520 | 4000K DAY WHITE
- SKU: 521 | 6400K WHITE



# V-TAC<sup>®</sup>

## INNOVATIVE LED LIGHTING

### ESSENTIALS

THE ESSENTIALS SERIES CONTAINS OUR EXTENSIVE RANGE OF OVER 1800 INNOVATIVE LED LIGHTING PRODUCTS AT COMPETITIVE PRICES – PROVIDING A COMPLETE ARRAY OF OPTIONS VARYING ON FUNCTIONALITY & APPLICATION – FOR AN EFFICIENT LIGHTING SYSTEM IN RESIDENTIAL, COMMERCIAL, AND INDUSTRIAL APPLICATIONS SPACES. THIS RANGE HAS TWO TO FIVE YEARS OF WARRANTY.



## LED Thermoplastic Bulbs

The definition of sustainability: sharing the incandescent bulb's design and built for higher energy, V-TAC's comprehensive thermoplastic bulb series can be proposed for a wide variety of high-end projects.

## Product Features

- Lasts 20 times longer than Standard Bulbs
- Broad Range of holders
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- High Power LED Chips
- Non - Flickering
- Dimmable & Non Dimmable options

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands.

# Witness the True to Life Colors



Our highest CRI rating yet – V-TAC's new generation of CRI>95 spotlights & bulbs is a must in commercial lighting.

A CRI of 85 to 90 percent is considered good at color rendering, while a CRI of 90 percent or above is considered excellent. A CRI index of 90 or above should be used for tasks requiring the most accurate color discrimination.

- Outstandingly engineered to show only the truest of colors
- Emphasize vivid colors to increase appeal of any product to its consumers and contribute to purchasing decisions
- Recommended for restaurants, apparel shops, supermarkets, and other retail areas

**Conventional Light**



**CRI > 95 light**



**NEW**





Bulbs-P45-E14-CRI>95

5.5W VT-2236

SKU: 7488 - 2700K Warm White 3800157640749  
 SKU: 7489 - 4000K Day White 3800157640756  
 SKU: 7490 - 6400K White 3800157640763

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	45x81mm
Box Qty:	200 Pcs

**NEW**





Bulbs-G45-E27-CRI>95

5.5W VT-2216

SKU: 7491 - 2700K Warm White 3800157640770  
 SKU: 7492 - 4000K Day White 3800157640787  
 SKU: 7493 - 6400K White 3800157640794

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	45x82mm
Box Qty:	200 Pcs

**NEW**





Bulbs-Candle-E14-CRI>95

5.5W VT-2226

SKU: 7494 - 2700K Warm White 3800157640800  
 SKU: 7495 - 4000K Day White 3800157640817  
 SKU: 7496 - 6400K White 3800157640824

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E14



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs



**NEW**





Bulbs-A60-E27-CRI>95

10w VT-2210

SKU: 7479 - 2700K Warm White 3800157640657  
 SKU: 7480 - 4000K Day White 3800157640664  
 SKU: 7481 - 6400K White 3800157640671

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	60x112mm
Box Qty:	100 Pcs

**NEW**





Bulbs-A65-E27-CRI>95

12w VT-2212

SKU: 7482 - 2700K Warm White 3800157640688  
 SKU: 7483 - 4000K Day White 3800157640695  
 SKU: 7484 - 6400K White 3800157640701

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27



Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs

**NEW**





Bulbs-A65-E27-CRI>95

17w VT-2217

SKU: 7485 - 2700K Warm White 3800157640718  
 SKU: 7486 - 4000K Day White 3800157640725  
 SKU: 7487 - 6400K White 3800157640732

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1521lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>95
PF:	>0.5
Base:	E27




Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs



### Bulbs-A60-E27-RGB

6W VT-2022

SKU: 7121 - 2700K Warm White 3800157609975  
 SKU: 7150 - 4000K Day White 3800157610711  
 SKU: 7151 - 6400K White 3800157610728



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



- High-efficient RGB light LED bulb with IR remote controller
- Your smart choice to replace your outdated incandescent and fluorescent bulbs
- Provides various colors and light modes for your choice: flash, strobe, fade, smooth, on and off for your choice



### Bulbs-A60-E27-Sensor

9W VT-2016

SKU: 4459 - 2700K Warm White 3800157608237  
 SKU: 4460 - 4000K Day White 3800157608244  
 SKU: 4461 - 6000K White 3800157608251



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x122mm
Box Qty:	100 Pcs



Our smart sensor bulbs are built in with photocells with transmits Signal to light source as per lumen conditions smartly and saves power by going onto Light mode, enabling you to save power and reduce consumption of power when not required.



### Bulbs-A60-E27-3 Step Dimming

9W VT-2011

SKU: 4447 - 2700K Warm White 3800157607988  
 SKU: 4448 - 4000K Day White 3800157607995  
 SKU: 4449 - 6400K White 3800157608008



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Smart Dimming Technology Without A Dimmer!  
 At the click of button, change the lighting Power from 100% to 50% and if need to Reduce more click again to go to 15%.



### Bulbs-A60-E27-Color Changing

9W VT-2119

SKU: 7317 - 3 IN 1 3800157624497



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs

HOW IT WORKS  
 1. Switch the light on for cool white.  
 2. Turn the Switch off and on again for warm white.  
 3. Turn the Switch off and on again for day white.





Bulbs-A60-E27-DC 24V

9w VT-2059


SKU: 7417 - 4000K Day White 3800157632744  
 SKU: 7224 - 6400K White 3800157617543



EQ. Watts:	55w
Voltage/Frequency:	DC:24V
Luminous Flux:	720lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.7
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9w VT-2000R

SKU: 7341 - Red 3800157626033



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	270lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9w VT-2000Y

SKU: 7342 - Yellow 3800157626040



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	570lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9W VT-2000G

SKU: 7343 - Green

3800157626057



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	310lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs



Bulbs-A60-E27

9W VT-2000B

SKU: 7344 - Blue

3800157626064



EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	120lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	100 Pcs




LED Bulbs-E27

5W VT-2055

SKU: 7266 - 2700K Warm White


3800157622981



EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	420lm
Commercial Type:	A55

LED Type:	SMD
CI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	55x106mm
Box Qty:	30 Pcs



LED Bulbs-E27

9W VT-1900

SKU: 7240 - 2700K Warm White

3800157620130

SKU: 7241 - 4000K Day White

3800157620147

SKU: 7242 - 6400K White


3800157620154



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	20 Pcs




LED Bulbs-B22

9W VT-2069-3PC

SKU: 7246 - 2700K Warm White


3800157620192



EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	806lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	20 Pcs





Bulbs-A60-E27


9w VT-2099

SKU: 7260 - 2700K Warm White 3800157622110  
 SKU: 7261 - 4000K Day White 3800157622127  
 SKU: 7262 - 6400K White 3800157622134

EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 100 Pcs



Bulbs-A60-B22



9w VT-1853

SKU: 7402 - 4000K Day White 3800157629270  
 SKU: 7403 - 6400K White 3800157629287

EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x112mm  
 Box Qty: 100 Pcs



Bulbs-A60-B22



9w VT-2189

SKU: 7422 - 2700K Warm White 3800230626295

EQ. Watts: 60w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 806lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: B22

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x106mm  
 Box Qty: 100 Pcs



LED Bulbs-E27


11w VT-2113

SKU: 7352 - 2700K Warm White 3800157627412  
 SKU: 7353 - 4000K Day White 3800157627429  
 SKU: 7354 - 6400K White 3800157627436

EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 40 Pcs



Bulbs-A60-E27


11w VT-2112

SKU: 7350 - 2700K Warm White 3800157627399  
 SKU: 7349 - 4000K Day White 3800157627320  
 SKU: 7351 - 6400K White 3800157627405

EQ. Watts: 75w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 1055lm  
 Commercial Type: A60

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Base: E27

Beam Angle: 200°  
 Body Type: ThermoPlastic  
 Dimension: 60x120mm  
 Box Qty: 100 Pcs





Bulbs-A65-B22

15W VT-2015-B22


SKU: 7229 - 2700K Warm White 3800157619554



EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs



Bulbs-A65-E27

15W VT-2015-E27


SKU: 4453 - 2700K Warm White 3800157608091  
 SKU: 4454 - 4000K Day White 3800157608107  
 SKU: 4455 - 6400K White 3800157608114



EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs



Bulbs-A65-E27

17W VT-2017


SKU: 4456 - 2700K Warm White 3800157608121  
 SKU: 4457 - 4000K Day White 3800157608138  
 SKU: 4458 - 6400K White 3800157608145



EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1521lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	100 Pcs




NEW



Bulbs-A80-E27

18W VT-2218


SKU: 2707 - 3000K Warm White 3800157641838  
 SKU: 2708 - 4000K Day White 3800157641845  
 SKU: 2709 - 6400K White 3800157641852



EQ. Watts:	125w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	2000lm
Commercial Type:	A80

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	80x142mm
Box Qty:	50 Pcs




NEW



Bulbs-A80-E27

20W VT-2220


SKU: 2710 - 3000K Warm White 3800157643917  
 SKU: 2711 - 4000K Day White 3800157643924  
 SKU: 2712 - 6400K White 3800157643931



EQ. Watts:	150w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	2452lm
Commercial Type:	A80

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	80x149mm
Box Qty:	20 Pcs





Bulbs-G45-E27


**3W** VT-2053-E27

SKU: 7202 - 2700K Warm White 3800157615860  
 SKU: 7203 - 4000K Day White 3800157615877  
 SKU: 7204 - 6400K White 3800157615884

EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **250lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x76mm**  
 Box Qty: **200 Pcs**



Bulbs-G45-E27



**4W** VT-1830

SKU: 4207 - 6400K White 3800230624611

EQ. Watts: **30w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **320lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**  
 Box Qty: **200 Pcs**



Bulbs-G45-E27



**5.5W** VT-1879N

SKU: 7407 - 2700K Warm White 3800157629485  
 SKU: 7408 - 4000K Day White 3800157629492  
 SKU: 7409 - 6400K White 3800157629508

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**  
 Box Qty: **200 Pcs**



Bulbs-G45 - 3Pc Pack


**5.5W** VT-2176

SKU: 7362 - 2700K Warm White 3800157628204  
 SKU: 7363 - 4000K Day White 3800157628211  
 SKU: 7364 - 6400K White 3800157628228

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x82mm**  
 Box Qty: **60 Pcs**



**NEW**



Bulbs-G45-6Pc Pack



**5.5W** VT-2256

SKU: 2730 - 2700K Warm White 3800157645201  
 SKU: 2731 - 4000K Day White 3800157645218  
 SKU: 2732 - 6400K White 3800157645225

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **G45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E27**

Beam Angle: **180°**  
 Body Type: **Thermoplastic**  
 Dimension: **45x82mm**  
 Box Qty: **30 Pcs**





Bulbs-G45-B22



5.5W VT-2197D

SKU: 7419 - 2700K Warm White 3800157633079

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>80
PF:	>0.7
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	100 Pcs



Bulbs-G45-B22



6W VT-1973

SKU: 4441 - 2700K Warm White 3800157607674

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x80mm
Box Qty:	100 Pcs



Bulbs-Candle-B22



3W VT-2073

SKU: 7230 - 2700K Warm White 3800157619578  
SKU: 7231 - 6400K White 3800157619585

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	B22

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x102mm
Box Qty:	200 Pcs



Bulbs-Candle-E14



3W VT-2033

SKU: 7196 - 2700K Warm White 3800157615808  
SKU: 7197 - 4000K Day White 3800157615815  
SKU: 7198 - 6400K White 3800157615822

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs



Bulbs-Candle-E14



4W VT-1818

SKU: 4216 - 2700K Warm White 3800230624796  
SKU: 4166 - 4000K Day White 3800230620675  
SKU: 4122 - 6400K White 3800230620668

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs







Bulbs-Candle-E14



4W VT-1818TP

SKU: 4164 - 2700K Warm White 3800230620743

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x124mm
Box Qty:	200 Pcs



Bulbs-Candle-E14



5.5W VT-1855

SKU: 42151 - 2700K Warm White 3800157639316  
SKU: 42581 - 4000K Day White 3800157639323

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200°
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	200 Pcs



Candle-E14 - 3Pc Pack



5.5W VT-2076

SKU: 7263 - 2700K Warm White 3800157622950  
SKU: 7264 - 4000K Day White 3800157622967  
SKU: 7265 - 6400K White 3800157622974

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	60 Pcs



NEW



Bulbs-Candle-6Pc Pack



5.5W VT-2246

SKU: 2736 - 2700K Warm White 3800157645263  
SKU: 2737 - 4000K Day White 3800157645270  
SKU: 2738 - 6400K White 3800157645287

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200
Body Type:	Thermoplastic
Dimension:	37x100mm
Box Qty:	30 Pcs



Bulbs-Candle-E27



5.5W VT-1821N

SKU: 43421 - 2700K Warm White 3800157624381  
SKU: 43431 - 4000K Day White 3800157624398  
SKU: 43441 - 6400K White 3800157624404

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs






Bulbs-Candle-B22

5.5W VT-2196D


SKU: 7418 - 2700K Warm White 3800157633062



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs



Bulbs-Candle-B22

6W VT-1965


SKU: 4440 - 2700K Warm White 3800157607667  
SKU: 7346 - 6400K White 3800157627283



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	B22


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x102mm
Box Qty:	200 Pcs



Bulbs-Candle-E14

7W VT-2097


SKU: 7320 - 6400K White 3800157624527



EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14


Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	200 Pcs



Bulbs-P45-E14

3W VT-2043


SKU: 7199 - 2700K Warm White 3800157615839  
SKU: 7200 - 4000K Day White 3800157615846  
SKU: 7201 - 6400K White 3800157615853



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	250lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14


Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	200 Pcs



Bulbs-P45-E14

5.5W VT-1880N


SKU: 42501 - 2700K Warm White 3800157624367  
SKU: 42511 - 4000K Day White 3800157626408  
SKU: 42521 - 6400K White 3800157624374



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	200 Pcs



**NEW**

**Bulbs-P45-6Pc Pack**

**5.5W** VT-2266



SKU: 2733 - 2700K Warm White 3800157645232  
 SKU: 2734 - 4000K Day White 3800157645249  
 SKU: 2735 - 6400K White 3800157645256



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **P45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E14**

Beam Angle: **180**  
 Body Type: **Thermoplastic**  
 Dimension: **45x81mm**  
 Box Qty: **30 Pcs**



**LED Bulbs-E14**

**5.5W** VT-2156



SKU: 7357 - 2700K Warm White 3800157628150  
 SKU: 7358 - 4000K Day White 3800157628167  
 SKU: 7359 - 6400K White 3800157628174



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **470lm**  
 Commercial Type: **P45**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E14**

Beam Angle: **180°**  
 Body Type: **ThermoPlastic**  
 Dimension: **45x81mm**  
 Box Qty: **60 Pcs**



**Bulbs-R39-E14**

**3W** VT-1861



SKU: 4220 - 4000K Day White 3800230625489  
 SKU: 4242 - 6400K White 3800230626806



EQ. Watts: **25w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **210lm**  
 Commercial Type: **R39**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E14**

Beam Angle: **120°**  
 Body Type: **ThermoPlastic**  
 Dimension: **39x67mm**  
 Box Qty: **200 Pcs**



**Bulbs-R50-E14**

**6W** VT-1876



SKU: 4246 - 6400K White 3800230626813



EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **400lm**  
 Commercial Type: **R50**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E14**

Beam Angle: **120°**  
 Body Type: **ThermoPlastic**  
 Dimension: **50x86mm**  
 Box Qty: **200 Pcs**



**Bulbs-R63-E27**

**8W** VT-1862



SKU: 4140 - 4000K Day White 3800230620903  
 SKU: 4244 - 6400K White 3800230626820



EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **500lm**  
 Commercial Type: **R63**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E27**

Beam Angle: **120°**  
 Body Type: **ThermoPlastic**  
 Dimension: **63x100mm**  
 Box Qty: **200 Pcs**





**Bulbs-R7S**



**7W** VT-1917

SKU: 7123 - 3000K Warm White 3800157610032  
SKU: 7124 - 4000K Day White 3800157610049

EQ. Watts: **40w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **470lm**  
Commercial Type: **R7S**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **R7S**

Beam Angle: **360°**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**  
Box Qty: **100 Pcs**



**Bulbs-R7S**



**10W** VT-1990

SKU: 4369 - 3000K Warm White 3800157602952  
SKU: 4389 - 4000K Day White 3800157604130  
SKU: 4390 - 6400K White 3800157604147

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1000lm**  
Commercial Type: **R7S**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **R7S**

Beam Angle: **360°**  
Body Type: **ThermoPlastic**  
Dimension: **25x118mm**  
Box Qty: **100 Pcs**



**NEW**



**Bulbs-R7S**



**7W** VT-2237

SKU: 2713 - 3000K Warm White 3800157644365  
SKU: 2714 - 4000K Day White 3800157644372  
SKU: 2715 - 6400K White 3800157644389

EQ. Watts: **45w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **580lm**  
Commercial Type: **R7S**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **R7S**

Beam Angle: **360°**  
Body Type: **Plastic**  
Dimension: **28x78mm**  
Box Qty: **200 Pcs**



**NEW**



**Bulbs-R7S**



**13W** VT-2213

SKU: 2716 - 3000K Warm White 3800157644396  
SKU: 2717 - 4000K Day White 3800157644402  
SKU: 2718 - 6400K White 3800157644419

EQ. Watts: **80w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1200lm**  
Commercial Type: **R7S**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **R7S**

Beam Angle: **360°**  
Body Type: **Plastic**  
Dimension: **28x118mm**  
Box Qty: **200 Pcs**



**Bulbs-T37-E14**



**9W** VT-2029

SKU: 7173 - 2700K Warm White 3800157615495

EQ. Watts: **50w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **750lm**  
Commercial Type: **T37**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E14**

Beam Angle: **230°**  
Body Type: **ThermoPlastic**  
Dimension: **37x115mm**  
Box Qty: **200 Pcs**







PAR38 Bulbs-E27  
**15W** VT-1125-G

SKU: 4418 - Green 3800157606318  
SKU: 4419 - Red 3800157606325  
SKU: 4420 - Blue 3800157606301

EQ. Watts: **100w**  
Voltage/Frequency: **AC:180-240V,50/60Hz**  
Luminous Flux: **1200lm**  
Commercial Type: **PAR38**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **40°**  
Body Type: **Plastic Coated**  
Dimension: **Aluminium**  
Box Qty: **120x133mm**



**NEW**





PAR38 Bulbs-E27  
**17W** VT-1227

SKU: 45681 - 3000K Warm White 3800157641234  
SKU: 45691 - 4000K Day White 3800157641241

EQ. Watts: **95w**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1300lm**  
Commercial Type: **PAR38**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **100°**  
Body Type: **Thermoplastic**  
Dimension: **120x132mm**  
Box Qty: **40 Pcs**




Bulbs-Globe-E27  
**10W** VT-1893

SKU: 4276 - 3000K Warm White 3800230627889  
SKU: 4277 - 4000K Day White 3800230627896  
SKU: 4278 - 6400K White 3800230627902

EQ. Watts: **60w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **810lm**  
Commercial Type: **G95**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.5**  
Base: **E27**

Beam Angle: **200°**  
Body Type: **ThermoPlastic**  
Dimension: **95x140mm**  
Box Qty: **12 Pcs**





Bulbs-Globe-E27  
**13W** VT-1883

SKU: 4274 - 6400K White 3800230627865

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.7**  
Base: **E27**

Beam Angle: **200°**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**  
Box Qty: **12 Pcs**



Bulbs-Globe-E27  
**13W** VT-1884D



SKU: 4254 - 2700K Warm White 3800230627100

EQ. Watts: **75w**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **1055lm**  
Commercial Type: **G120**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.7**  
Base: **E27**



Beam Angle: **200°**  
Body Type: **ThermoPlastic**  
Dimension: **120x164mm**  
Box Qty: **12 Pcs**



## UFO-F150-E27

### 15W VT-2116



SKU: 7159 - 4000K Day White 3800157612500  
SKU: 7160 - 6400K White 3800157612517



EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1350lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	120°
Body Type:	Plastic
Dimension:	150x80mm
Box Qty:	20 Pcs



## UFO-F150-E27

### 24W VT-2124



SKU: 7161 - 3000K Warm White 3800157612524  
SKU: 7163 - 6400K White 3800157612548



EQ. Watts:	160w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2610lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	120°
Body Type:	Plastic
Dimension:	200x80mm
Box Qty:	20 Pcs



## UFO-F150-E27

### 36W VT-2136



SKU: 7164 - 3000K Warm White 3800157612555  
SKU: 7166 - 6400K White 3800157612579



EQ. Watts:	190w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3240lm
Commercial Type:	F150

LED Type:	SMD
CRI:	>80
PF:	>0.9
Base:	E27

Beam Angle:	120°
Body Type:	Plastic
Dimension:	250x80mm
Box Qty:	20 Pcs



## Bulbs-ED90-E27

### 40W VT-1940



SKU: 7133 - 4000K Day White 3800157610292  
SKU: 7134 - 6500K White 3800157610308



EQ. Watts:	250w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3500lm
Commercial Type:	ED-90

LED Type:	SMD2835
CRI:	>80
PF:	>0.9
Base:	E27

Beam Angle:	235°
Body Type:	Aluminium+PC
Dimension:	90x212mm
Box Qty:	30 Pcs



## LED Bulbs-E14

### 4W VT-2184


SKU: 7366 - 2700K Warm White 3800157628570



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	50 Pcs





LED Bulbs-E27



4W VT-2194

SKU: 7367 - 2700K Warm White 3800157628587

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs



4W VT-2104

SKU: 7282 - 2700K Warm White 3800157623728

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs



4W VT-2134D

SKU: 7284 - 2700K Warm White 3800157623742

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Candle Filament Bulbs



4W VT-2174

SKU: 7365 - 2700K Warm White 3800157628563

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	50 Pcs



LED Filament Bulbs



4W VT-2114

SKU: 7283 - 2700K Warm White 3800157623735

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	25 Pcs





### LED Bulbs-E27



6W VT-2186

SKU: 7368 - 2700K Warm White 3800157628594

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	25 Pcs



### LED Candle Bulbs



5.5W VT-2106

SKU: 7291 - 2700K Warm White 3800157623810  
 SKU: 7292 - 4000K Day White 3800157623827  
 SKU: 7293 - 6400K White 3800157623834

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	37x100mm
Box Qty:	50 Pcs



### LED Bulbs-E14


5.5W VT-2146

SKU: 7355 - 2700K Warm White 3800157628136  
 SKU: 7356 - 4000K Day White 3800157628143

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	P45

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x81mm
Box Qty:	50 Pcs



### LED Bulbs-E27


5.5W VT-2166

SKU: 7360 - 2700K Warm White 3800157628181  
 SKU: 7361 - 4000K Day White 3800157628198

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	G45

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	180°
Body Type:	ThermoPlastic
Dimension:	45x82mm
Box Qty:	50 Pcs



### LED Bulbs-E27



6W VT-2022BP

SKU: 7324 - 2700K Warm White 3800157624602  
 SKU: 7325 - 4000K Day White 3800157624619  
 SKU: 7326 - 6400K White 3800157624626

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	470lm
Commercial Type:	A60

LED Type:	SMD
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	60x112mm
Box Qty:	40 Pcs







LED Bulbs-E27



9W VT-2139

SKU: 7295 - 4000K Day White 3800157623858  
SKU: 7296 - 6400K White 3800157623865

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60

LED Type: SMD  
CRI: >80  
PF: >0.5  
Base: E27

Beam Angle: 200°  
Body Type: ThermoPlastic  
Dimension: 60x112mm  
Box Qty: 25 Pcs



LED Bulbs-E27



9W VT-2109

SKU: 7285 - 2700K Warm White 3800157623759  
SKU: 7286 - 4000K Day White 3800157623766  
SKU: 7287 - 6400K White 3800157623773

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60

LED Type: SMD  
CRI: >80  
PF: >0.5  
Base: E27

Beam Angle: 200°  
Body Type: ThermoPlastic  
Dimension: 60x122mm  
Box Qty: 25 Pcs



LED Bulbs-E27



9W VT-2129

SKU: 7288 - 2700K Warm White 3800157623780  
SKU: 7289 - 4000K Day White 3800157623797  
SKU: 7290 - 6400K White 3800157623803

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60

LED Type: SMD  
CRI: >80  
PF: >0.5  
Base: E27

Beam Angle: 200°  
Body Type: ThermoPlastic  
Dimension: 60x112mm  
Box Qty: 25 Pcs



LED Bulbs-E27



9W VT-2149

SKU: 7309 - 3 IN 1 3800157623995

EQ. Watts: 60w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 806lm  
Commercial Type: A60

LED Type: SMD  
CRI: >80  
PF: >0.5  
Base: E27

Beam Angle: 200°  
Body Type: ThermoPlastic  
Dimension: 60x112mm  
Box Qty: 25 Pcs



LED Bulbs-E27



11W VT-2111

SKU: 7297 - 2700K Warm White 3800157623872  
SKU: 7298 - 4000K Day White 3800157623889

EQ. Watts: 75w  
Voltage/Frequency: AC:220-240V,50Hz  
Luminous Flux: 1055lm  
Commercial Type: A60

LED Type: SMD  
CRI: >80  
PF: >0.5  
Base: E27

Beam Angle: 200°  
Body Type: ThermoPlastic  
Dimension: 60x120mm  
Box Qty: 25 Pcs





### LED Bulbs-E27


15w VT-2117

SKU: 7300 - 2700K Warm White 3800157623902  
 SKU: 7301 - 4000K Day White 3800157623919  
 SKU: 7302 - 6400K White 3800157623926

EQ. Watts:	90w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
Commercial Type:	A65

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	200°
Body Type:	ThermoPlastic
Dimension:	66.5x134mm
Box Qty:	25 Pcs



## LED Filament Bulbs

- Classic Vintage Design
- Available in Amber cover, White cover and Frost cover
- Lasts 20 times longer than Standard Bulbs
- Low power consumption
- No mercury, enviromental protection
- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Dimmable & Non Dimmable options

NEW



SpecialBulbs

### 3D Filament-A60-E27


3W VT-2203

SKU: 2704 - 3000K Warm White 3800157641524

EQ. Watts:	N/A
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	20lm
Commercial Type:	A60

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø60x105mm
Box Qty:	100 Pcs



NEW



SpecialBulbs

### 3D Filament-ST64-E27


3W VT-2223

SKU: 2705 - 3000K Warm White 3800157641531

EQ. Watts:	N/A
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	25lm
Commercial Type:	ST64

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø64x135mm
Box Qty:	100 Pcs




**NEW**



**SpecialBulbs**

3D Filament-G125-E27  
**3W** VT-2233  
 SKU: 2706 - 3000K Warm White 3800157641548



EQ. Watts:	N/A
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	40lm
Commercial Type:	G125

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E27


Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x170mm
Box Qty:	50 Pcs

**NEW**



**SpecialBulbs**

Filament-G125-E27  
**5W** VT-2205  
 SKU: 2700 - 2200K Warm White 3800157641487



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	70lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø125x175mm
Box Qty:	50 Pcs

**NEW**



**SpecialBulbs**

Amber-G165-E27  
**8W** VT-2159  
 SKU: 45641 - 2200K Warm White 3800157641197



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	620lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27


Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs

**NEW**



**SpecialBulbs**

Smoky-G165-E27  
**8W** VT-2159-S  
 SKU: 45651 - 2200K Warm White 3800157641203



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	240lm
Commercial Type:	G165

LED Type:	Filament
CRI:	>80
PF:	>0.45
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	Ø165x295mm
Box Qty:	6 Pcs

NEW



SpecialBulbs

Amber-S180-E27



8W VT-2169

SKU: 45661 - 2200K Warm White 3800157641210

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 620lm

Commercial Type: S180



LED Type: Filament

CRI: >80

PF: >0.45

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø195x400mm

Box Qty: 6 Pcs

NEW



SpecialBulbs

Smoky-S180-E27



8W VT-2169-S

SKU: 45671 - 2200K Warm White 3800157641227

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 240lm

Commercial Type: S180



LED Type: Filament

CRI: >80

PF: >0.45

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø195X400mm

Box Qty: 6 Pcs

NEW



SpecialBulbs

Filament-G100-E27

5W VT-2235



SKU: 2748 - 2200K Warm White 3800157645447

EQ. Watts: 25w

Voltage/Frequency: AC:170-240V,50Hz

Luminous Flux: 250lm

Commercial Type: G100



LED Type: SMD

CRI: >80

PF: >0.5

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø100x190mm

Box Qty:

NEW



SpecialBulbs

Amber Cover -Filament-T60-E27

5W VT-2245



SKU: 2749 - 2200K Warm White 3800157645454

EQ. Watts: 25w

Voltage/Frequency: AC:170-240V,50Hz

Luminous Flux: 250lm

Commercial Type: T60



LED Type: SMD

CRI: >80

PF: >0.5

Base: E27

Beam Angle: 300°

Body Type: Glass

Dimension: Ø60x183mm

Box Qty:




**SpecialBulbs**

Filament-A70-E27

8W VT-2138D

SKU: 7461 - 2000K Warm White 3800157637367



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	A165

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	160x298mm
Box Qty:	6 Pcs




**SpecialBulbs**

Filament-A70-E27

8W VT-2158D

SKU: 7462 - 2000K Warm White 3800157637374



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	G200

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	200x280mm
Box Qty:	4 Pcs




**SpecialBulbs**

Filament-BF180-E27

8W VT-2168D

SKU: 7463 - 2000K Warm White 3800157637381



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	BF180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs





**SpecialBulbs**

Filament-BF180-E27

8W VT-2178D

SKU: 7464 - 2000K Warm White 3800157637398



EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	BF180

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x360mm
Box Qty:	6 Pcs



**SpecialBulbs**

Smoky Filament-S200-E27


8W VT-2188D

SKU: 7465 - 2000K Warm White 3800157637404

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	S200

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	340°
Body Type:	Glass
Dimension:	180x390mm
Box Qty:	4 Pcs



**SpecialBulbs**

Filament-R125-E27



8W VT-2198D

SKU: 7468 - 6500K White 3800157639187  
 SKU: 7466 - 2700K Warm White 3800157639163  
 SKU: 7467 - 4000K Day White 3800157639170

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	R125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	110°
Body Type:	Glass
Dimension:	125x182mm
Box Qty:	24 Pcs



Amber Cover -Filament-A60-E27



3W VT-2063

SKU: 7219 - 2200K Warm White 3800157617277

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	150lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x105mm
Box Qty:	100 Pcs



Amber Cover -LED Filament Bulbs



4W VT-2154

SKU: 7335 - 2200K Warm White 3800157625197

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	360lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs





Filament-A60-E27

4W VT-2164

SKU: 7336 - 2700K Warm White 3800157625203

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x98mm
Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27

4W VT-1954

SKU: 4498 - 2200K Warm White 3800157609739

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Amber Cover -Filament-A60-E27


8W VT-1958

SKU: 4472 - 2200K Warm White 3800157609067

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	720lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Amber Cover -Filament-A67-E27

10W VT-2028

SKU: 7157 - 2200K Warm White 3800157612227

EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Amber Filament-A70-E27


12.5W VT-2123

SKU: 7457 - 2200K Warm White 3800157637862

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	A70

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	70x132mm
Box Qty:	50 Pcs



**NEW**



Filament-ST64-E27



4W VT-2185

SKU: 7474 - 1800K Warm White 3800157640312

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x150mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27



4W VT-2144

SKU: 7327 - 2200K Warm White 3800157624718

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-B22



4W VT-2145

SKU: 7421 - 2200K Warm White 3800157633093

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-B22



4W VT-2145D

SKU: 7420 - 2200K Warm White 3800157633086

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27



4W VT-1964D

SKU: 4368 - 2200K Warm White 3800157602945

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	100 Pcs







Amber Cover -Filament-ST64-E27



4W VT-1964

SKU: 4361 - 2200K Warm White 3800157602747

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-ST64-E27



5W VT-2065

SKU: 7218 - 2200K Warm White 3800157617260

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27



5W VT-2066

SKU: 7220 - 2200K Warm White 3800157617284

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27

5W VT-2065D



SKU: 7416 - 2200K Warm White 3800157632003

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	64x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-ST64-E27



6W VT-1966

SKU: 4362 - 2200K Warm White 3800157602754

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs





Amber Cover -Filament-ST64-E27



8W VT-1968

SKU: 4421 - 2200K Warm White 3800157606356

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	700lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



4W VT-2004

SKU: 7148 - 2200K Warm White 3800157610636

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	G80

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	80x140mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27



4W VT-2024

SKU: 7146 - 2200K Warm White 3800157610612

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



5W VT-2075

SKU: 7217 - 2200K Warm White 3800157617253

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x138mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27

6W VT-2026D


SKU: 7156 - 2200K Warm White 3800157612210

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	95x135mm
Box Qty:	12 Pcs





Amber Cover -Filament-Globe-E27


7W VT-2027

SKU: 7147 - 2200K Warm White 3800157610629

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



Amber Cover -Filament-Globe-E27



8W VT-2019

SKU: 7145 - 2200K Warm White 3800157610605

EQ. Watts:	65w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x140mm
Box Qty:	50 Pcs



NEW



Filament-Globe-E27


4W VT-2195

SKU: 7475 - 1800K Warm White 3800157640329

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	200lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	132x178mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


4W VT-1956

SKU: 4473 - 2200K Warm White 3800157609074

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x165mm
Box Qty:	12 Pcs



Amber Cover -Filament-Globe-E27



5W VT-2085

SKU: 7216 - 2200K Warm White 3800157617246

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs





Amber Cover -Filament-Globe-E27

**5W** VT-2085D



SKU: 7415 - 2200K Warm White 3800157631990

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	300lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	20 Pcs



Amber Cover -Filament-Globe-E27


**6W** VT-2126

SKU: 7328 - 2200K Warm White 3800157624725

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	480lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>70
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x175mm
Box Qty:	100 Pcs



Amber Cover -Filament-Globe-E27

**8W** VT-2018D


SKU: 7155 - 2200K Warm White 3800157612203

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	700lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.7
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Filament-G125-E27



**12.5W** VT-2153

SKU: 7456 - 2200K Warm White 3800157637855

EQ. Watts:	85w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1240lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	125x178mm
Box Qty:	25 Pcs



**NEW**



Amber Cover -Filament-T30-E27


**2W** VT-2162

SKU: 7473 - 1800K Warm White 3800157640305

EQ. Watts:	9w
Voltage/Frequency:	AC:220-240V, 50Hz
Luminous Flux:	65lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x190mm
Box Qty:	100 Pcs





Amber Cover -Filament-T30-E27



2W VT-2052

SKU: 7252 - 2200K Warm White 3800157620833

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



NEW



Filament-T20-E14



4W VT-2204

SKU: 2701 - 2700K Warm White 3800157641494  
 SKU: 2702 - 4000K Day White 3800157641500  
 SKU: 2703 - 6000K White 3800157641517

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	400lm
Commercial Type:	T20

LED Type:	COB
CRI:	>80
PF:	>0.45
Base:	E14

Beam Angle:	360°
Body Type:	Glass
Dimension:	20x135mm
Box Qty:	100 Pcs



Filament-T30-E27



2W VT-2042

SKU: 7251 - 2700K Warm White 3800157620826

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x136mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



5W VT-2005

SKU: 7142 - 2200K Warm White 3800157610575

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x300mm
Box Qty:	100 Pcs



Amber Cover -Filaments-T30-E27



6W VT-2006

SKU: 7143 - 2200K Warm White 3800157610582

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	T30

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	30x185mm
Box Qty:	100 Pcs







Amber Cover -Filaments-T30-E27  
**7W** VT-2008  
 SKU: 7144 - 2200K Warm White 3800157610599

EQ. Watts: **60w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **700lm**  
 Commercial Type: **T30**

LED Type: **Filament**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E27**

Beam Angle: **300°**  
 Body Type: **Glass**  
 Dimension: **30x300mm**  
 Box Qty: **100 Pcs**



**NEW**




Filament-Candle-E14  
**2W** VT-2152  
 SKU: 7472 - 1800K Warm White 3800157640299

EQ. Watts: **9w**  
 Voltage/Frequency: **AC:220-240V, 50Hz**  
 Luminous Flux: **65lm**  
 Commercial Type: **Candle**

LED Type: **Filament**  
 CRI: **>80**  
 PF: **>0.5**  
 Base: **E14**

Beam Angle: **300°**  
 Body Type: **Glass**  
 Dimension: **35x105mm**  
 Box Qty: **200 Pcs**





Amber Cover -Filament-Candle-E14  
**4W** VT-1955  
 SKU: 7113 - 2200K Warm White 3800157609883

EQ. Watts: **40w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **Candle**

LED Type: **Filament**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E14**

Beam Angle: **300°**  
 Body Type: **Glass**  
 Dimension: **35x100mm**  
 Box Qty: **100 Pcs**





Amber Cover -Filament-Candle-E14  
**4W** VT-1949  
 SKU: 7114 - 2200K Warm White 3800157609890

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **Candle**

LED Type: **Filament**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E14**

Beam Angle: **300°**  
 Body Type: **Glass**  
 Dimension: **35x121mm**  
 Box Qty: **100 Pcs**





Amber Cover -Filament-Candle-E14  
**4W** VT-1948  
 SKU: 7115 - 2200K Warm White 3800157609906

EQ. Watts: **35w**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **350lm**  
 Commercial Type: **Candle**

LED Type: **Filament**  
 CRI: **>80**  
 PF: **>0.4**  
 Base: **E14**

Beam Angle: **300°**  
 Body Type: **Glass**  
 Dimension: **35x100mm**  
 Box Qty: **100 Pcs**





Amber Cover -Filament-Candle-E14



4W VT-1947

SKU: 7116 - 2200K Warm White 3800157609913

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



White Cover -Filament-A60-E27



4W VT-1939

SKU: 4489 - 2700K Warm White 3800157609647  
 SKU: 4490 - 4000K Day White 3800157609654  
 SKU: 4491 - 6400K White 3800157609661

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



White Cover -Filament-Candle-E14



4W VT-1924

SKU: 7103 - 6400K White 3800157609784

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Cross Filament-Candle-E14



4W VT-1924C

SKU: 71011 - 2700K Warm White 3800157628617  
 SKU: 71031 - 6400K White 3800157624244

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



White Cover -Filament-Candle-E14


4W VT-1927

SKU: 7106 - 6400K White 3800157609814

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs





Cross Filament-Candle-E14


4W VT-1927C

SKU: 71041 - 2700K Warm White 3800157624299

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1936

SKU: 4474 - 2700K Warm White 3800157609081  
 SKU: 4475 - 4000K Day White 3800157609098  
 SKU: 4476 - 6400K White 3800157609104

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14


4W VT-1937

SKU: 4477 - 2700K Warm White 3800157609111  
 SKU: 4478 - 4000K Day White 3800157609128  
 SKU: 4479 - 6400K White 3800157609135

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14



4W VT-1928

SKU: 7109 - 6400K White 3800157609845

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Cross Filament-Candle-E14


4W VT-1928C

SKU: 71071 - 2700K Warm White 3800157624213  
 SKU: 71081 - 4000K Day White 3800157624220  
 SKU: 71091 - 6400K White 3800157624237

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs







Frost Cover -Filament-Candle-E14



4W VT-1923

SKU: 7110 - 2700K Warm White 3800157609852  
 SKU: 7111 - 4000K Day White 3800157609869  
 SKU: 7112 - 6400K White 3800157609876

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-2054D


SKU: 7176 - 2700K Warm White 3800157615525

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Frost Cover -Filament-Candle-E14

4W VT-2056D



SKU: 7177 - 2700K Warm White 3800157615532

EQ. Watts:	35w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Frost Cover -Filament-Globe-E27



4W VT-1974

SKU: 4497 - 6400K White 3800157609722

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Frost Cover -Filament-P45-E14



4W VT-1835C

SKU: 44941 - 6400K White 3800157624268  
 3800157624282

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs





Frost Cover -Filament-A60-E27



4W VT-1934

SKU: 4486 - 2700K Warm White 3800157609616  
 SKU: 4487 - 4000K Day White 3800157609623  
 SKU: 4488 - 6400K White 3800157609630

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27



5W VT-2045

SKU: 7178 - 2700K Warm White 3800157615549  
 SKU: 7179 - 4000K Day White 3800157615556  
 SKU: 7180 - 6400K White 3800157615563

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	600lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27



6W VT-1935C

SKU: 44801 - 2700K Warm White 3800157624091

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27



6W VT-1935

SKU: 4482 - 6400K White 3800157609166

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	660lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A60-E27



7W VT-2047

SKU: 7181 - 2700K Warm White 3800157615570  
 SKU: 7182 - 4000K Day White 3800157615587  
 SKU: 7183 - 6400K White 3800157615594

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Frost Cover -Filament-A60-E27



7W VT-2047C

SKU: 71811 - 2700K Warm White 3800157624107

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Frost Cover -Filament-A67-E27



8W VT-1938

SKU: 4483 - 2700K Warm White 3800157609586  
 SKU: 4484 - 4000K Day White 3800157609593  
 SKU: 4485 - 6400K White 3800157609609

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Frost Cover -Filament-A67-E27



10W VT-2023

SKU: 7153 - 4000K Day White 3800157612180  
 SKU: 7154 - 6400K White 3800157612197

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Frost Cover -Filament-A67-E27


9W VT-2049

SKU: 7184 - 2700K Warm White 3800157615600  
 SKU: 7185 - 4000K Day White 3800157615617  
 SKU: 7186 - 6400K White 3800157615624

EQ. Watts:	80w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs



Frost Cover -Filament-Globe-E27


7W VT-2057

SKU: 7187 - 2700K Warm White 3800157615631  
 SKU: 7188 - 6400K White 3800157615648

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	G95

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	95x135mm
Box Qty:	12 Pcs





Frost Cover -Filament-Globe-E27


7W VT-2067

SKU: 7189 - 2700K Warm White 3800157615655  
SKU: 7190 - 6400K White 3800157615662

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Frost Cover -Filament-Globe-E27

7W VT-2067D

SKU: 7191 - 2700K Warm White 3800157615679

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	750lm
Commercial Type:	G125

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	125x177mm
Box Qty:	12 Pcs



Clear Glass-Filament-ST64-E27



4W VT-2105D

SKU: 7414 - 2700K Warm White 3800157630320

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	490lm
Commercial Type:	ST64

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	64x145mm
Box Qty:	100 Pcs



Clear Glass-Filament-A60-E27



4W VT-1885

SKU: 4259 - 2700K Warm White 3800230627179

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27



4W VT-1885C

SKU: 42591 - 2700K Warm White 3800157624312

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs





Clear Glass-Filament-A60-E27

4W VT-1885D


SKU: 4364 - 2700K Warm White 3800157602907

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-E27

4W VT-1885DC



SKU: 43641 - 2700K Warm White 3800157624305

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27



Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A60-B22

5W VT-2035


SKU: 7170 - 2700K Warm White 3800157615464

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	A60

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	B22



Beam Angle:	300°
Body Type:	Glass
Dimension:	60x107mm
Box Qty:	50 Pcs



Clear Glass-Filament-A67-E27



8W VT-1978

SKU: 4407 - 2700K Warm White 3800157606165  
SKU: 4409 - 6400K White 3800157606189

EQ. Watts:	60w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	100 Pcs



Clear Glass-Filament-A67-E27

10W VT-1981

SKU: 4410 - 2700K Warm White 3800157606196

EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1055lm
Commercial Type:	A67

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	67x123mm
Box Qty:	50 Pcs





Clear Filament-A70-E27



12.5W VT-2133

SKU: 7460 - 6500K White 3800157637893  
 SKU: 7458 - 3000K Warm White 3800157637879  
 SKU: 7459 - 4000K Day White 3800157637886

EQ. Watts:	100w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1550lm
Commercial Type:	A70

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E27

Beam Angle:	330°
Body Type:	Glass
Dimension:	70x132mm
Box Qty:	50 Pcs



Clear Glass-Filament-ST26-E14



2W VT-1952

SKU: 4445 - 4000K Day White 3800157607865  
 SKU: 4446 - 6400K White 3800157607872

EQ. Watts:	20w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
Commercial Type:	ST26

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	26x58mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1986

SKU: 4301 - 2700K Warm White 3800230629951

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1986C

SKU: 43011 - 2700K Warm White 3800157624114

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1986DC



SKU: 43651 - 2700K Warm White 3800157624176

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs





Clear Glass-Filament-Candle-E14



4W VT-1985C

SKU: 43071 - 2700K Warm White 3800157624183

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14



4W VT-1995

SKU: 4308 - 2700K Warm White 3800157600354  
 SKU: 4431 - 4000K Day White 3800157606455  
 SKU: 4432 - 6400K White 3800157606462

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995D



SKU: 4388 - 2700K Warm White 3800157603973

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14

4W VT-1995DC



SKU: 43881 - 2700K Warm White 3800157624251

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	350lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14


4W VT-1997

SKU: 4302 - 2700K Warm White 3800230629968

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	50 Pcs





Clear Glass-Filament-Candle-E14

4W VT-1997D



SKU: 4366 - 2700K Warm White 3800157602921

EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	Candle

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14



Beam Angle:	300°
Body Type:	Glass
Dimension:	35x121mm
Box Qty:	100 Pcs



Clear Glass-Filament-Candle-E14


6W VT-2127

SKU: 7423 - 3000K Warm White 3800157632577  
SKU: 7424 - 4000K Day White 3800157632584  
SKU: 7425 - 6400K White 3800157632591

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
Commercial Type:	Candle

LED Type:	SMD
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	35x100mm
Box Qty:	200 Pcs



Clear Glass-Filament-Globe-E27



4W VT-1980

SKU: 4427 - 4000K Day White 3800157606417  
SKU: 4428 - 6400K White 3800157606424

EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27


2W VT-2132-P

SKU: 7410 - Pink 3800157630269

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Color Bulbs-G45-E27


2W VT-2132-G

SKU: 7411 - Green 3800157630276

EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs







Color Bulbs-G45-E27

2W VT-2132-B

SKU: 7412 - Blue

3800157630283



EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs




Color Bulbs-G45-E27

2W VT-2132-R

SKU: 7413 - Red

3800157630290



EQ. Watts:	10w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	60lm
Commercial Type:	G45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E27

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x75mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14

4W VT-1996D

SKU: 4394 - 2700K Warm White


3800157604314



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	320lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.5
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs



Clear Glass-Filament-P45-E14

4W VT-1996

SKU: 4426 - 6400K White


3800157606394



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs




Clear Glass-Filament-P45-E14

4W VT-1996C

SKU: 43001 - 2700K Warm White


3800157624138



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
Commercial Type:	P45

LED Type:	Filament
CRI:	>80
PF:	>0.4
Base:	E14

Beam Angle:	300°
Body Type:	Glass
Dimension:	45x77mm
Box Qty:	100 Pcs





Clear Glass-Filament-Globe-E27

**4W** VT-1994D



SKU: 4399 - 2700K Warm White 3800157605021

EQ. Watts:	<b>30w</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>
Luminous Flux:	<b>320lm</b>
Commercial Type:	<b>G125</b>

LED Type:	<b>Filament</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>
Base:	<b>E27</b>



Beam Angle:	<b>300°</b>
Body Type:	<b>Glass</b>
Dimension:	<b>125x177mm</b>
Box Qty:	<b>20 Pcs</b>



Clear Glass-Filament-Globe-E27



**6W** VT-2147

SKU: 7427 - 6400K White 3800157635288

EQ. Watts:	<b>60w</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>
Luminous Flux:	<b>806lm</b>
Commercial Type:	<b>G125</b>

LED Type:	<b>Filament</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>
Base:	<b>E27</b>

Beam Angle:	<b>300°</b>
Body Type:	<b>Glass</b>
Dimension:	<b>125x177mm</b>
Box Qty:	<b>20 Pcs</b>



Clear Glass-Filament-Globe-E27


**12.5W** VT-2143

SKU: 7455 - 6500K White 3800157637848  
 SKU: 7453 - 3000K Warm White 3800157637824  
 SKU: 7454 - 4000K Day White 3800157637848

EQ. Watts:	<b>100w</b>
Voltage/Frequency:	<b>AC:220-240V,50Hz</b>
Luminous Flux:	<b>1550lm</b>
Commercial Type:	<b>G125</b>

LED Type:	<b>Filament</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>
Base:	<b>E27</b>

Beam Angle:	<b>330°</b>
Body Type:	<b>Glass</b>
Dimension:	<b>125x177mm</b>
Box Qty:	<b>25 Pcs</b>



### B22-E27 Converter-Bulbs Accessory



SKU: 3420  
 EAN: 3800157608435

Box Qty.  
**250 Pcs**

Aluminium+PC

### Lamp Holder-E27



SKU: 8750  
 EAN: 3800157642620

Box Qty.  
**400 Pcs**

Bakelite Powder

### Lamp Holder-E14



SKU: 8751  
 EAN: 3800157642637

Box Qty.  
**400 Pcs**

Bakelite Powder

### Lamp Holder-E27



SKU: 8752  
 EAN: 3800157642644

Box Qty.  
**400 Pcs**

PET+Nylon

### Lamp Holder-E14



SKU: 8753  
 EAN: 3800157642651

Box Qty.  
**400 Pcs**

PET+Nylon

**NEW**



VT-71510  
String Light-LED-5M **0.6w**  
SKU: 2728 - 3000K Warm White 3800157644549

- 5 Meter Long String
- 10 Bulbs included
- 0.6 watts per Bulb
- 300 Degree Beam Angle
- IP rating IP40
- 10 Pcs In Cartoon

VT-71010  
Solar String Light **1w**  
SKU: 8559 - 3000K Warm White 3800157641432

- 5 Meter Long String
- 1 watts per Bulb
- 10 Bulbs included
- 6-8 Hours Working Time
- 8-12 Hours Charging Time
- Battery 1XAA Ni-MH, 1.2V/300mAh
- IP rating IP54
- 10 Pcs In Cartoon



VT-70510  
String Light-LED-5M **0.5w**  
SKU: 7437 - 6000K White 3800157637473  
SKU: 7436 - 3000K Warm White 3800157637466  
SKU: 7435 - RGB+Yellow 3800157637459

- 5 Meter Long String
- 0.5 watts per Bulb
- 10 Holders with 0.5 Meter Distance
- IP rating IP40
- 10 Pcs In Cartoon

VT-71020  
String Light-LED-10M **0.5w**  
SKU: 7440 - 6000K White 3800157637503  
SKU: 7439 - 3000K Warm White 3800157637497  
SKU: 7438 - RGB+Yellow 3800157637480

- 10 Meter Long String
- 0.5 watts per Bulb
- 20 Holders with 0.5 Meter Distance
- IP rating IP40
- 5 Pcs In Cartoon



VT-7135  
String Light-WP Socket-E27  
SKU: 3698 3800157634182

- 5 Meter Long String
- 10 Holders with 0.5 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max

VT-713  
String Light-WP Socket-E27  
SKU: 3673 3800157625173

- 15 Meter Long String
- 15 Holders with 1 Meter Distance
- 4 Pcs In Cartoon
- IP54
- Linkable upto 500W max



## LED Spotlights

Introducing a sustainable and energy efficient replacement for power consuming 35W and 50W Halogen Spotlights. An extensive range of LED Spotlights (1.2W-8W)

### Product Features

- Uses 80% less energy than Standard Bulbs
- Excellent Heat Radiation Efficiency
- Customized exterior for stronger body
- Choice of beam angle from 38° to 300°
- Premium Quality Power Driver

### Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting and Exhibition Stands

Capsules-G9-Blister Pack

2W VT-2102BP



SKU: 7340 - 3000K Warm White 3800157625630



EQ. Watts:	20w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	230lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	230°

Body Type:	Glass
Dimension:	14.5x43.5mm
Box Qty:	400 Pcs



Capsules-G9

2W VT-2102



SKU: 7337 - 3000K Warm White 3800157625210  
 SKU: 7338 - 4000K Day White 3800157625227  
 SKU: 7339 - 6000K White 3800157625234



EQ. Watts:	20w
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	230lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	230°

Body Type:	Glass
Dimension:	14.5x43.5mm
Box Qty:	400 Pcs



**NEW**

Capsules-G9

3W VT-2103



SKU: 7476 - 3000K Warm White 3800157640336  
 SKU: 7477 - 4000K Day White 3800157640343  
 SKU: 7478 - 6400K White 3800157640350



EQ. Watts:	30w
Voltage/Frequency:	AC:220-240V, 50/60Hz
Luminous Flux:	330lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	300°

Body Type:	Glass
Dimension:	14.5x61mm
Box Qty:	450 Pcs



**NEW**

Capsules-G9-6Pc Pack

3W VT-2243



SKU: 2745 - 3000K Warm White 3800157645416  
 SKU: 2746 - 4000K Day White 3800157645423  
 SKU: 2747 - 6400K White 3800157645430



EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	300lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	G9
Beam Angle:	300°

Body Type:	Plastic
Dimension:	17x49mm
Box Qty:	300 Pcs



**NEW**

Capsules-G9

4W VT-2254


SKU: 2742 - 2700K Warm White 3800157645324  
 SKU: 2743 - 4000K Day White 3800157645331  
 SKU: 2744 - 6400K White 3800157645348



EQ. Watts:	35w
Voltage/Frequency:	AC:230V
Luminous Flux:	410lm
LED Type:	COB

CRI:	>80
PF:	>0.7
Base:	G9
Beam Angle:	300°

Body Type:	Glass
Dimension:	16x58mm
Box Qty:	400 Pcs






## Capsules-G9

5W VT-2175D

SKU: 7429 - 3000K Warm White 3800157637046  
 SKU: 7430 - 4000K Day White 3800157637053  
 SKU: 7431 - 6400K White 3800157637060




DIMMABLE



EQ. Watts: 50w  
 Voltage/Frequency: AC:200-240V,50/60Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: G9  
 Beam Angle: 300°


Body Type: Ceramic  
 Dimension: 22x60mm  
 Box Qty: 600 Pcs



## Capsules-G9

5.5W VT-2177


SKU: 7432 - 3000K Warm White 3800157637077  
 SKU: 7433 - 4000K Day White 3800157637084  
 SKU: 7434 - 6400K White 3800157637091



EQ. Watts: 50w  
 Voltage/Frequency: AC:200-240V,50/60Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: G9  
 Beam Angle: 300°

Body Type: Ceramic  
 Dimension: 16x63mm  
 Box Qty: 600 Pcs




NEW



## Capsules-G9

6W VT-2227


SKU: 2719 - 3000K Warm White 3800157644426  
 SKU: 2720 - 4000K Day White 3800157644433  
 SKU: 2721 - 6400K White 3800157644440



EQ. Watts: 45  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: G9  
 Beam Angle: 300°

Body Type: Plastic  
 Dimension: 19x68mm  
 Box Qty: 200 Pcs




NEW



## Capsules-G9

7W VT-2228


SKU: 2722 - 3000K Warm White 3800157644457  
 SKU: 2723 - 4000K Day White 3800157644464  
 SKU: 2724 - 6400K White 3800157644471



EQ. Watts: 50  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 650lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: G9  
 Beam Angle: 300°

Body Type: Plastic  
 Dimension: 23x70mm  
 Box Qty: 200 Pcs





Spotlights-GU10-Lens-38°


2W VT-2002

SKU: 7169 - 6400K White 3800157612821

EQ. Watts:	15w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	180lm
LED Type:	SMD

CRI:	>80
PF:	>0.4
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	35x46.5mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-38°

5W VT-2165D



SKU: 7428 - 3000K Warm White 3800157636247



EQ. Watts:	40w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	380lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	ø50x55mm
Box Qty:	200 Pcs



**NEW**



Spotlights-GU10-Lens-38°

6W VT-2206



SKU: 7497 - 3000K Warm White 3800157640831  
 SKU: 7498 - 4000K Day White 3800157640848  
 SKU: 7499 - 6400K White 3800157640855

**CRI >95**

EQ. Watts:	55w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD

CRI:	>95
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	ø50x58mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-110°


7W VT-2778

SKU: 1672 - 3000K Warm White 3800157602136  
 SKU: 1673 - 4500K Day White 3800157602143  
 SKU: 1674 - 6400K White 3800157602150

EQ. Watts:	45w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	500lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	110°

Body Type:	Plastic
Dimension:	50x57mm
Box Qty:	200 Pcs



Spotlights-GU10-Lens-38°



7W VT-2666

SKU: 1657 - 3000K Warm White 3800157601641  
 SKU: 1658 - 4500K Day White 3800157601658  
 SKU: 1659 - 6000K White 3800157601665

EQ. Watts:	50w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	550lm
LED Type:	SMD

CRI:	>80
PF:	>0.5
Base:	GU10
Beam Angle:	38°

Body Type:	Plastic
Dimension:	50x57mm
Box Qty:	200 Pcs





## Spotlights-GU10-Lens-38°

7W VT-2886D



SKU: 1666 - 3000K Warm White 3800157602075  
 SKU: 1667 - 4500K Day White 3800157602082  
 SKU: 1668 - 6000K White 3800157602099



EQ. Watts: 50w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs



## Spotlights-MR16-Lens-38°



7W VT-1967

SKU: 1663 - 3000K Warm White 3800157602044  
 SKU: 1664 - 4500K Day White 3800157602051  
 SKU: 1665 - 6000K White 3800157602068

EQ. Watts: 50w  
 Voltage/Frequency: AC/DC:12V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: MR16  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x50mm  
 Box Qty: 200 Pcs



## Spotlights-GU10-Lens-38°



8W VT-2889

SKU: 1693 - 3000K Warm White 3800157608947  
 SKU: 1695 - 6400K White 3800157608961

EQ. Watts: 80w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 750lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x55mm  
 Box Qty: 200 Pcs



## Spotlights-GU10-Milky Cover-110°


3W VT-1933

SKU: 7126 - 3000K Warm White 3800157610148  
 SKU: 7127 - 4000K Day White 3800157610155  
 SKU: 7128 - 6400K White 3800157610162

EQ. Watts: 25w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 210lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs



## Spotlights-GU10-Milky Cover-110°


5W VT-1975

SKU: 1685 - 3000K Warm White 3800157606240  
 SKU: 1686 - 4000K Day White 3800157606257  
 SKU: 1687 - 6000K White 3800157606264

EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs





Spotlights-GU10-3PC Pack

5W VT-2095


SKU: 7269 - 3000K Warm White 3800157623018  
 SKU: 7270 - 4000K Day White 3800157623025  
 SKU: 7271 - 6400K White 3800157623032



EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 60 Pcs



NEW

Spotlights-GU10-6PC Pack

5W VT-2225


SKU: 2739 - 3000K Warm White 3800157645294  
 SKU: 2740 - 4000K Day White 3800157645300  
 SKU: 2741 - 6400K White 3800157645317



EQ. Watts: 35w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 400lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 30 Pcs



Spotlights-GU10-Blister Pack

6W VT-2107


SKU: 7303 - 3000K Warm White 3800157623933  
 SKU: 7304 - 4000K Day White 3800157623940  
 SKU: 7305 - 6400K White 3800157623957



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 50 Pcs



Spotlights-GU10-Blister Pack

6.5W VT-2108D


SKU: 7306 - 3000K Warm White 3800157623964  
 SKU: 7307 - 4000K Day White 3800157623971  
 SKU: 7308 - 6400K White 3800157623988



EQ. Watts: 40w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 450lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 38°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 50 Pcs



Spotlights-GU10-Lens-110°

7W VT-2779


SKU: 1683 - 4500K Day White 3800157605366



EQ. Watts: 45w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs





## Spotlights-GU10-Lens-110°



7W VT-2887D

SKU: 1669 - 3000K Warm White 3800157602105  
 SKU: 1670 - 4500K Day White 3800157602112  
 SKU: 1671 - 6000K White 3800157602129

EQ. Watts: 45w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: GU10  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x57mm  
 Box Qty: 200 Pcs



## Spotlights-MR16-Milky Cover-110°



7W VT-1977

SKU: 1688 - 3000K Warm White 3800157606950  
 SKU: 1690 - 6000K White 3800157606974

EQ. Watts: 45w  
 Voltage/Frequency: AC/DC:12V,50Hz  
 Luminous Flux: 500lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: MR16  
 Beam Angle: 110°

Body Type: Plastic  
 Dimension: 50x50mm  
 Box Qty: 200 Pcs



## Reflector-Round



5W VT-1100RD

SKU: 7331 - 6400K White 3800157624848

EQ. Watts: 35w  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 350lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: N/A  
 Beam Angle: 68°

Body Type: ABS+PC  
 Dimension: Ø90x 45mm  
 Box Qty: 100 Pcs



## Reflector-Square



5W VT-1100SQ

SKU: 7332 - 3000K Warm White 3800157624855  
 SKU: 7333 - 4000K Day White 3800157624862  
 SKU: 7334 - 6400K White 3800157624879

EQ. Watts: 35w  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 350lm  
 LED Type: SMD

CRI: >80  
 PF: >0.4  
 Base: N/A  
 Beam Angle: 68°

Body Type: ABS+PC  
 Dimension: 90x90x45mm  
 Box Qty: 50 Pcs



## PAR-GX53



7W VT-1969

SKU: 4439 - 6000K White 3800157607056

EQ. Watts: 45w  
 Voltage/Frequency: AC:220-240V,50Hz  
 Luminous Flux: 550lm  
 LED Type: SMD

CRI: >80  
 PF: >0.5  
 Base: Gx53  
 Beam Angle: 110°

Body Type: Thermoplastic  
 Dimension: 75x29mm  
 Box Qty: 100 Pcs





**SURFACE MOUNTED  
GU10 FITTINGS**

Easy Installation  
*Elegant Design*

Fitting Round-GU10




Model No	VT-872-WB
SKU:	3153
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638968
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WG
SKU:	3154
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638975
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-872-WR
SKU:	3155
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Rose Gold
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638982
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-872-WC
SKU:	3156
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	79x32mm
Cutting Size:	72mm
EAN:	3800157638999
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WB
SKU:	3157
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639002
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-873-WG
SKU:	3158
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639019
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-873-WR
SKU:	3159
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639026
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-874-WC
SKU:	3160
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639033
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WB
SKU:	3161
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fixture:	White+Black
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639040
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WG
SKU:	3162
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639057
Box Qty:	50 Pcs

Fitting Round-GU10




Model No	VT-874-WR
SKU:	3163
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Rose Gold
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639064
Box Qty:	50 Pcs

Fitting Round-GU10



Model No	VT-874-WC
SKU:	3164
Base:	GU10
Material:	Aluminium+PC
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	80x42mm
Cutting Size:	75mm
EAN:	3800157639071
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WB
SKU:	3165
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Black
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639088
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WG
SKU:	3166
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639095
Box Qty:	50 Pcs

Fitting Square-GU10



Model No	VT-875-WR
SKU:	3167
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Rose Gold
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639101
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-875-WC
SKU:	3168
Base:	GU10
Material:	Aluminium+PC
Shape:	Square
Color of Fxture:	White+Chrome
Dimension:	85x85x62mm
Cutting Size:	80x80mm
EAN:	3800157639118
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-876-RD
SKU:	3169
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x32mm
Cutting Size:	75mm
EAN:	3800157639125
Box Qty:	50 Pcs

Fitting Square-GU10




Model No	VT-876-SQ
SKU:	3170
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fxture:	White
Dimension:	85x85x32mm
Cutting Size:	75mm
EAN:	3800157639132
Box Qty:	50 Pcs

## Fitting-Square-GU10




Model No	VT-797-WH
SKU:	3630
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	142x100x100mm
Cutting Size:	N/A
EAN:	3800157612074
Box Qty:	50 Pcs

## Fitting-Square-GU10



Model No	VT-797-B
SKU:	3631
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fixture:	Black
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612081
Box Qty:	50 Pcs

## Fitting-Square-GU10



Model No	VT-797-SN
SKU:	3632
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	100x100x142mm
Cutting Size:	N/A
EAN:	3800157612098
Box Qty:	50 Pcs

## Fitting-Round-GU10



Model No	VT-796-WH
SKU:	3627
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612043
Box Qty:	50 Pcs

## Fitting-Round-GU10




Model No	VT-796-B
SKU:	3628
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fixture:	Black
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612050
Box Qty:	50 Pcs

## Fitting-Round-GU10



Model No	VT-796-SN
SKU:	3629
Base:	GU10
Material:	Die Cast Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø142x100mm
Cutting Size:	N/A
EAN:	3800157612067
Box Qty:	50 Pcs

## GX53-Accessory



Model No	VT-715-W
SKU:	3675
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fixture:	White
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625241
Box Qty:	50 Pcs

## GX53-Accessory



Model No	VT-715-G
SKU:	3676
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fixture:	Gold
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625258
Box Qty:	50 Pcs

## GX53-Accessory



Model No	VT-715-CH
SKU:	3677
Base:	GX53
Material:	Iron
Shape:	Round
Color of Fixture:	Chrome
Dimension:	Ø105x40mm
Cutting Size:	90mm
EAN:	3800157625265
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-727SQ
SKU:	3664
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x70x75mm
Cutting Size:	N/A
EAN:	3800157624589
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-727RD
SKU:	3665
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø70x75mm
Cutting Size:	N/A
EAN:	3800157624596
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-716SQ
SKU:	3666
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	75x75x75mm
Cutting Size:	N/A
EAN:	3800157624732
Box Qty:	36 Pcs

Fitting-Round-GU10



Model No	VT-716RD
SKU:	3667
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø75x75mm
Cutting Size:	N/A
EAN:	3800157624749
Box Qty:	36 Pcs

Fitting-Square-GU10



Model No	VT-762
SKU:	3648
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	215x120x60mm
Cutting Size:	215x120mm
EAN:	3800157618588
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-763
SKU:	3649
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x50mm
Cutting Size:	123x123mm
EAN:	3800157618595
Box Qty:	24 Pcs

Fitting-Round-GU10



Model No	VT-764
SKU:	3650
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø140x40mm
Cutting Size:	Ø140mm
EAN:	3800157618601
Box Qty:	20 Pcs

Fitting-Square-GU10



Model No	VT-765
SKU:	3651
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x30mm
Cutting Size:	103x103mm
EAN:	3800157618618
Box Qty:	30 Pcs

Fitting-Round-GU10




Model No	VT-771
SKU:	3652
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø100x30mm
Cutting Size:	Ø103mm
EAN:	3800157618625
Box Qty:	20 Pcs

## Fitting-Square-GU10



Model No	VT-772
SKU:	3653
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	132x132x74mm
Cutting Size:	135x135mm
EAN:	3800157618632
Box Qty:	20 Pcs

## Fitting-Round-GU10



Model No	VT-776RD
SKU:	3640
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x40mm
Cutting Size:	Ø123mm
EAN:	3800157616348
Box Qty:	24 Pcs

## Fitting-Square-GU10



Model No	VT-776SQ
SKU:	3641
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x40mm
Cutting Size:	123x123mm
EAN:	3800157616355
Box Qty:	24 Pcs

## Fitting-Round-GU10



Model No	VT-773
SKU:	3654
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø132x74mm
Cutting Size:	Ø132mm
EAN:	3800157618649
Box Qty:	20 Pcs

## Fitting-Square-GU10



Model No	VT-714
SKU:	3674
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	123x123mm
EAN:	3800157625180
Box Qty:	24 Pcs

## Fitting-Square-GU10-Frost Glass



Model No	VT-801SQ
SKU:	3691
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	120x120x60mm
Cutting Size:	123x123mm
EAN:	3800157628938
Box Qty:	24 Pcs

## Fitting-Round-GU10-Frost Glass



Model No	VT-801RD
SKU:	3692
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø120x60mm
Cutting Size:	Ø123mm
EAN:	3800157628945
Box Qty:	24 Pcs

## Fitting-Round-GU10-2Pc Pack



Model No	VT-778-WH
SKU:	3584
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607131
Box Qty:	200 Pcs

## Fitting-Round-GU10-2Pc Pack



Model No	VT-778-SN
SKU:	3585
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607148
Box Qty:	200 Pcs



Fitting-Round-GU10-2Pc Pack



Model No	VT-778-CH
SKU:	3586
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Chrome
Dimension:	Ø80x30mm
Cutting Size:	Ø65mm
EAN:	3800157607155
Box Qty:	200 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-WH
SKU:	3593
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607223
Box Qty:	100 Pcs

Fitting-Round-GU10-Changing Angle



Model No	VT-780-SN
SKU:	3594
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø100x45mm
Cutting Size:	Ø90mm
EAN:	3800157607230
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-WH
SKU:	3642
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617086
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-SN
SKU:	3643
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617093
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-774-MG
SKU:	3644
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø81x34mm
Cutting Size:	Ø73mm
EAN:	3800157617109
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-WH
SKU:	3645
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	White
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617116
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-SN
SKU:	3646
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617123
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-775-MG
SKU:	3647
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fxture:	Metallic Grey
Dimension:	Ø95x32mm
Cutting Size:	Ø85mm
EAN:	3800157617130
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-WH
SKU:	3599
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607285
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-782RD-AB
SKU:	3600
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	Ø91x25mm
Cutting Size:	Ø75mm
EAN:	3800157607292
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-783RD-WH
SKU:	3601
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607308
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-783RD-AB
SKU:	3602
Base:	2XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607315
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-WH
SKU:	3603
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	255x91x25
Cutting Size:	235x75mm
EAN:	3800157607322
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-784RD-AB
SKU:	3604
Base:	3XGU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607339
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-WH
SKU:	3605
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	91x91x25mm
Cutting Size:	75x75mm
EAN:	3800157607346
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-782SQ-AB
SKU:	3606
Base:	1XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	91x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607353
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-WH
SKU:	3607
Base:	2XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607360
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-783SQ-AB
SKU:	3608
Base:	GU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	173x91x25mm
Cutting Size:	155x75mm
EAN:	3800157607377
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-WH
SKU:	3609
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	White
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607384
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-784SQ-AB
SKU:	3610
Base:	3XGU10
Material:	Aluminium
Shape:	Square
Color of Fixture:	Aluminium Brush
Dimension:	255x91x25mm
Cutting Size:	235x75mm
EAN:	3800157607391
Box Qty:	50 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-WH
SKU:	3469
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	Ø99x30.8mm
Cutting Size:	
EAN:	3800157605885
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SN
SKU:	3470
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø99x30.8mm
Cutting Size:	
EAN:	3800157605892
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-7227RD-SS
SKU:	3471
Base:	GU10
Material:	Ferrum
Shape:	Round
Color of Fixture:	Stainless Steel
Dimension:	Ø99x30.8mm
Cutting Size:	
EAN:	3800157605908
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-7227SQ-WH
SKU:	3472
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	99x99x30.8mm
Cutting Size:	
EAN:	3800157605915
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-SN
SKU:	3473
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	99x99x30.8mm
Cutting Size:	
EAN:	3800157605922
Box Qty:	100 Pcs

Fitting-Square-GU10




Model No	VT-7227SQ-SS
SKU:	3474
Base:	GU10
Material:	Ferrum
Shape:	Square
Color of Fixture:	Stainless Steel
Dimension:	99x99x30.8mm
Cutting Size:	
EAN:	3800157605939
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-785
SKU:	3611
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607407
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-786
SKU:	3612
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	88x38mm
Cutting Size:	Ø75mm
EAN:	3800157607414
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-711-W-RD
SKU:	3669
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	82x101mm
Cutting Size:	N/A
EAN:	3800157625135
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700W
SKU:	3689
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	White
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628501
Box Qty:	50 Pcs

Zoom Fitting



Model No	VT-700S
SKU:	3690
Base:	GU10
Material:	Aluminium
Shape:	Round
Color of Fixture:	Satin Nickel
Dimension:	Ø102x46mm
Cutting Size:	93mm
EAN:	3800157628518
Box Qty:	50 Pcs

Fitting-Square-GU10



Model No	VT-787RD-WH
SKU:	3613
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607421
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-787RD-SN
SKU:	3614
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Round
Color of Fixture:	White
Dimension:	84x38mm
Cutting Size:	75mm
EAN:	3800157607438
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-787SQ-WH
SKU:	3615
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	White
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607445
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-787SQ-SN
SKU:	3616
Base:	GU10
Material:	Zinc Alloy+Ferrum
Shape:	Square
Color of Fixture:	Satin Nickel
Dimension:	84x84x38mm
Cutting Size:	75mm
EAN:	3800157607452
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-WH
SKU:	3595
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	White
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607247
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-781RD-SN
SKU:	3596
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	100x45mm
Cutting Size:	90mm
EAN:	3800157607254
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-WH
SKU:	3597
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	White
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607261
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-781SQ-SN
SKU:	3598
Base:	GU10
Material:	Aluminium+Ferrum
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	100x100x38mm
Cutting Size:	90x90mm
EAN:	3800157607278
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-WH-RD
SKU:	3587
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	White
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607162
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-SN-RD
SKU:	3588
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Satin Nickel
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607179
Box Qty:	100 Pcs

Fitting-Round-GU10



Model No	VT-779-CH-RD
SKU:	3589
Base:	GU10
Material:	Zinc Alloy
Shape:	Round
Color of Fxture:	Chrome
Dimension:	82x25mm
Cutting Size:	74mm
EAN:	3800157607186
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-WH-SQ
SKU:	3590
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	White
Dimension:	82x82x22mm
Cutting Size:	74mm
EAN:	3800157607193
Box Qty:	100 Pcs

Fitting-Square-GU10



Model No	VT-779-SN-SQ
SKU:	3591
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fxture:	Satin Nickel
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607209
Box Qty:	100 Pcs

## Fitting-Square-GU10




Model No	VT-779-CH-SQ
SKU:	3592
Base:	GU10
Material:	Zinc Alloy
Shape:	Square
Color of Fixture:	Chrome
Dimension:	82x82x25mm
Cutting Size:	74mm
EAN:	3800157607216
Box Qty:	100 Pcs

## Fitting-Round-G9



Model No	VT-858RD
SKU:	3694
Base:	G9
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	70x90x95mm
Cutting Size:	N/A
EAN:	3800157633536
Box Qty:	24 Pcs

## Fitting-Square-G9



Model No	VT-858SQ
SKU:	3695
Base:	G9
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	70x100x100mm
Cutting Size:	N/A
EAN:	3800157633543
Box Qty:	24 Pcs

## Fitting-Square-GU10




Model No	VT-859SQ
SKU:	3696
Base:	GU10
Material:	Gypsum
Shape:	Square
Color of Fixture:	White
Dimension:	100x100x40mm
Cutting Size:	103x103mm
EAN:	3800157633550
Box Qty:	40 Pcs

## Fitting-Round-GU10




Model No	VT-859RD
SKU:	3697
Base:	GU10
Material:	Gypsum
Shape:	Round
Color of Fixture:	White
Dimension:	ø100x40mm
Cutting Size:	ø103
EAN:	3800157633567
Box Qty:	40 Pcs

## Fitting-Suspended-GU10



Model No	VT-864-G
SKU:	3111
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634366
Box Qty:	9 Pcs

## Fitting-Pendant Metal-1XGU10




Model No	VT-864-GBC
SKU:	3134
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635332
Box Qty:	9 pcs

## Fitting-Pendant Metal-1XGU10




Model No	VT-864CHC
SKU:	3135
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635349
Box Qty:	9 pcs

## Fitting-Pendant Metal-1XGU10




Model No	VT-864-GB
SKU:	3112
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Gun Black
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634373
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864-CH
SKU:	3129
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157634540
Box Qty:	9 pcs

Fitting-Pendant Metal-1XGU10




Model No	VT-864-MR
SKU:	3130
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	ø250x80mm
Cutting Size:	N/A
EAN:	3800157635325
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBM
SKU:	3136
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635356
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865-MRC
SKU:	3137
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635363
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865CHC
SKU:	3138
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635370
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-GBC
SKU:	3139
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	Grey+Gun Black
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157635387
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10



Model No	VT-865-MRM
SKU:	3113
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634380
Box Qty:	9 pcs

Fitting-Surface Metal-1XGU10




Model No	VT-865CHM
SKU:	3114
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø200x80mm
Cutting Size:	N/A
EAN:	3800157634397
Box Qty:	9 pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GB
SKU:	3140
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635394
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MRM
SKU:	3141
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635400
Box Qty:	12pcs

Fitting-Square Metal-1XGU10




Model No	VT-860-CHM
SKU:	3142
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635417
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-GBM
SKU:	3143
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Gun Black
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157635424
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-MR
SKU:	3115
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634403
Box Qty:	12pcs

Fitting-Square Metal-1XGU10



Model No	VT-860-CH
SKU:	3116
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	100x100x130mm
Cutting Size:	N/A
EAN:	3800157634410
Box Qty:	12pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRW
SKU:	3117
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634427
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRG
SKU:	3118
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634434
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHW
SKU:	3119
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634441
Box Qty:	24 pcs


Fitting-Recessed-1XGU10



Model No	VT-862-CHG
SKU:	3120
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	Grey+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634458
Box Qty:	24 pcs



Fitting-Recessed-1XGU10



Model No	VT-862-MRR
SKU:	3121
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634465
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-CHR
SKU:	3122
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	Off White+Chrome
Dimension:	100x100x40mm
Cutting Size:	ø80mm
EAN:	3800157634472
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRP
SKU:	3123
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634489
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MGRD
SKU:	3124
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634496
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRC
SKU:	3125
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Matt Rose Gold
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634502
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MRD
SKU:	3126
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Off White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634519
Box Qty:	24 pcs

Fitting-Recessed-1XGU10




Model No	VT-862-CRD
SKU:	3127
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	White+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634526
Box Qty:	24 pcs

Fitting-Recessed-1XGU10



Model No	VT-862-MG
SKU:	3128
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fxture:	Grey+Chrome
Dimension:	ø100x40mm
Cutting Size:	ø80mm
EAN:	3800157634533
Box Qty:	24 pcs

Fitting-Ceiling Metal-1XGU10



Model No	VT-863
SKU:	3144
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fxture:	White
Dimension:	200x200mm
Cutting Size:	206x206mm
EAN:	3800157634557
Box Qty:	12 pcs

## Fitting-Recessed-Black Metal-Round



Model No	VT-866-BRD
SKU:	3145
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Black
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635592
Box Qty:	30 pcs

## Fitting-Recessed-Chrome Metal-Round



Model No	VT-866-CRD
SKU:	3146
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Chrome
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635608
Box Qty:	30 pcs

## Fitting-Recessed-Matt Rose Gold Metal-Round



Model No	VT-866-MRD
SKU:	3147
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100mm
Cutting Size:	ø103mm
EAN:	3800157635615
Box Qty:	30 pcs

## Fitting-Recessed-Black Metal-Square



Model No	VT-866-BSQ
SKU:	3148
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Black
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635622
Box Qty:	30 pcs

## Fitting-Recessed-Chrome Metal-Square



Model No	VT-866-CSQ
SKU:	3149
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Chrome
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635639
Box Qty:	30 pcs

## Fitting-Recessed-Matt Rose Gold-Square



Model No	VT-866-GSQ
SKU:	3150
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White+Matt Rose Gold
Dimension:	ø100x100mm
Cutting Size:	103x103mm
EAN:	3800157635646
Box Qty:	30 pcs

## Fitting-Recessed-Square



Model No	VT-867-SQ
SKU:	3151
Base:	GU10
Material:	Gypsum with metal
Shape:	Square
Color of Fixture:	White
Dimension:	ø120x120mm
Cutting Size:	127x127mm
EAN:	3800157635653
Box Qty:	24 Pcs

## Fitting-Recessed-Round



Model No	VT-867-RD
SKU:	3152
Base:	GU10
Material:	Gypsum with metal
Shape:	Round
Color of Fixture:	White
Dimension:	ø120mm
Cutting Size:	ø127mm
EAN:	3800157635660
Box Qty:	24 Pcs

Gu10-Holder-PVC Cable



5  
PIECE  
PACK

Model No	PVC Cable-5pc
SKU:	34235
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157609982
Box Qty:	100 Pcs

GU10 Silicon Wire-5Pc Pack



5  
PIECE  
PACK

Model No	VT-791
SKU:	36205
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Wire length:	158mm
EAN:	3800157636063
Box Qty:	500 Pcs

Mr16-Lampholder-5Pc Pack



5  
PIECE  
PACK

Model No	VT-7889
SKU:	36265
Base:	MR16
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157609999
Box Qty:	100 Pcs

Gu10-Holder-PVC Cable



Model No	PVC Cable
SKU:	3423
Base:	GU10
Material:	Ceramic
Color of Fxture:	White
Wire length:	150mm
EAN:	3800157607827
Box Qty:	500 Pcs

GU10 Silicon Wire



Model No	VT-791-W
SKU:	3620
Base:	GU10
Material:	Aluminium Ceramic
Color of Fxture:	White
Wire length:	158mm
EAN:	3800157607704
Box Qty:	500 Pcs



## LED PAR Lamps & AR111

V-TAC's LED PAR Lamps offer great quality of light and work as a perfect replacement for Standard Halogen PAR Lamps. Boasting energy efficiency and an impressive lamp life.

### Product Features

- Eco friendly and Power Saving alternative for Standard Halogen Par Lamps with a longer life.
- Exceptional Heat Radiation Efficiency
- Premium Quality Power Driver
- Creates better Lighting effect than the old halogen bulb
- Dimmable & Non Dimmable options available

### Applications

Widely used in Showrooms, Exhibition Stands, Stores, Offices and Reception areas, Hotels, Bars and Commercial Lighting

## AR111 Downlight

20W VT-1120-20



SKU: 1243 - 3000K Warm White 3800157606004  
 SKU: 1244 - 4500K Day White 3800157606011  
 SKU: 1245 - 6000K White 3800157606028



EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.7**  
 Base: **N/A**  
 Beam Angle: **20°**

Body Type: **Die Cast Aluminium**  
 Dimension: **Ø111x53mm**  
 Box Qty: **50 Pcs**



## AR111 Downlight

20W VT-1120-40



SKU: 1246 - 3000K Warm White 3800157606035  
 SKU: 1247 - 4500K Day White 3800157606042  
 SKU: 1248 - 6000K White 3800157606059



EQ. Watts: **100w**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1800lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.7**  
 Base: **N/A**  
 Beam Angle: **40°**

Body Type: **Die Cast Aluminium**  
 Dimension: **Ø111x53mm**  
 Box Qty: **50 Pcs**



## AR111-G53

15W VT-1110-20

SKU: 4084 - 3000K Warm White 3800230620064  
 SKU: 4062 - 4000K Day White 3800230620057  
 SKU: 4061 - 6400K White 3800230620040




EQ. Watts: **75w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **G53**  
 Beam Angle: **20°**

**20°**  
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**  
 Box Qty: **60 Pcs**



## AR111-G53

15W VT-1110-40

SKU: 4257 - 3000K Warm White 3800230628664  
 SKU: 4256 - 4000K Day White 3800230628657  
 SKU: 4255 - 6400K White 3800230628640





EQ. Watts: **25w**  
 Voltage/Frequency: **AC/DC:12V,50Hz**  
 Luminous Flux: **950lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **G53**  
 Beam Angle: **40°**

**40°**  
 BEAM ANGLE

Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86x63mm**  
 Box Qty: **60 Pcs**



## AR111-GU10

12W VT-1112



SKU: 4224 - 2700K Warm White 3800230626257  
 SKU: 4223 - 4000K Day White 3800230626219  
 SKU: 4225 - 6400K White 3800230626264



EQ. Watts: **60w**  
 Voltage/Frequency: **AC:200-240V,50Hz**  
 Luminous Flux: **900lm**  
 LED Type: **COB**

CRI: **>80**  
 PF: **>0.9**  
 Base: **GU10**  
 Beam Angle: **40°**


Body Type: **Plastic Clad Aluminium**  
 Dimension: **Ø111x86mm**  
 Box Qty: **60 Pcs**





AR111-GU10  
12W VT-1112D



SKU: 7234 - 3000K Warm White 3800157620055  
SKU: 7235 - 4500K Day White 3800157620062  
SKU: 7236 - 6000K White 3800157620079



EQ. Watts: 60w  
Voltage/Frequency: AC:200-240V,50Hz  
Luminous Flux: 900lm  
LED Type: COB



CRI: >80  
PF: >0.9  
Base: GU10  
Beam Angle: 40°

Body Type: Plastic Clad Aluminium  
Dimension: Ø111x86mm  
Box Qty: 60 Pcs





AR111-Accessories

Model No: VT-7221-W Dimension: 174x174 mm  
SKU: 3575 Cutting Size: 163x163mm  
Base: 1XAR111 EAN: 3800157604765  
Material: Aluminium Box Qty: 24 Pcs  
Color of Fixture: White




AR111-Accessories

Model No: VT-7222-W Dimension: 325x174mm  
SKU: 3576 Cutting Size: 167x305mm.  
Base: 2XAR111 EAN: 3800157604772  
Material: Aluminium Box Qty: 12 Pcs  
Color of Fixture: White




AR111-Accessories

Model No: VT-7223-W Dimension: 475x174mm  
SKU: 3577 Cutting Size: 168x455mm  
Base: 3XAR111 EAN: 3800157604789  
Material: Aluminium Box Qty: 12 Pcs  
Color of Fixture: White





AR111-Accessories

Model No: VT-7221-B Dimension: 174x174 mm  
SKU: 3581 Cutting Size: 163x163mm  
Base: 1XAR111 EAN: 3800157607063  
Material: Aluminium Box Qty: 24 Pcs  
Color of Fixture: Black



AR111-Accessories

Model No: VT-7222-B Dimension: 325x174 mm  
SKU: 3582 Cutting Size: 306x162mm  
Base: 2XAR111 EAN: 3800157607070  
Material: Aluminium Box Qty: 12 Pcs  
Color of Fixture: Black



AR111-Accessories

Model No: VT-7223-B Dimension: 475x174mm  
SKU: 3583 Cutting Size: 455x168 mm  
Base: 3XAR111 EAN: 3800157607087  
Material: Aluminium Box Qty: 12 Pcs  
Color of Fixture: Black



## LED Floodlights

V-TAC's LED floodlights are ideal for lighting driveways, gardens and buildings. These energy efficient lights emit bright, vibrant light and make an eco-friendly alternative for traditional halogen floodlights and metal halide fixtures.

### Product Features

- Available from 10w up to 1000w
- Premium quality aluminium alloy body
- Fascia glass sealed with silicone rubber ensuring superior waterproof / airtight performance
- High power led chip
- Built in constant current driver
- Built in power supply, no external ballast required

### Applications

Widely used for lighting driveways, gardens & buildings, commercial bill boards & hoardings, sports grounds & parking lots




Slimline-White Body-White Wire

50w VT-4955W


SKU: 5827 - 6400K White 3800157615013

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**



Body Type: **Die Cast Aluminium**  
 Dimension: **237x194x38mm**  
 Box Qty: **10 Pcs**




Slimline-White Body-White Wire

100w VT-49100W


SKU: 5844 - 4000K Day White 3800157615181

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**



Body Type: **Die Cast Aluminium**  
 Dimension: **293x41x23mm**  
 Box Qty: **4 Pcs**




Slimline-White Body-White Wire

100w VT-49101W


SKU: 5970 - 3000K Warm White 3800157626231  
 SKU: 5971 - 4000K Day White 3800157626248  
 SKU: 5972 - 6400K White 3800157626255

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**



Body Type: **Die Cast Aluminium**  
 Dimension: **291x240x30mm**  
 Box Qty: **4 Pcs**




Slimline-Black/Grey Body

150w VT-49150GB


SKU: 5858 - 3000K Warm White 3800157615327

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **12750lm**  
 Color of Fixture: **Black+Grey**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **100°**



Body Type: **Die Cast Aluminium**  
 Dimension: **411x313x51mm**  
 Box Qty: **2 Pcs**




I Series-White Body

50w VT-4651W


SKU: 5906 - 6000K White 3800157619394

Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:200-240V,50Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **255x196x36mm**  
 Box Qty: **10 Pcs**



## E Series-White Body


10W VT-4011W

SKU: 5943 - 3000K Warm White 3800157625364  
 SKU: 5944 - 4000K Day White 3800157625371  
 SKU: 5945 - 6500K White 3800157625388




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **850lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **110x112x22mm**  
 Box Qty: **40 Pcs**



## E Series-White Body


20W VT-4021W

SKU: 5949 - 3000K Warm White 3800157625425  
 SKU: 5950 - 4000K Day White 3800157625432  
 SKU: 5951 - 6500K White 3800157625449




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **1700lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **150x143x26mm**  
 Box Qty: **20 Pcs**



## E Series-White Body


30W VT-4031W

SKU: 5955 - 3000K Warm White 3800157625487  
 SKU: 5956 - 4000K Day White 3800157625494  
 SKU: 5957 - 6500K White 3800157625500




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **2550lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **185x163x26mm**  
 Box Qty: **20 Pcs**



## E Series-White Body


50W VT-4051W

SKU: 5961 - 3000K Warm White 3800157625548  
 SKU: 5962 - 4000K Day White 3800157625555  
 SKU: 5963 - 6500K White 3800157625562




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **245x192x28mm**  
 Box Qty: **10 Pcs**



## E Series-White Body


100W VT-40101W

SKU: 5967 - 3000K Warm White 3800157625609  
 SKU: 5968 - 4000K Day White 3800157625616  
 SKU: 5969 - 6500K White 3800157625623




Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **White**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **330x271x33mm**  
 Box Qty: **5 Pcs**





E Series-Black Body



10w VT-4011B

SKU: 5940 - 3000K Warm White 3800157625333  
 SKU: 5941 - 4000K Day White 3800157625340  
 SKU: 5942 - 6500K White 3800157625357



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **850lm**  
 Color of Fixture: **Black**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **110x112x22mm**  
 Box Qty: **40 Pcs**

E Series-Black Body



20w VT-4021B

SKU: 5946 - 3000K Warm White 3800157625395  
 SKU: 5947 - 4000K Day White 3800157625401  
 SKU: 5948 - 6500K White 3800157625418



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **1700lm**  
 Color of Fixture: **Black**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **150x143x26mm**  
 Box Qty: **20 Pcs**

E Series-Black Body



30w VT-4031B

SKU: 5952 - 3000K Warm White 3800157625456  
 SKU: 5953 - 4000K Day White 3800157625463  
 SKU: 5954 - 6500K White 3800157625470



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **2550lm**  
 Color of Fixture: **Black**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **185x163x26mm**  
 Box Qty: **20 Pcs**

E Series-Black Body



50w VT-4051B

SKU: 5958 - 3000K Warm White 3800157625517  
 SKU: 5959 - 4000K Day White 3800157625524  
 SKU: 5960 - 6500K White 3800157625531



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **4250lm**  
 Color of Fixture: **Black**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **245x192x28mm**  
 Box Qty: **10 Pcs**

E Series-Black Body



100w VT-40101B

SKU: 5964 - 3000K Warm White 3800157625579  
 SKU: 5965 - 4000K Day White 3800157625586  
 SKU: 5966 - 6500K White 3800157625593



Sensor Compatible: **Yes**  
 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **8500lm**  
 Color of Fixture: **Black**

CRI: **>70**  
 PF: **>0.9**  
 IP Rating: **IP65**  
 Beam Angle: **110°**



Body Type: **Aluminium**  
 Dimension: **330x271x33mm**  
 Box Qty: **5 Pcs**

**NEW**


E Series-Black Body

10W VT-4011

SKU: 5988 - Green  
SKU: 5989 - Red  
SKU: 5990 - Blue



3800157625333  
3800157625340  
3800157625357



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**

Body Type: **Aluminium**  
Dimension: **110x112x22mm**  
Box Qty: **40 Pcs**

**NEW**


E Series-Black Body

20W VT-4021

SKU: 5991 - Green  
SKU: 5992 - Red  
SKU: 5993 - Blue



3800157625395  
3800157625401  
3800157625418



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **110°**

Body Type: **Aluminium**  
Dimension: **150x143x26mm**  
Box Qty: **20 Pcs**

Floodlight With Stand- EU Plug



30W VT-4230

SKU: 5927 - 4000K Day White  
SKU: 5928 - 6400K White

3800157622837  
3800157622844



EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **2550lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **243x275x184mm**  
Box Qty: **10 Pcs**

Floodlight With Stand- EU Plug


50W VT-4250

SKU: 5930 - 6400K White

3800157622868



EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **4250lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **278x313x183mm**  
Box Qty: **10 Pcs**

Floodlight With Stand- EU Plug


100W VT-42100

SKU: 5931 - 4000K Day White  
SKU: 5932 - 6400K White

3800157622875  
3800157622882



EU PLUG 3 METER WIRE



Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50Hz**  
Luminous Flux: **8500lm**  
Color of Fixture: **Black**

CRI: **>70**  
PF: **>0.9**  
IP Rating: **IP65**  
Beam Angle: **100°**

Body Type: **Die Cast Aluminium**  
Dimension: **354x378x184mm**  
Box Qty: **4 Pcs**



Rechargeable-IP44  
20W VT-4822

SKU: 5735 - 6000K White 3800157606929



Voltage/Frequency:	AC:100-240V,50/60Hz	PF:	>70	Battery Capacity:	3.7V,8800mAh
Luminous Flux:	1600lm	IP Rating:	IP44	Charging Time:	5-6 Hours
Color of Fixture:	Green	Beam Angle:	100°	Working Time:	High Light 2-3 Hours/ Low Light 6Hours
Body Type:	Plastic+Aluminium	Box Qty:	10 Pcs	Dimension:	208x204x355mm

Solar-Floodlight

5W VT-777-5

SKU: 8547 - 4000K Day White 3800157639194



Sensor Compatible:	N/A	CRI:	>70	Body Type:	ABS+PC
Voltage/Frequency:	3.7V Lithium Bat-	PF:	>0.5	Dimension:	217.4x149.3x33.7mm
Luminous Flux:	500lm	IP Rating:	IP65	Box Qty:	18Pcs
Color of Fixture:	500lm	Beam Angle:	90°		

Solar-Floodlight

10W VT-787-10

SKU: 8550 - 4000K Day White 3800157639224




Voltage/Frequency:	N/A 3.7V Lithium Battery, 3000mAh	CRI:	>70	Body Type:	ABS+PC
Luminous Flux:	1100lm	PF:	>0.5	Dimension:	300x215x35mm
Color of Fixture:	Black	IP Rating:	IP65	Box Qty:	8Pcs
		Beam Angle:	90°		

NEW

Solar-Floodlight

25W VT-25W

SKU: 8573 - 4000K Day White 3800157645584




Battery:	5000mAh	Charging Time:	4 Hours	CRI:	>70
Voltage/Frequency:	DC:3.2V	Working Time:	8 Hours	Body Type:	Aluminium
Luminous Flux:	550lm	IP Rating:	IP65	Dimension:	205x50x170mm
Color of Fixture:	Black	Beam Angle:	120°	Box Qty:	8Pcs

NEW

Solar-Floodlight

40W VT-40W

SKU: 8574 - 4000K Day White 3800157645591




Battery:	10000mAh	Charging Time:	4 Hours	CRI:	>70
Voltage/Frequency:	DC:3.2V	Working Time:	8 Hours	Body Type:	Aluminium
Luminous Flux:	1050lm	IP Rating:	IP65	Dimension:	247x65x210mm
Color of Fixture:	Black	Beam Angle:	120°	Box Qty:	6Pcs

NEW

Solar-Floodlight  
60W VT-60W

SKU: 8575 - 4000K Day White

3800157645607

Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 10000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:6.4V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 1650lm

IP Rating: IP65

Dimension: 270x70x238mm

Color of Fixture: Black

Beam Angle: 120°


Box Qty: 5Pcs

NEW

Solar-Floodlight  
100W VT-100W

SKU: 8576 - 4000K Day White

3800157645614

Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 15000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:6.4V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 2450lm

IP Rating: IP65

Dimension: 325x85x280mm

Color of Fixture: Black

Beam Angle: 120°


Box Qty: 2Pcs

NEW

Solar-Floodlight  
200W VT-200W

SKU: 8577 - 4000K Day White

3800157645621

Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 20000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:10V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 3100lm

IP Rating: IP65

Dimension: 353x90x304mm

Color of Fixture: Black

Beam Angle: 120°


Box Qty: 2Pcs

NEW

Solar-Floodlight  
300W VT-300W

SKU: 8578 - 4000K Day White

3800157645638

Solar  
LightsUV  
PROTECTIONIP65  
RATING

Battery: 25000mAh

Charging Time: 4 Hours

CRI: &gt;70

Voltage/Frequency: DC:10V

Working Time: 8 Hours

Body Type: Aluminium

Luminous Flux: 4200lm

IP Rating: IP65

Dimension: 437x90x356mm

Color of Fixture: Black


Beam Angle: 120°

Box Qty: 2Pcs

Floodlight-Infrared-RGB  
10W VT-4711RF

SKU: 5894 - RGB

3800157617512

IP65  
RATING

Sensor Compatible: Yes

CRI: &gt;80

Body Type: Die Cast Aluminium

Voltage/Frequency: AC:220-240V,50/60Hz

PF: &gt;0.9

Dimension: 87X115X85mm

Luminous Flux: 800lm

IP Rating: IP65

Box Qty: 20 Pcs

Color of Fixture: White

Beam Angle: 100°




Floodlight-Infrared-RGB

10W VT-4711IF

SKU: 5895 - RGB

3800157617529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	87X115X85mm
Box Qty:	20 Pcs




Floodlight-Remote Control-RGB

30W VT-4732

SKU: 5755 - RGB

3800157609517



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V
Luminous Flux:	2400lm
Color of Fixture:	Grey

CRI:	>80
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	136x227x206mm
Box Qty:	6 Pcs




High Lumen-Meanwell Driver

500W VT-49500

SKU: 5934 - 4500K Day White  
SKU: 5935 - 6000K White

3800157623605  
3800157623612



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
Color of Fixture:	Grey

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	658x154x537mm
Box Qty:	1 Pc




High Lumen-Meanwell Driver

500W VT-49501

SKU: 5936 - 4000K Day White  
SKU: 5937 - 6000K White

3800157624985  
3800157624992



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60000lm
Color of Fixture:	Black

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	120°

Body Type:	Die Cast Aluminium
Dimension:	658x154x537mm
Box Qty:	1 Pc




High Lumen-Meanwell Driver

1000w VT-491001

SKU: 5938 - 4000K Day White  
SKU: 5939 - 6000K White

3800157625005  
3800157625012



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120000lm
Color of Fixture:	Black

CRI:	>70
PF:	>0.9
IP Rating:	IP65
Beam Angle:	60°

Body Type:	Die Cast Aluminium
Dimension:	748x762x154mm
Box Qty:	1 Pc

## LED PIR Floodlights

V-TAC's LED Floodlights with PIR are sleek and durable, ideal for lighting Driveways, Gardens and Buildings. These high-performance lights emit a Bright and Vibrant Light making it a sustainable replacement for traditional Halogen Floodlights and Metal Halide fixtures.




PIR-Slimline-White Body

20W VT-4922PIRW


SKU: 5804 - 3000K Warm White 3800157614788  
SKU: 5806 - 6000K White 3800157614801

Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 1600lm

CRI: >70  
PF: >0.9  
IP Rating: IP44  
Beam Angle: 100°



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illumination level at the average illuminance when the distance is at different distance.


PIR-Slimline-White Body

30W VT-4933PIRW


SKU: 5824 - 6400K White 3800157614986

Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 2550lm

CRI: >70  
PF: >0.9  
IP Rating: IP44  
Beam Angle: 100°



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illumination level at the average illuminance when the distance is at different distance.


PIR-Slimline-White Body

50W VT-4955PIRW


SKU: 5840 - 3000K Warm White 3800157615143  
SKU: 5842 - 6400K White 3800157615167

Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 4250lm

CRI: >70  
PF: >0.9  
IP Rating: IP44  
Beam Angle: 100°



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illumination level at the average illuminance when the distance is at different distance.


PIR-Slimline-Black Body

30W VT-4933PIRB


SKU: 5819 - 3000K Warm White 3800157614931

Detection Angle: 120°  
Detection Distance: 2-8m  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 2550lm

CRI: >70  
PF: >0.9  
IP Rating: IP44  
Beam Angle: 100°



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Note: The Curves indicate the illumination level at the average illuminance when the distance is at different distance.




PIR-Slimline-White Body


30W VT-4830PIRW

SKU: 5752 - 6000K White

3800157608893



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2400lm

CRI:	>70
PF:	>0.9
IP Rating:	IP44
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	217x231x51mm
Box Qty:	10 Pcs




PIR-Slimline-Black Body


30W VT-4830PIRB

SKU: 5699 - 3000K Warm White

3800157604352



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Detection Angle:	120°
Detection Distance:	2-8m
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2400lm

CRI:	>70
PF:	>0.9
IP Rating:	IP44
Beam Angle:	100°

Body Type:	Die Cast Aluminium
Dimension:	217x231x51mm
Box Qty:	10 Pcs






## PIR Sensor-WIFI-Camera

18W VT-4818W

SKU: 5745 - 6000K White

3800157608268


Video Compression: **H.264 / MJPEG dual video stream**PF: **>0.5**Image Resolution: **1280\*720**Beam Angle: **180°**Image sensor: **1/4 " 1Megapixel CMOS**Color of Fixture: **White**Pixels: **1 million pixels**Body Type: **ABS+Aluminium**Delay Time: **0-30S**IP Rating: **IP20**Voltage/Frequency: **AC:100-240V,50/60Hz**Dimension: **248x 162x 181mm**Luminous Flux: **600lm**Box Qty: **4 Pcs**CRI: **>70**

## PIR Sensor-WIFI-Camera

18W VT-4818B

SKU: 5917 - 6000K White

3800157620925

Video Compression: **H.264 / MJPEG dual video stream**PF: **>0.5**Image Resolution: **1280\*720**Beam Angle: **180°**Image sensor: **1/4 " 1Megapixel CMOS**Color of Fixture: **Black**Pixels: **1 million pixels**Body Type: **ABS+Aluminium**Delay Time: **0-30S**IP Rating: **IP20**Voltage/Frequency: **AC:100-240V,50/60Hz**Dimension: **248x162x181mm**Luminous Flux: **600lm**Box Qty: **4 Pcs**CRI: **>70**

NEW




## Bluetooth Floodlight

20W VT-5020-W

SKU: 5984 - RGB+W/WW/DW

3800157640411


**CCT AND DIMMING  
VIA SMART PHONE APP**
Voltage/Frequency: **AC:220-240V**IP Rating: **IP65**Luminous Flux: **1400lm**Beam Angle: **100°**Color of Fixture: **White**Body Type: **Aluminium**CRI: **>80**Dimension: **141.6x126.3mm**PF: **>0.9**Box Qty: **20 Pcs**

NEW




## Bluetooth Floodlight

20W VT-5020-B

SKU: 5985 - RGB+W/WW/DW

3800157640428


**CCT AND DIMMING  
VIA SMART PHONE APP**
Voltage/Frequency: **AC:220-240V**IP Rating: **IP65**Luminous Flux: **1400lm**Beam Angle: **100°**Color of Fixture: **Black**Body Type: **Aluminium**CRI: **>80**Dimension: **141.6x126.3mm**PF: **>0.9**Box Qty: **20 Pcs**



**NEW**



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	PP
Size:	Ø65.33x46.31mm
Wire range:	0.5-2.5mm <sup>2</sup>
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	150 Pcs

VT-881  
SKU: 5987



**NEW**



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm <sup>2</sup>
Cable Diameter:	5-9mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000 Pcs

VT-868-w  
SKU: 5986



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PA66)
Size:	75.8x26.7mm
Wire range:	0.5-1.5mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	16A
Box Qty:	1000

VT-868  
SKU: 5977 3800157636070



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-B  
SKU: 5978 3800157636087



**Waterproof Box Terminal Block**

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	106.8x96x29mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	200

VT-869-W  
SKU: 5979 3800157636094



## Waterproof Box Terminal Block

VT-870-B

SKU: 5980 3800157636100

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-870-W

SKU: 5981 3800157636117

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	126.8x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-871-B

SKU: 5982 3800157636124

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-871-W

SKU: 5983 3800157636131

Voltage:	AC:450V
Material:	Polycarbonate(PC)
Size:	112.6x93.3x35.3mm
Wire range:	0.5-4mm <sup>2</sup>
Cable Diameter:	8-12mm
Fire Retardant Level:	V2
Ampere:	24A
Box Qty:	100



## Waterproof Box Terminal Block

VT-7224-B

SKU: 3578 3800157605335

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm <sup>2</sup>
Box Qty:	160 Pcs



## Waterproof Box Terminal Block

VT-792-B

SKU: 3621 3800157607735

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



## Waterproof Box Terminal Block

VT-7224-W

SKU: 5897 3800157619202

Voltage:	AC:250V Max
Material:	Polypropylene (PP)
Size:	123x46x33mm
Wire range:	0.5-2.5mm <sup>2</sup>
Box Qty:	240 Pcs



## Waterproof Box Terminal Block

VT-792-W

SKU: 5896 3800157619196

Voltage:	AC:220V
Material:	Flame Retardant PP
Size:	Ø27x76mm
Wire range:	4-6.5mm
Box Qty:	500 Pcs



**Tripod Stand-Yellow**

VT-41150Y

SKU: 9104 3800230626202

Size: 900x940-1800mm  
Box Qty: 8 Pcs



**Tripod Stand-Black**

VT-41150B

SKU: 9546 3800157604925

Size: 900x940-1800mm  
Box Qty: 8 Pcs



**Billboard Stand**

VT-793

SKU: 3622 3800157607803

Size: 870x200mm  
Box Qty: 4 Pcs

87cm Suitable For:  
70w - 100w - 120w - 150w - 200w



**Billboard Stand**

VT-794

SKU: 3623 3800157607810

Size: 850x150mm  
Box Qty: 4 Pcs

85cm Suitable For:  
10w - 20w - 30w - 50w



**Floodlight Spike-Grey**

VT-854-G

SKU: 7533 3800157630467



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-White**

VT-854-W

SKU: 7534 3800157630474



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-Black**

VT-854-B

SKU: 7535 3800157630481



Size: Ø35xH150mm  
Box Qty: 200 Pcs  
Body Type: Aluminium



**Floodlight Spike-Grey**

VT-855-G

SKU: 7536 3800157630498



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium



**Floodlight Spike-White**

VT-855-W

SKU: 7537 3800157630504



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium



**Floodlight Spike-Black**

VT-855-B

SKU: 7538 3800157630511



Size: Ø60xH265mm  
Box Qty: 100 Pcs  
Body Type: Aluminium





## LED Panels

Experience consistent illumination and zero hot or cold spots, introducing slim and sleek LED Panel Lighting from V-TAC.

### Product Features

- Ultra Slim Design
- Contemporary & Elegant Design
- Higher Light Transmission Rate
- Exterior shell, cannot be easily damaged
- No infrared, does not attract flies
- Easy to install
- No Lead or mercury content hence environment friendly
- Dimmable options available in selected models

### Applications

Offices, conference room, hospitals, hotels, shopping malls, showroom, kitchen and domestic lighting etc.




Big Panels-60x60

45W VT-6165

SKU: 6420 - 4000K Day White 3800157626835

**5** YEAR WARRANTY\*



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium+PMMA
Dimension:	595x595x14mm
Box Qty:	6 Pcs



Big Panels-60x60

45W VT-6060-6

SKU: 60286 - 3000K Warm White 3800230624482  
 SKU: 60246 - 4000K Day White 3800230623652  
 SKU: 60256 - 6400K White 3800230623584



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-60x60

45W VT-6068-6

SKU: 62206 - 3000K Warm White 3800157619516  
 SKU: 62186 - 4000K Day White 3800157609265  
 SKU: 62196 - 6400K White 3800157609272

LG7 Compliant  
**UGR < 19**



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x14mm
Box Qty:	6 Pcs




Big Panels-UGR<19-62x62

45W VT-6069

SKU: 6222 - 3000K Warm White 3800157604918  
 SKU: 6217 - 4000K Day White 3800157604857  
 SKU: 6221 - 6400K White 3800157604901

LG7 Compliant  
**UGR < 19**



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3600lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA+PP
Dimension:	620x620x14mm
Box Qty:	6 Pcs

**NEW**




Big Panels-High Lumen-62x62

29W VT-6262

SKU: 6471 - 4000K Day White 3800157641012

**120** LUMENS/WATT SUPER EFFICIENT



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium+PMMA
Dimension:	620x620x15.5mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60


29w VT-6129-6

SKU: 62406 - 3000K Warm White 3800157619608  
 SKU: 62416 - 4000K Day White 3800157609289  
 SKU: 62426 - 6400K White 3800157609296

Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3480lm
Beam Angle:	120°

120+  
LUMENS/WATT  
SUPER EFFICIENT

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium+PMMA+PC
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60


45w VT-6145-6

SKU: 63776 - 3000K Warm White 3800157622158  
 SKU: 62366 - 4000K Day White 3800157615723  
 SKU: 62376 - 6400K White 3800157615730

Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	5400lm
Beam Angle:	120°

120+  
LUMENS/WATT  
SUPER EFFICIENT

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium+PMMA+PP
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-60x60


36w VT-6136

SKU: 6376 - 3000K Warm White 3800157622141  
 SKU: 6238 - 4000K Day White 3800157607636  
 SKU: 6239 - 6400K White 3800157607643

Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4320lm
Beam Angle:	120°

120+  
LUMENS/WATT  
SUPER EFFICIENT

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium+PMMA+PC
Dimension:	595x595x13mm
Box Qty:	6 Pcs



Big Panels-High Lumen-62x62


36w VT-6137

SKU: 62436 - 4000K Day White 3800157619622  
 SKU: 63796 - 6400K White 3800157622172

Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	4320lm
Beam Angle:	120°

120+  
LUMENS/WATT  
SUPER EFFICIENT

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium+PMMA+PC
Dimension:	620x620x13mm
Box Qty:	6 Pcs



Big Panels-Surfaced/Recessed-60x60


36w VT-6139

SKU: 6380 - 4000K Day White 3800157624008  
 SKU: 6381 - 6400K White 3800157624015

Emergency Pack:	Available
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2880lm
Beam Angle:	120°

2IN1  
RECESSED OR SURFACE

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Iron+PS
Dimension:	595x595x19mm
Box Qty:	4 Pcs

**NEW**




Surface/Recessed Panel-60x60

40w VT-6142-1

SKU: 64511 - 4000K Day White 3800157644990  
SKU: 64521 - 6500K White 3800157645003

Emergency Pack:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	4 Pcs




Surface/Recessed Panel-60x60

40w VT-6142

SKU: 6451 - 4000K Day White 3800157636438  
SKU: 6452 - 6000K White 3800157636421

Emergency Pack:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	6 Pcs




Surface/Recessed Panel-60x60

70w VT-6170

SKU: 6453 - 4000K Day White 3800157636452  
SKU: 6454 - 6000K White 3800157636445

Emergency Pack:	NA
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5950lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	FE+PP
Dimension:	595x595x29mm
Box Qty:	6 Pcs




Transparent Panel-120x30

40w VT-6144

SKU: 6458 - 4000K Day White 3800157638098

**5 YEAR WARRANTY\*** **0-10V DIMMABLE**



Emergency Pack:	Available
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3200lm
Beam Angle:	140°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Rectangle

Body Type:	Aluminium+PC
Dimension:	1210x319mm
Box Qty:	4 Pcs



Big Panels-High Lumen-120x30


29W VT-12031

SKU: 6256 - 3000K Warm White 3800157610414  
 SKU: 6257 - 4000K Day White 3800157610421  
 SKU: 6258 - 6400K White 3800157610438

Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3480lm  
 Beam Angle: 120°

120+  
 LUMENS/WATT  
 SUPER EFFICIENT

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS  
 Dimension: 1195x295x14mm  
 Box Qty: 6 Pcs



Big Panel-High Lumen-120x30


45W VT-12046

SKU: 6384 - 4000K Day White 3800157624770  
 SKU: 6385 - 6000K White 3800157624787

Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 5400lm  
 Beam Angle: 120°

120+  
 LUMENS/WATT  
 SUPER EFFICIENT

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS  
 Dimension: 1195x295x14mm  
 Box Qty: 6 Pcs




Big Panels-120x30

45W VT-12030

SKU: 60696 - 3000K Warm White 3800157609326  
 SKU: 60266 - 4000K Day White 3800230623638  
 SKU: 60276 - 6400K White 3800157609319

Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3600lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS  
 Dimension: 1195x295x14mm  
 Box Qty: 6 Pcs



Big Panels-UGR<19-120x30


45W VT-12032

SKU: 6329 - 4000K Day White 3800157619615


Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 3600lm  
 Beam Angle: 120°

LG7 Compliant  
 UGR < 19

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS  
 Dimension: 1195x295x14mm  
 Box Qty: 6 Pcs



Big Panels-High Lumen-120x60


45W VT-12045

SKU: 6332 - 4000K Day White 3800157620321  
 SKU: 6333 - 6400K White 3800157620338

Emergency Pack: Available  
 Voltage/Frequency: AC:220-240V,50/60Hz  
 Luminous Flux: 5400lm  
 Beam Angle: 120°

120+  
 LUMENS/WATT  
 SUPER EFFICIENT

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Rectangle



Body Type: Aluminium+PMMA+PS  
 Dimension: 1195x595x14mm  
 Box Qty: 2 Pcs





Round-Suspended Panel

40w VT-6141B

SKU: 6433 - 4000K Day White 3800157628129

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		



Round-Suspended Panel

40w VT-6141

SKU: 6432 - 4000K Day White 3800157628112

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø400mm
Luminous Flux:	3200lm	PF:	>0.9	Box Qty:	1 Pcs
Beam Angle:	120°	Shape:	Round		

## DRIVERS FOR BIG PANELS Voltage: AC:220-240V,50/60Hz



Watts:	30w
SKU:	3110
Dimmable:	No
EAN:	3800157622103
Box Qty:	50 Pcs



Watts:	29w
SKU:	6268
Dimmable:	Yes
EAN:	3800157614412
Box Qty:	20 Pcs



Watts:	29w
SKU:	6271
Dimmable:	No
EAN:	3800157614443
Box Qty:	50 Pcs



Watts:	36w
SKU:	6436
Dimmable:	No
EAN:	3800157629386
Box Qty:	20 Pcs



Watts:	42w
SKU:	6029
Dimmable:	No
EAN:	3800157608626
Box Qty:	50 Pcs



Watts:	45w
SKU:	6437
Dimmable:	Yes
EAN:	3800157630337
Box Qty:	20 Pcs



Watts:	45w
SKU:	6386
Dimmable:	No
EAN:	3800157624886
Box Qty:	50 Pcs



Watts:	45w
SKU:	6427
Dimmable:	No
EAN:	3800157626996
Box Qty:	50 Pcs



Watts:	45w
SKU:	6270
Dimmable:	No
EAN:	3800157614436
Box Qty:	50 Pcs



Watts:	70w
SKU:	6328
Dimmable:	Yes
EAN:	3800157619592
Box Qty:	50 Pcs





Watts: 45w  
 SKU: 6450  
 Dimmable: No  
 EAN: 3800157635677  
 Box Qty: 50 Pcs

**5**  
 YEAR  
 WARRANTY

**MOUNTING KITS FOR PANELS**



**Suspended Mounting**

SKU: 6018  
 EAN: 3800230623669  
 Box Qty: 100 Pcs

Adjustable height from 0.3 to 1m. This product can be used for all sizes of panels, that is  
 • 300 x 300 • 600 x 600 • 1200 x 300 • 1200 x 600



**Surface Mounting-30x30**

SKU: 9970  
 EAN: 3800230623690  
 Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.



**Waterproof Suspension Kit**

SKU: 8119  
 EAN: 3800157624763  
 Box Qty: 50 Pcs



**Surface Mounting-60x60**

SKU: 6327  
 EAN: 3800157619424  
 Box Qty: 20 Pcs



**Surface Mounting-60x60**

SKU: 9999  
 EAN: 3800230623676  
 Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.




**Surface Mounting-62x62**

SKU: 9997  
 EAN: 3800157633130  
 Box Qty: 5 Pcs

Convert the recessed panel to surface panel and install it easily on solid surfaces.

**NEW**



**Surface Mounting-60x60**

SKU: 8156  
 EAN: 3800157640213  
 Box Qty: 10 Pcs

**IMPROVED MATERIAL MORE STRONG**

**NEW**



**Surface Mounting-62x62**

SKU: 8157  
 EAN: 3800157640220  
 Box Qty: 10 Pcs

**IMPROVED MATERIAL MORE STRONG**



**Surface Mounting-120x30**

SKU: 9969  
 EAN: 3800230623683  
 Box Qty: 6 Pcs



**Surface Mounting-120x60**

SKU: 9989  
 EAN: 3800230623614  
 Box Qty: 5 Pcs


**NEW**



**Surface Mounting-120x30**

SKU: 8158  
 EAN: 3800157640237  
 Box Qty: 10 Pcs

**IMPROVED MATERIAL MORE STRONG**



**Emergency Pack-6W to 24W**


**VT-525**

SKU: 8275 3800157627474

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:20-80V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 hours
Battery:	Ni-Cd7.2V/2000mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	455x52x33mm
Emergency switch on time:	< 1s
Box Qty:	20 Pcs



**Emergency Pack-29W to 45W**

**VT-518**

SKU: 60303 3800157617451

3Hr LED emergency lighting kit, designed to suit a wide range of LED types and circuits. The models have sealed Ni-Cd batteries able to guarantee high efficiency with high temperatures.

Voltage:	DC:30-42V
Led output power:	AC:220-240V,50/60Hz
Charging time:	24 Hours
Working time:	3 Hours
Battery:	NI-CD, 7.2V, 4400 mAh

Color of Fixture:	Silver
Body Type:	Aluminium
Size:	465x52x33mm
Emergency switch on time:	< 1s
Box Qty:	12 Pcs



## Linear Lights

## 10w VT-10001

SKU: 6401 - 3000K Warm White 3800157626620  
 SKU: 6402 - 4000K Day White 3800157626637  
 SKU: 6403 - 6400K White 3800157626644

Cutting Size:  
**138x32mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **750lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Shape: **Rectangle**

Body Type: **Aluminium**  
 Dimension: **160x45x65mm**  
 Box Qty: **20 Pcs**



## Linear Lights

## 20w VT-20001

SKU: 6404 - 3000K Warm White 3800157626651  
 SKU: 6405 - 4000K Day White 3800157626668  
 SKU: 6406 - 6400K White 3800157626675

Cutting Size:  
**170x32mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1600lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Shape: **Rectangle**

Body Type: **Aluminium**  
 Dimension: **290x45x65mm**  
 Box Qty: **20 Pcs**



## Linear Lights

## 30w VT-30001

SKU: 6407 - 3000K Warm White 3800157626682  
 SKU: 6408 - 4000K Day White 3800157626699  
 SKU: 6409 - 6400K White 3800157626705

Cutting Size:  
**405x32mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2400lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Rectangle**

Body Type: **Aluminium**  
 Dimension: **430x45x65mm**  
 Box Qty: **10 Pcs**



## Linear Lights

## 10w VT-10002

SKU: 6410 - 3000K Warm White 3800157626712  
 SKU: 6411 - 4000K Day White 3800157626729  
 SKU: 6412 - 6400K White 3800157626736

Cutting Size:  
**138x32mm**

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **700lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.5**  
 Shape: **Rectangle**

Body Type: **Aluminium**  
 Dimension: **160x45x72mm**  
 Box Qty: **20 Pcs**



Linear Lights

20w VT-20002



SKU: 6413 - 3000K Warm White 3800157626743  
 SKU: 6414 - 4000K Day White 3800157626750  
 SKU: 6415 - 6400K White 3800157626767

Cutting Size:  
 170x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	290x45x72mm
Luminous Flux:	1400lm	PF:	>0.5	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Rectangle		

Linear Lights

30w VT-30002



SKU: 6416 - 3000K Warm White 3800157626774  
 SKU: 6417 - 4000K Day White 3800157626781  
 SKU: 6418 - 6400K White 3800157626798

Cutting Size:  
 405x32mm

Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	430x45x72mm
Luminous Flux:	2100lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Rectangle		




Premium Series-Round

3w VT-307RD



SKU: 6292 - 3000K Warm White 3800157616751  
 SKU: 6293 - 4000K Day White 3800157616768  
 SKU: 6294 - 6400K White 3800157616775

Cutting Size:  
 Ø73mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		


Premium Series-Round

6w VT-607RD



SKU: 4854 - 3000K Warm White 3800230629753  
 SKU: 4855 - 4000K Day White 3800230629760  
 SKU: 4856 - 6400K White 3800230629777

Cutting Size:  
 Ø110mm



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø120x12mm
Luminous Flux:	420lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		




## Premium Series-Round

### 12W VT-1207RD

SKU: 4857 - 3000K Warm White 3800230629784  
 SKU: 4858 - 4000K Day White 3800230629791  
 SKU: 4859 - 6400K White 3800230629807

Cutting Size:  
 Ø155mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1000lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.6**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø170x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 18W VT-1807RD

SKU: 4860 - 3000K Warm White 3800230629814  
 SKU: 4861 - 4000K Day White 3800230629821  
 SKU: 4862 - 6400K White 3800230629838

Cutting Size:  
 Ø210mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.6**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø225x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 22W VT-2207RD

SKU: 6422 - 3000K Warm White 3800157626941  
 SKU: 6423 - 4000K Day White 3800157626958  
 SKU: 6424 - 6400K White 3800157626965

Cutting Size:  
 Ø220 mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø240x12mm**  
 Box Qty: **20 Pcs**




## Premium Series-Round

### 24W VT-2407RD

SKU: 4872 - 3000K Warm White 3800157601559  
 SKU: 4873 - 4000K Day White 3800157601566  
 SKU: 4874 - 6400K White 3800157601573

Cutting Size:  
 Ø280mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2000lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Body Type: **Aluminium**  
 Dimension: **Ø300x12mm**  
 Box Qty: **10 Pcs**




## Premium Series-Round

### 30W VT-3107RD

SKU: 6428 - 4000K Day White 3800157628075  
 SKU: 6429 - 6400K White 3800157628082

Cutting Size:  
 Ø280mm



Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2400lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**


Body Type: **Aluminium**  
 Dimension: **Ø300x12mm**  
 Box Qty: **10 Pcs**



Premium Series-Square

**3W VT-3075Q**

SKU: 6295 - 3000K Warm White 3800157616782  
 SKU: 6296 - 4000K Day White 3800157616799  
 SKU: 6297 - 6400K White 3800157616805




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	84x84x12mm
Luminous Flux:	210lm	PF:	>0.5	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		



Premium Series-Square

**6W VT-6075Q**

SKU: 4863 - 3000K Warm White 3800230629845  
 SKU: 4864 - 4000K Day White 3800230629852  
 SKU: 4865 - 6400K White 3800230629869




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	120x120x12mm
Luminous Flux:	420lm	PF:	>0.7	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		



Premium Series-Square

**12W VT-12075Q**

SKU: 4866 - 3000K Warm White 3800230629876  
 SKU: 4867 - 4000K Day White 3800230629883  
 SKU: 4868 - 6400K White 3800230629890




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	170x170x12mm
Luminous Flux:	1000lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



Premium Series-Square

**18W VT-18075Q**

SKU: 4869 - 3000K Warm White 3800230629906  
 SKU: 4870 - 4000K Day White 3800230629913  
 SKU: 4871 - 6400K White 3800230629920




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	225x225x12mm
Luminous Flux:	1500lm	PF:	>0.6	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Square		



Premium Series-Square

**24W VT-24075Q**

SKU: 4887 - 3000K Warm White 3800157602198  
 SKU: 4888 - 4000K Day White 3800157602204  
 SKU: 4889 - 6400K White 3800157602211




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	300x300x12mm
Luminous Flux:	2000lm	PF:	>0.9	Box Qty:	10 Pcs
Beam Angle:	120°	Shape:	Square		



## Premium Series-Square

36W VT-3107SQ

 SKU: 6430 - 4000K Day White 3800157628099  
 SKU: 6431 - 6400K White 3800157628105

 Cutting Size:  
 280x280mm

 Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 2400lm  
 Beam Angle: 120°


 LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

 Body Type: Aluminium  
 Dimension: 300x300x12mm  
 Box Qty: 10 Pcs


## SG Series-Square

8W VT-800 SQ

SKU: 4818 - 6400K White 3800230622563

 Cutting Size:  
 125x125mm

 Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 800lm  
 Beam Angle: 120°


 LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

 Body Type: Aluminium(PKW)  
 Dimension: 145x145x20mm  
 Box Qty: 20 Pcs


## SG Series-Round

8W VT-800 RD

SKU: 4821 - 6400K White 3800230622587

 Cutting Size:  
 Ø105mm

 Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 800lm  
 Beam Angle: 120°


 LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Round

 Body Type: Aluminium(PKW)  
 Dimension: Ø120x20mm  
 Box Qty: 20 Pcs


## SG Series-Square

15W VT-1500 SQ

 SKU: 4826 - 3000K Warm White 3800230622617  
 SKU: 4824 - 6400K White 3800230624994  
 3800230622600

 Cutting Size:  
 140x140mm

 Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

 LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

 Body Type: Aluminium(PKW)  
 Dimension: 160x160x20mm  
 Box Qty: 20 Pcs






SG Series-Round

15w VT-1500 RD

SKU: 4827 - 6400K White 3800230622624

Cutting Size:  
Ø160mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium(PKW)
Dimension:	Ø180x20mm
Box Qty:	20 Pcs




SG Series-Round

22w VT-2200 RD

SKU: 4833 - 6400K White 3800230622662

Cutting Size:  
Ø220mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium(PKW)
Dimension:	Ø240x20mm
Box Qty:	20 Pcs




Trimless Panel-Round

8w VT-888RD

SKU: 4931 - 3000K Warm White 3800157606479  
SKU: 4932 - 4000K Day White 3800157606486  
SKU: 4933 - 6400K White 3800157606493

Cutting Size:  
Ø75mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium
Dimension:	Ø90x8mm
Box Qty:	100 Pcs




Trimless Panel-Round

15w VT-1515RD

SKU: 4934 - 3000K Warm White 3800157606509  
SKU: 4935 - 4000K Day White 3800157606516  
SKU: 4936 - 6400K White 3800157606523

Cutting Size:  
Ø130mm



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round

Body Type:	Aluminium
Dimension:	Ø146x8mm
Box Qty:	40 Pcs



## Trimless Panel-Round


**22W VT-2222RD**

SKU: 4937 - 3000K Warm White 3800157606530  
 SKU: 4938 - 4000K Day White 3800157606547  
 SKU: 4939 - 6400K White 3800157606554

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Cutting Size:  
**Ø155mm**



Body Type: **Aluminium**  
 Dimension: **Ø170x8mm**  
 Box Qty: **40 Pcs**



## Trimless Panel-Round


**29W VT-2929RD**

SKU: 4940 - 3000K Warm White 3800157606561  
 SKU: 4941 - 4000K Day White 3800157606578  
 SKU: 4942 - 6400K White 3800157606585

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2900lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**

Cutting Size:  
**Ø195mm**



Body Type: **Aluminium**  
 Dimension: **Ø220x8mm**  
 Box Qty: **40 Pcs**



## Trimless Panel-Square


**8W VT-888SQ**

SKU: 4943 - 3000K Warm White 3800157606592  
 SKU: 4944 - 4000K Day White 3800157606608  
 SKU: 4945 - 6400K White 3800157606615

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Cutting Size:  
**75x75mm**



Body Type: **Aluminium**  
 Dimension: **90x90x8mm**  
 Box Qty: **100 Pcs**



## Trimless Panel-Square


**15W VT-1515SQ**

SKU: 4946 - 3000K Warm White 3800157606622  
 SKU: 4947 - 4000K Day White 3800157606639  
 SKU: 4948 - 6400K White 3800157606646

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Cutting Size:  
**130x130mm**



Body Type: **Aluminium**  
 Dimension: **146x146x8mm**  
 Box Qty: **40 Pcs**



## Trimless Panel-Square


**22W VT-2222SQ**

SKU: 4949 - 3000K Warm White 3800157606653  
 SKU: 4977 - 4000K Day White 3800157606660  
 SKU: 4978 - 6400K White 3800157606677

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **2200lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**

Cutting Size:  
**155x155mm**




Body Type: **Aluminium**  
 Dimension: **170x170x8mm**  
 Box Qty: **40 Pcs**



Trimless Panel-Square  
29w VT-2929SQ

SKU: 5031 - 3000K Warm White 3800157606660  
SKU: 5032 - 4000K Day White 3800157606677  
SKU: 5033 - 6400K White 3800157606684




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	220x220x8mm
Luminous Flux:	2900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Square		



Slim Surface-Round  
6w VT-605RD

SKU: 4904 - 3000K Warm White 3800157605380  
SKU: 4905 - 4000K Day White 3800157605397  
SKU: 4906 - 6400K White 3800157605403




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø90x24mm
Luminous Flux:	420lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		



Slim Surface-Round  
12w VT-1205 RD

SKU: 4910 - 3000K Warm White 3800157605441  
SKU: 4911 - 4000K Day White 3800157605458  
SKU: 4912 - 6400K White 3800157605465




Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø140x24mm
Luminous Flux:	900lm	PF:	>0.9	Box Qty:	40 Pcs
Beam Angle:	120°	Shape:	Round		



Slim Surface-Round  
18w VT-1805RD

SKU: 4916 - 3000K Warm White 3800157605502  
SKU: 4917 - 4000K Day White 3800157605519  
SKU: 4918 - 6400K White 3800157605526



Emergency Pack:	Available	LED Type:	SMD	Body Type:	Aluminium
Voltage/Frequency:	AC:85-265V,50/60Hz	CRI:	>80	Dimension:	Ø190x24mm
Luminous Flux:	1440lm	PF:	>0.9	Box Qty:	20 Pcs
Beam Angle:	120°	Shape:	Round		




## Slim Surface-Square

**6W VT-605SQ**

SKU: 4907 - 3000K Warm White 3800157605410  
 SKU: 4908 - 4000K Day White 3800157605427  
 SKU: 4909 - 6400K White 3800157605434

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **420lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**



Body Type: **Aluminium**  
 Dimension: **90x90x24mm**  
 Box Qty: **40 Pcs**




## Slim Surface-Square

**12W VT-1205 SQ**


SKU: 4913 - 3000K Warm White 3800157605472  
 SKU: 4914 - 4000K Day White 3800157605489  
 SKU: 4915 - 6400K White 3800157605496

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **900lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**



Body Type: **Aluminium**  
 Dimension: **140x140x24mm**  
 Box Qty: **40 Pcs**




## Slim Surface-Square

**18W VT-1805SQ**

SKU: 4919 - 3000K Warm White 3800157605533  
 SKU: 4920 - 4000K Day White 3800157605540  
 SKU: 4921 - 6400K White 3800157605557

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1440lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Square**



Body Type: **Aluminium**  
 Dimension: **190x190x24mm**  
 Box Qty: **20 Pcs**




## Surface Series-Round

**8W VT-1408 RD**

SKU: 4805 - 3000K Warm White 3800230622730  
 SKU: 4804 - 4000K Day White 3800230622723  
 SKU: 4803 - 6400K White 3800230622716

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **800lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**



Body Type: **Aluminium**  
 Dimension: **Ø110x35mm**  
 Box Qty: **20 Pcs**




## Surface Series-Round

**15W VT-1415 RD**

SKU: 4811 - 3000K Warm White 3800230622792  
 SKU: 4810 - 4000K Day White 3800230622785  
 SKU: 4809 - 6400K White 3800230622778

Emergency Pack: **Available**  
 Voltage/Frequency: **AC:85-265V,50/60Hz**  
 Luminous Flux: **1500lm**  
 Beam Angle: **120°**

LED Type: **SMD**  
 CRI: **>80**  
 PF: **>0.9**  
 Shape: **Round**




Body Type: **Aluminium**  
 Dimension: **Ø160x35mm**  
 Box Qty: **20 Pcs**



Surface Series-Round

22w VT-1422 RD

SKU: 4817 - 3000K Warm White 3800230622853  
 SKU: 4816 - 4000K Day White 3800230622846  
 SKU: 4815 - 6400K White 3800230622839



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round


Body Type:	Aluminium
Dimension:	Ø205x35mm
Box Qty:	20 Pcs



Surface Series-Square

8w VT-1408 SQ

SKU: 4802 - 3000K Warm White 3800230622709  
 SKU: 4801 - 4000K Day White 3800230622693  
 SKU: 4800 - 6400K White 3800230622686



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium
Dimension:	107x107x35mm
Box Qty:	40 Pcs



Surface Series-Square

15w VT-1415 SQ

SKU: 4808 - 3000K Warm White 3800230622761  
 SKU: 4807 - 4000K Day White 3800230622754  
 SKU: 4806 - 6400K White 3800230622747



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square


Body Type:	Aluminium
Dimension:	155x155x35mm
Box Qty:	20 Pcs



Surface Series-Square

22w VT-1422 SQ

SKU: 4814 - 3000K Warm White 3800230622822  
 SKU: 4813 - 4000K Day White 3800230622815  
 SKU: 4812 - 6400K White 3800230622808



Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square

Body Type:	Aluminium
Dimension:	205x205x35mm
Box Qty:	20 Pcs





## Slim Series-Chrome-Round


6W VT-607CH

SKU: 6334 - 3000K Warm White 3800157621182  
SKU: 6336 - 6400K White 3800157621205

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 420lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Cutting Size:  
Ø105mm



Body Type: Aluminium+Chrome  
Dimension: Ø120x25mm  
Box Qty: 40 Pcs



## Slim Series-Chrome-Round


12W VT-1207CH

SKU: 6340 - 3000K Warm White 3800157621243  
SKU: 6341 - 4000K Day White 3800157621250  
SKU: 6342 - 6400K White 3800157621267

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Cutting Size:  
Ø155mm



Body Type: Aluminium+Chrome  
Dimension: Ø170x25mm  
Box Qty: 20 Pcs



## Slim Series-Chrome-Round


18W VT-1807CH

SKU: 6346 - 3000K Warm White 3800157621304  
SKU: 6347 - 4000K Day White 3800157621311  
SKU: 6348 - 6400K White 3800157621328

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Cutting Size:  
Ø205mm



Body Type: Aluminium+Chrome  
Dimension: Ø225x25mm  
Box Qty: 20 Pcs



## Slim Series-Chrome-Round


24W VT-2407CH

SKU: 6352 - 3000K Warm White 3800157621366  
SKU: 6353 - 4000K Day White 3800157621373  
SKU: 6354 - 6400K White 3800157621380

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 2000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Cutting Size:  
Ø285mm



Body Type: Aluminium+Chrome  
Dimension: Ø300x25mm  
Box Qty: 10 Pcs



## Slim Series-Satin Nickel-Round


6W VT-607SN

SKU: 6338 - 4000K Day White 3800157621229

Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 420lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Cutting Size:  
Ø105mm



Body Type: Aluminium+Satin Nickel  
Dimension: Ø120x25mm  
Box Qty: 40 Pcs


Slim Series-Satin Nickel-Round

12w VT-1207SN



SKU: 6344 - 4000K Day White 3800157621281

Cutting Size:  
Ø155mm



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Satin Nickel  
Dimension: Ø170x25mm  
Box Qty: 20 Pcs


Slim Series-Satin Nickel-Round

18w VT-1807SN



SKU: 6349 - 3000K Warm White 3800157621335  
SKU: 6350 - 4000K Day White 3800157621342  
SKU: 6351 - 6400K White 3800157621359

Cutting Size:  
Ø205mm



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1500lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round

Body Type: Aluminium+Satin Nickel  
Dimension: Ø225x25mm  
Box Qty: 20 Pcs


Slim Series-Satin Nickel-Round

24w VT-2407SN



SKU: 6355 - 3000K Warm White 3800157621397  
SKU: 6356 - 4000K Day White 3800157621403  
SKU: 6357 - 6400K White 3800157621410

Cutting Size:  
Ø285mm



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 2000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round


Body Type: Aluminium+Satin Nickel  
Dimension: Ø300x25mm  
Box Qty: 10 Pcs

Slim Surface-Chrome-Round

6w VT-605CH



SKU: 6358 - 3000K Warm White 3800157621427  
SKU: 6359 - 4000K Day White 3800157621434  
SKU: 6360 - 6400K White 3800157621441



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 420lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.5  
Shape: Round


Body Type: Aluminium+Chrome  
Dimension: Ø90x24mm  
Box Qty: 40 Pcs

Slim Surface-Chrome-Round

12w VT-1205CH



SKU: 6364 - 3000K Warm White 3800157621489  
SKU: 6365 - 4000K Day White 3800157621496  
SKU: 6366 - 6400K White 3800157621502



Emergency Pack: Available  
Voltage/Frequency: AC:85-265V,50/60Hz  
Luminous Flux: 1000lm  
Beam Angle: 120°

LED Type: SMD  
CRI: >80  
PF: >0.6  
Shape: Round

Body Type: Aluminium+Chrome  
Dimension: Ø140x24mm  
Box Qty: 40 Pcs




## Slim Surface-Chrome-Round

18w VT-1805CH

SKU: 6370 - 3000K Warm White 3800157621540  
 SKU: 6371 - 4000K Day White 3800157621557  
 SKU: 6372 - 6400K White 3800157621564

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.6  
 Shape: Round



Body Type: Aluminium+Chrome  
 Dimension: Ø190x24mm  
 Box Qty: 20 Pcs




## Slim Surface-Satin Nickel-Round

6w VT-605SN

SKU: 6361 - 3000K Warm White 3800157621458  
 SKU: 6363 - 6400K White 3800157621472

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 420lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.5  
 Shape: Round



Body Type: Aluminium+Satin Nickel  
 Dimension: Ø90x24mm  
 Box Qty: 40 Pcs




## Slim Surface-Satin Nickel-Round

12w VT-1205SN

SKU: 6367 - 3000K Warm White 3800157621519  
 SKU: 6368 - 4000K Day White 3800157621526  
 SKU: 6369 - 6400K White 3800157621533

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1000lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.6  
 Shape: Round



Body Type: Aluminium+Satin Nickel  
 Dimension: Ø140x24mm  
 Box Qty: 40 Pcs




## Slim Surface-Satin Nickel-Round

18w VT-1805SN


SKU: 6373 - 3000K Warm White 3800157621571  
 SKU: 6375 - 6400K White 3800157621595

Emergency Pack: Available  
 Voltage/Frequency: AC:85-265V,50/60Hz  
 Luminous Flux: 1500lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.6  
 Shape: Round



Body Type: Aluminium+Satin Nickel  
 Dimension: Ø190x24mm  
 Box Qty: 20 Pcs








Twin LED-Square

**8W VT-809SQ**

SKU: 4922 - 3000K Warm White 3800157605564  
 SKU: 4923 - 4000K Day White 3800157605571  
 SKU: 4924 - 6400K White 3800157605588

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	142x142x40mm
Box Qty:	20 Pcs




Twin LED-Square

**15W VT-1509SQ**

SKU: 4925 - 3000K Warm White 3800157605595  
 SKU: 4926 - 4000K Day White 3800157605601  
 SKU: 4927 - 6400K White 3800157605618

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	192x192x40mm
Box Qty:	20 Pcs




Twin LED-Square

**22W VT-2209SQ**

SKU: 4928 - 3000K Warm White 3800157605625  
 SKU: 4929 - 4000K Day White 3800157605632  
 SKU: 4930 - 6400K White 3800157605649

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	2200lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Square



Body Type:	Aluminium
Dimension:	240x240x40mm
Box Qty:	20 Pcs




Twin LED-Round

**8W VT-809RD**

SKU: 4890 - 3000K Warm White 3800157602594  
 SKU: 4891 - 4000K Day White 3800157602600  
 SKU: 4892 - 6400K White 3800157602617

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	800lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	142x40mm
Box Qty:	20 Pcs




Twin LED-Round

**15W VT-1509RD**

SKU: 4893 - 3000K Warm White 3800157602624  
 SKU: 4894 - 4000K Day White 3800157602631  
 SKU: 4895 - 6400K White 3800157602648

Emergency Pack:	Available
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1500lm
Beam Angle:	120°

LED Type:	SMD
CRI:	>80
PF:	>0.9
Shape:	Round



Body Type:	Aluminium
Dimension:	192x40mm
Box Qty:	20 Pcs




Twin LED-Round  
**22W VT-2209RD**

SKU: 4896 - 3000K Warm White 3800157602655  
SKU: 4897 - 4000K Day White 3800157602662  
SKU: 4898 - 6400K White 3800157602679

Emergency Pack: **Available**  
Voltage/Frequency: **AC:85-265V,50/60Hz**  
Luminous Flux: **2200lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Shape: **Round**




Glass Panel-Round  
**6W VT-602G RD**

SKU: 4740 - 3000K Warm White 3800230622891  
SKU: 6277 - 4000K Day White 3800157615754  
SKU: 4739 - 6400K White 3800230622884

Emergency Pack: **Available**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **420lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Shape: **Round**

Cutting Size:  
**Ø75mm**




Glass Panel-Round  
**12W VT-1202G RD**

SKU: 4744 - 3000K Warm White 3800230622938  
SKU: 6279 - 4000K Day White 3800157615778  
SKU: 4743 - 6400K White 3800230622921

Emergency Pack: **Available**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **840lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Shape: **Round**

Cutting Size:  
**Ø120mm**




Glass Panel-Round  
**18W VT-1881G RD**

SKU: 4760 - 3000K Warm White 3800230622976  
SKU: 6281 - 4000K Day White 3800157615792  
SKU: 4759 - 6400K White 3800230622969

Emergency Pack: **Available**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1260lm**  
Beam Angle: **120°**

LED Type: **SMD**  
CRI: **>80**  
PF: **>0.9**  
Shape: **Round**

Cutting Size:  
**Ø145mm**






Glass Panel-Square

**6w VT-602G SQ**

SKU: 4738 - 3000K Warm White 3800230622877  
 SKU: 6276 - 4000K Day White 3800157615747  
 SKU: 4737 - 6400K White 3800230622860


Cutting Size:  
75x75mm



Emergency Pack: Available  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 420lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

Body Type: Aluminium+Glass  
 Dimension: 100x100x40mm  
 Box Qty: 40 Pcs




Glass Panel-Square

**12w VT-1202G SQ**

SKU: 4742 - 3000K Warm White 3800230622914  
 SKU: 6278 - 4000K Day White 3800157615761  
 SKU: 4741 - 6400K White 3800230622907


Cutting Size:  
120x120mm



Emergency Pack: Available  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 840lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

Body Type: Aluminium+Glass  
 Dimension: 160x160x40mm  
 Box Qty: 20 Pcs




Glass Panel-Square

**18w VT-1881G SQ**

SKU: 4746 - 3000K Warm White 3800230622952  
 SKU: 6280 - 4000K Day White 3800157615785  
 SKU: 4745 - 6400K White 3800230622945

Cutting Size:  
145x145mm



Emergency Pack: Available  
 Voltage/Frequency: AC:100-240V,50/60Hz  
 Luminous Flux: 1260lm  
 Beam Angle: 120°

LED Type: SMD  
 CRI: >80  
 PF: >0.9  
 Shape: Square

Body Type: Aluminium+Glass  
 Dimension: 198x198x40mm  
 Box Qty: 20 Pcs

## DRIVERS FOR MINI PANELS

Voltage: AC:180-240V,50/60Hz



Watts: 6w  
 SKU: 8073  
 Dimmable: Yes  
 EAN: 3800157605823  
 Box Qty: 200 Pcs



Watts: 12w  
 SKU: 8074  
 Dimmable: Yes  
 EAN: 3800157605830  
 Box Qty: 200 Pcs



Watts: 18w  
 SKU: 8075  
 Dimmable: Yes  
 EAN: 3800157605847  
 Box Qty: 200 Pcs



Watts: 18/24w  
 SKU: 8070  
 Dimmable: Yes  
 EAN: 3800157616836  
 Box Qty: 50 Pcs



Watts: 24w  
 SKU: 8076  
 Dimmable: Yes  
 EAN: 3800157605946  
 Box Qty: 200 Pcs





## LED Tube Lights

V-TAC's LED Tube Series fits perfectly into existing linear fixtures, providing better light quality and energy efficiency compared to linear fluorescent systems.

### Product Features

- Cost effective, safe retrofit for T8 Tubes
- Perfectly matches with the traditional daylight tube fixture
- Easy Installation
- No Lead or mercury content hence environment friendly
- No Ultraviolet or Infrared rays
- Long lifespan, low maintenance and energy saving
- Available in 60 cm, 120 cm, 150 cm & 180 cm

### Applications

Widely used for domestic and commercial lighting, offices, supermarkets, shops, hotels & similar environment.

T8-Nano Plastic-Rotatable-High Lumen-60cm

9W VT-6085


SKU: 6299 - 3000K Warm White 3800157617345

**5** YEAR WARRANTY



Dummy Starter Included


EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
LED Type:	SMD
CRI:	>80



120 ± LUMENS/WATT SUPER EFFICIENT



ROTATABLE



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-Rotatable-60cm

10w VT-6072-R

SKU: 6229 - 3000K Warm White 3800157605212  
SKU: 6231 - 6400K White 3800157605236

**3** YEAR WARRANTY




Dummy Starter Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



ROTATABLE



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	125g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-60cm

10w VT-6072-NR



SKU: 6392 - 3000K Warm White 3800157625296  
SKU: 6393 - 4000K Day White 3800157625302  
SKU: 6394 - 6400K White 3800157625319

**3** YEAR WARRANTY



Dummy Starter Included

EQ. Watts:	18w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	126.4g
Dimension:	27.9x600mm
Box Qty:	25 Pcs

T8-Nano Plastic-90cm

14w VT-9077



SKU: 6272 - 4000K Day White 3800157615419  
SKU: 6262 - 6400K White 3800157612128

**3** YEAR WARRANTY



Dummy Starter Included

EQ. Watts:	25w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80



PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	145.6g
Dimension:	27.9x900mm
Box Qty:	25 Pcs

## T8-Nano Plastic-120cm

18w VT-1277

SKU: 6263 - 3000K Warm White 3800157612135  
 SKU: 6273 - 4000K Day White 3800157615426  
 SKU: 6264 - 6400K White 3800157612142

**3**  
 YEAR  
 WARRANTY

 Dummy Starter  
 Included


EQ. Watts:	36w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	200g
Dimension:	27.9x1200mm
Box Qty:	25 Pcs

## T8-Nano Plastic-150cm

22w VT-1577

SKU: 6265 - 3000K Warm White 3800157612159  
 SKU: 6309 - 4000K Day White 3800157617437  
 SKU: 6310 - 6400K White 3800157617444

**3**  
 YEAR  
 WARRANTY

 Dummy Starter  
 Included


EQ. Watts:	58w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	283.4g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

## T8-Nano Plastic-High Lumen-150cm

22w VT-1585

SKU: 6306 - 3000K Warm White 3800157617406

**5**  
 YEAR  
 WARRANTY

 Dummy Starter  
 Included

**120** ±  
 LUMENS/WATT  
 SUPER EFFICIENT  


EQ. Watts:	75w
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	3000lm
LED Type:	SMD
CRI:	>80


PF:	>0.5
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	1000g
Dimension:	27.9x1500mm
Box Qty:	25 Pcs

## T8-Nano Plastic-60cm

18w VT-6077


SKU: 6313 - 4000K Day White 3800157618656  
 SKU: 6314 - 6400K White 3800157618663



EQ. Watts:	36w
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2500lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	160°
Body Type:	Nano Plastic
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	290g
Dimension:	18.5x549mm
Box Qty:	10 Pcs


**120** ±  
 LUMENS/WATT  
 SUPER EFFICIENT



T5-Glass Plastic-60cm  
8W VT-6005

SKU: 6318 - 4000K Day White 3800157619271  
SKU: 6319 - 6500K White 3800157619288

EQ. Watts:	14w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	120g
Dimension:	18.4x549mm
Box Qty:	25 Pcs





T5-Glass Plastic-120cm  
16w VT-1225

SKU: 6320 - 4000K Day White 3800157619295  
SKU: 6321 - 6500K White 3800157619301

EQ. Watts:	28w
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1600lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G5
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	208g
Dimension:	18.4x1149mm
Box Qty:	25 Pcs





T8-Aluminium Plastic-180cm  
40w VT-1840

SKU: 6251 - 4500K Day White 3800157607841  
SKU: 6250 - 6000K White 3800157607834

EQ. Watts:	80w
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	3800lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Aluminium+PC
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	800g
Dimension:	28x1800mm
Box Qty:	25 Pcs




T8 Bread Tube-120cm  
18w VT-1228-B

SKU: 6322 3800157619318

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs





T8 Meat Tube-120cm  
18w VT-1228-M

SKU: 6323 3800157619325

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95

PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s

On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



## T8 Vegetable Tube-120cm


18w VT-1228-V

SKU: 6324 3800157619332

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



## T8 Seafood Tube-120cm


18w VT-1228-S

SKU: 6325 3800157619349

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50/60Hz
Luminous Flux:	1530lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs




## T8 Plant Tube-120cm


18w VT-1228-P

SKU: 6326 3800157619356

EQ. Watts:	36w
Voltage/Frequency:	AC:180-240V,50Hz
Luminous Flux:	860lm
LED Type:	SMD
CRI:	>95



PF:	>0.9
Beam Angle:	160°
Body Type:	Glass with PET
Holder:	G13
Instant start :	0-100% in < 1s



On/Off:	>15,000
Life span:	20,000 Hours
Gross weight:	320g
Dimension:	26x1200mm
Box Qty:	25 Pcs



## Tube-Batten Fitting

VT-12020



SKU:	6054
Body Type:	Aluminium
Size:	1200mm
EAN:	3800230624666
Box Qty:	20 Pcs

## Tube-Batten Fitting

VT-12021



SKU:	6055
Body Type:	Aluminium
Size:	1200x2mm
EAN:	3800230624673
Box Qty:	12 Pcs

## Tube-Batten Fitting

VT-15020



SKU:	6056
Body Type:	Aluminium
Size:	1500mm
EAN:	3800230624680
Box Qty:	20 Pcs

## Tube-Batten Fitting

VT-15021




SKU:	6057
Body Type:	Aluminium
Size:	1500x2mm
EAN:	3800230624697
Box Qty:	12 Pcs



T5-With Fitting-30cm

4W VT-3033

SKU: 6167 - 4500K Day White 3800230629166




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	360lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	140g
Dimension:	300x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-60cm

7W VT-6073

SKU: 6169 - 3000K Warm White 3800230629180




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	630lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	210g
Dimension:	600x22x33mm
Box Qty:	50 Pcs

T5-With Fitting-120cm

14W VT-1273

SKU: 6172 - 3000K Warm White 3800230629210




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1260lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

Body Type:	Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	300g
Dimension:	1200x22x33mm
Box Qty:	50 Pcs

Prismatic Fitting-30cm

10W VT-8013

SKU: 4987 - 3000K Warm White 3800157601955




Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	110°

Body Type:	Aluminium+Plastic
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	260g
Dimension:	300x75x25mm
Box Qty:	10 Pcs

## Cabinet Fitting

## 10w VT-8112

SKU: 5068 - 3000K Warm White 3800157606714  
 SKU: 5069 - 4500K Day White 3800157606721  
 SKU: 5070 - 6000K White 3800157606738




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	Aluminium Body, Plastic Diffuser
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	600g
Dimension:	579x78x35mm
Box Qty:	12 Pcs

## Wall Fitting-60cm

## 10w VT-8111

SKU: 5071 - 3000K Warm White 3800157606745  
 SKU: 5072 - 4500K Day White 3800157606752  
 SKU: 5073 - 6000K White 3800157606769




Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	240g
Dimension:	600x32x25mm
Box Qty:	25 Pcs

## Wall Fitting-120cm

## 20w VT-8121

SKU: 5074 - 3000K Warm White 3800157606776  
 SKU: 5075 - 4500K Day White 3800157606783  
 SKU: 5076 - 6000K White 3800157606790



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.6
Beam Angle:	120°

Body Type:	Aluminium+PC
On/Off:	>10,000
Life span:	20,000 Hours
Gross weight:	370g
Dimension:	1200x32x25mm
Box Qty:	25 Pcs

## Batten Fitting-Linkable


## 40w VT-80404

SKU: 6389 - 3000K Warm White 3800157625104



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	110°

Body Type:	AL+PC
On/Off:	>15,000
Life span:	30,000 Hours
Gross weight:	780g
Dimension:	1200x75x26mm
Box Qty:	10 Pcs





## LED Waterproof Fittings

Introducing our complete Essentials range of IP65-rated waterproof tubes. Built with a tough, air-tight enclosure allowing it to resist jets of water and dust — an essential feature for outdoor lighting.

### Product Features

- Easy to install
- IP65, free from water and dirt
- Direct wiring easily accessible when necessary
- Perfect replacement for the whole set of T8 fluorescent lighting fixture
- Save up to 80% in electricity consumption compared to fluorescent lighting fixture

### Applications

Widely used for Domestic and Commercial Lighting, Offices, Supermarkets, Shops, Hotels & similar environment.


**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes


**10w VT-6028**

 SKU: 6463 - 4000K Day White 3800157639767  
 SKU: 6464 - 6400K White 3800157639750


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	850lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	0.70 kg
Dimension:	666x68x58mm
Box Qty:	16pcs



## Waterproof Fitting-Tubes


**2x10w VT-6029**

 SKU: 6465 - 4000K Day White 3800157639781  
 SKU: 6466 - 6400K White 3800157639774


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	666x96x58mm
Box Qty:	12pcs


**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes


**18w VT-12028**

 SKU: 6459 - 4000K Day White 3800157639729  
 SKU: 6460 - 6400K White 3800157639712


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1 kg
Dimension:	1276x68x58mm
Box Qty:	16pcs


**1 LED TUBE INCLUDED**

## Waterproof Fitting-Tubes


**22w VT-15028**

 SKU: 6461 - 4000K Day White 3800157639743  
 SKU: 6462 - 6400K White 3800157639736


Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	2000lm
LED Type:	SMD
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>15,000

Life span:	20,000 Hours
Gross weight:	1.2 kg
Dimension:	1576x68x58mm
Box Qty:	16pcs



Waterproof Fitting-Tubes

36W VT-12023

SKU: 6387 - 4000K Day White 3800157625036  
 SKU: 6399 - 6400K White 3800157626385




**2 LED TUBES INCLUDED**



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	30,000 Hours
Gross weight:	1.33 kg
Dimension:	1260x112x63mm
Box Qty:	10 Pcs



Waterproof Fitting-Tubes

44W VT-15022

SKU: 6388 - 4000K Day White 3800157625043  
 SKU: 6400 - 6400K White 3800157626392




**2 LED TUBES INCLUDED**



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>80

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	30,000 Hours
Gross weight:	1.65 kg
Dimension:	1560x112x63mm
Box Qty:	10 Pcs



Waterproof Fitting-G Series

18W VT-6076


SKU: 6283 - 4000K Day White 3800157616478



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.5
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.60 kg
Dimension:	600x65x58mm
Box Qty:	12 Pcs



Waterproof Fitting-G Series

36W VT-1249


SKU: 6285 - 4000K Day White 3800157616492  
 SKU: 6284 - 6400K White 3800157616485



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.60 kg
Dimension:	1200x65x58mm
Box Qty:	12 Pcs



Waterproof Fitting-G Series

48W VT-1574

SKU: 6287 - 4000K Day White 3800157616515  
 SKU: 6286 - 6400K White 3800157616508



Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.1 kg
Dimension:	1500x65x58mm
Box Qty:	12 Pcs




**NEW**
**IP65 RATING**
**Waterproof Fitting-S Series**  
**36w VT-1239**

 SKU: 6469 - 4000K Day White 3800157640992  
 SKU: 6470 - 6400K White 3800157641005

 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **3000lm**  
 LED Type: **SMD2835**  
 CRI: **>80**

 PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic**  
 On/Off: **>10,000**

 Life span: **20,000 Hours**  
 Gross weight: **0.448**  
 Dimension: **1200x60x35mm**  
 Box Qty: **20 Pcs**

**NEW**
**IP65 RATING**
**Waterproof Fitting-S Series**  
**48w VT-1549**

 SKU: 6467 - 4000K Day White 3800157640978  
 SKU: 6468 - 6400K White 3800157640985

 Voltage/Frequency: **AC:220-240V,50Hz**  
 Luminous Flux: **4000lm**  
 LED Type: **SMD2835**  
 CRI: **>80**

 PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic**  
 On/Off: **>10,000**

 Life span: **20,000 Hours**  
 Gross weight: **0.558**  
 Dimension: **1500x60x35mm**  
 Box Qty: **20 Pcs**

**Waterproof-Emergency Kit**  
**36w VT-1250**


 SKU: 6448 - 4000K Day White 3800157632126  
 SKU: 6449 - 6400K White 3800157632133


**IP65 RATING**
**Waterproof  
Emergency Kit**

 Charging Time: **24 Hours**  
 Emergency Operation Time: **3 Hours**  
 Emergency Switch on time: **<1 Second**

 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **2880lm**  
 LED Type: **SMD**  
 CRI: **>70**

 PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **Plastic+ABS**  
 On/Off: **>10,000**

 Life span: **20,000 Hours**  
 Gross weight: **1.9 kg**  
 Dimension: **1200x76x66mm**  
 Box Qty: **12 Pcs**

**Waterproof-Emergency Kit**  
**48w VT-1550**


 SKU: 6446 - 4000K Day White 3800157632102  
 SKU: 6447 - 6400K White 3800157632119


**IP65 RATING**
**Waterproof  
Emergency Kit**

 Charging Time: **24 Hours**  
 Emergency Operation Time: **3 Hours**  
 Emergency Switch on time: **<1 Second**

 Voltage/Frequency: **AC:220-240V,50/60Hz**  
 Luminous Flux: **3920lm**  
 LED Type: **SMD**  
 CRI: **>70**

 PF: **>0.9**  
 Beam Angle: **120°**  
 Body Type: **ABS+PC**  
 On/Off: **>10,000**

 Life span: **20,000 Hours**  
 Gross weight: **2.35 kg**  
 Dimension: **1500x76x66mm**  
 Box Qty: **12 Pcs**




Waterproof Fitting  
**18w VT-6048**


SKU: 6198 - 4500K Day White 3800157603256  
SKU: 6199 - 6000K White 3800157603263



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	1440lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	0.80 kg
Dimension:	600x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting  
**36w VT-1248**


SKU: 6200 - 4500K Day White 3800157603270  
SKU: 6201 - 6000K White 3800157603287



Voltage/Frequency:	AC:200-240V,50Hz
Luminous Flux:	2880lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.42 kg
Dimension:	1200x76x66mm
Box Qty:	12 Pcs



Waterproof Fitting  
**48w VT-1548**


SKU: 6184 - 4500K Day White 3800157602389  
SKU: 6185 - 6000K White 3800157602396



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3840lm
LED Type:	SMD
CRI:	>70

PF:	>0.7
Beam Angle:	120°
Body Type:	Plastic+ABS
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	1.86 kg
Dimension:	1480x76x66mm
Box Qty:	12 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Waterproof Fitting  
**70w VT-1573**


SKU: 6266 - 4000K Day White 3800157612586



Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	8400lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	120°
Body Type:	Plastic+Aluminium
On/Off:	>10,000

Life span:	20,000 Hours
Gross weight:	2.75 kg
Dimension:	1500x86x70mm
Box Qty:	6 Pcs





## LED Highbays

V-TAC's new UFO and Linear High bays are designed for widespread illumination, efficiency, and resistance to harsh conditions. The UFO high-bays are supported by Meanwell drivers to boost their performance, are IP65 rated and have a sturdy body to ensure endurance, and have two options of beam angle to choose from, for even light distribution.

### Product Features

- Powerful led light source with a unique design
- Extensive options can replace all types of standard MH highbays
- Aluminium diffuser with multiple beam angle's to choose from 45° / 90° / 120°
- Shatter proof perspex lens
- high thermal conductivity, low luminous decay, pure Colours & no heavy shade
- The unique design of radiator fuses with the lamp box perfectly hence diffuses the heat conduction efficiently which reduces the temperature of inside lamp

### Applications


Perfect fit for industrial usage, warehouse & super markets, workshops, factories, warehouses, highway, toll stations, gas stations, malls, exhibition halls, stadiums & other vast areas.






UFO-High Lumen-Meanwell Driver  
**100w VT-9107**

SKU: 5588 - 6400K White 3800157622301



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium


IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

**5 YEAR WARRANTY\***




UFO-High Lumen-Meanwell Driver  
**100w VT-9117**

SKU: 5586 - 6400K White 3800157622271  
3800157622288



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	13000lm
LED Type:	SMD

CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium


IP Rating:	IP65
Dimension:	280x165mm
Box Qty:	4 Pcs

**5 YEAR WARRANTY\***




UFO-High Lumen-Meanwell Driver  
**500w VT-9500**

SKU: 5607 - 4000K Day White 3800157625050  
SKU: 5608 - 6400K White 3800157625067



LUMINOUS INTENSITY DISTRIBUTION DIAGRAM



Sensor Compatible:	Yes
Voltage/Frequency:	AC:90-295V,50Hz
Luminous Flux:	65000lm
LED Type:	SMD

CRI:	>80
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium

IP Rating:	IP65
Dimension:	Ø360
Box Qty:	1 Pcs

**5 YEAR WARRANTY\***




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	Ø221x85mm
Box Qty:	4 Pcs

UFO-Highbay-120°  
50w VT-9053

SKU: 5554 - 4500K Day White  
SKU: 5555 - 6400K White

3800157620895  
3800157620901

120° BEAM ANGLE




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°  
50w VT-9065-W

SKU: 5609 - 3000K Warm White  
SKU: 5610 - 4000K Day White  
SKU: 5611 - 6400K White

3800157626507  
3800157626514  
3800157626521

120° BEAM ANGLE




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	8000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	280x131mm
Box Qty:	2 Pcs

UFO-Highbay-120°  
100w VT-9115-W

SKU: 5612 - 3000K Warm White

3800157626538

120° BEAM ANGLE




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	120°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-120°  
50w VT-9065

SKU: 5558 - 6400K White

3800157621953

120° BEAM ANGLE




Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	220x114mm
Box Qty:	8 Pcs

UFO-Highbay-90°  
50w VT-9055

SKU: 5560 - 6400K White

3800157621977

90° BEAM ANGLE







Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	16000lm
LED Type:	SMD
CRI:	>70
PF:	>0.9
Beam Angle:	90°
Body Type:	Die Cast Aluminium
IP Rating:	IP44
Dimension:	400x115mm
Box Qty:	2 Pcs

UFO-Highbay-90°  
200w VT-9205



SKU: 5584 - 6400K White

3800157622097



Emergency Kit-Highbay

100w VT-599



SKU:8384

3800157639309



Box Qty.  
6 Pcs

Voltage/Frequency:	AC:220-240V,50/60Hz
IP Rating:	IP44
Load Voltage:	DC:40-50V
Emergency Duration:	180mins
Battery:	DC:11.1V 6600mAh, Li-ion
Charging Time:	24 Hours
LED Driver Output Current:	2A Max
Output Emergency Power:	20W
Tc Max:	65
Ambient Temperature:	-5 to +40



Linear Highbay-120°  
150w VT-9159




SKU: 56011 - 4000K Day White  
SKU: 56021 - 6000K White

3800157624923  
3800157624930

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	13500lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	790X103.5X73.5mm
Box Qty:	1 Pcs



Linear Highbay-120°  
200w VT-9209




SKU: 56031 - 4000K Day White  
SKU: 56041 - 6000K White

3800157624947  
3800157624954

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	18000lm
LED Type:	SMD
CRI:	>70

PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
IP Rating:	IP54
Dimension:	1045x103.5x73.5mm
Box Qty:	1 Pcs



## LED Street Lights

Light the path to the future with LED Street Lights. This state of the art LED Technology provides uniform Brightness and Illumination. Featuring V-TAC's eco-friendly street lights.

### Product Features

- Perfect replacement for traditional lights
- Saves 80% electricity cost, better efficiency and Longer life span
- Dedicated ip65 sealed optical cavities
- Optically optimized glass lenses
- Uniformity in light distribution - maximizes efficiency
- Fully operational in extreme weather up to -25° celsius
- Low maintenance & low power consumption
- Reduced co<sup>2</sup> emissions

### Applications

Out door applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.

Streetlight



30w VT-15030ST

SKU: 5487 - 4000K Day White 3800157623469



Sensor Compatible:	Yes
Voltage/Frequency:	AC:190-240V,50/60Hz
Luminous Flux:	2400lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	175x373x52mm

CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



Streetlight-Photo Cell Sensor

30w VT-15031ST

SKU: 5489 - 4000K Day White 3800157623483  
SKU: 5490 - 6400K White 3800157623490





**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time



Sensor Compatible:	Yes
Voltage/Frequency:	AC:190-240V,50/60Hz
Luminous Flux:	2400lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	175x373x52mm

CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



Streetlight-Photo Cell Sensor

50w VT-15052ST

SKU: 5493 - 4000K Day White 3800157623520  
SKU: 5494 - 6400K White 3800157623537





**PHOTOCELL SENSOR**  
Auto Turns On At Night  
Auto Turns Off At Day Time



Sensor Compatible:	Yes
Voltage/Frequency:	AC:190-240V,50/60Hz
Luminous Flux:	4000lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	213.5x460x62mm

CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs





## Solar Streetlight-Black Cover

15w VT-ST15

SKU: 8549 - 4000K Day White 3800157639200  
SKU: 8548 - 6000K White 3800157639217

Battery:	7.4V Lithium Battery,10800mAh
Lumens:	1600lm
No. of LED:	40
Detecting Angle:	120°
Sensing Range:	3-8M

Charging Time: 6-7 Hours

IP Rating: IP65

Material: ABS+PC

Dimension: 413x232x58mm



Working Time: 2-36 Hours

Box Qty: 10 Pcs

## Streetlight-High Lumen

50w VT-15151ST

SKU: 5475 - 4500K Day White 3800157608770  
SKU: 5476 - 6000K White 3800157608787



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	6200lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	477x216x55mm



CRI:	>75
PF:	>0.95
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



## Streetlight

50w VT-15050ST

SKU: 9757 - 6000K White



Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	4250lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	495x210x55mm


CRI:	>70
PF:	>0.9
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



## Streetlight-High Lumen

100w VT-15105ST

SKU: 5501 - 3000K Warm White 3800157634595



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	12400lm
LED Type:	SMD
IP Rating:	IP65
Dimension:	566x268x62mm

CRI:	>70
PF:	>0.90
Beam Angle:	100°
Body Type:	Die Cast Aluminium
Box Qty:	1 Pcs



# ADAPTERS FOR STREET LIGHTS




Adapter

Box Qty.  
**10 Pcs**

**VT-795**

SKU: 3624

3800157608152



Compatible with 100W,120W and 150W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.




Adapter

Box Qty.  
**12 Pcs**

**VT-795-1**

SKU: 3668

3800157625029



Compatible with 30W and 50W models, this adapter allows the angle of the streetlight to be adjusted as per client's requirements.





## LED Strip Lights

Add an extensive array of lights and colors to any setting or interior, rejuvenate and transform the ambience of any environment at the flick of a switch with V-TAC's LED Strip Light Series. Easy installation with minimal space requirement makes this the right choice for Restaurants, Auditoriums, Meeting Rooms etc.

### Product Features

- Flexible & easy installation
- Exceptionally low power consumption
- Multiple visual effects in unending colours and shades

### Applications

Outdoor applications like streets, projects, cross roads, tunnels, car parks, industrial facilities etc.





Strip-2835-Sensor

2.4w VT-8082

SKU: 2573 - 2700K Warm White 3800157639330  
SKU: 2574 - 4000K Day White 3800157639347

Watts:	2.4w
Voltage:	DC:6V
lm/M:	200lm
Roll:	1 Meter
Sensor Type:	Motion Sensor
Detection Range:	2-5 M
Battery Type:	4xAAA(Not Included)
Box Qty:	50 Pcs



Blister Pack



Bed Lights-PIR Sensor

3w VT-8067

SKU: 2548 - 3000K Warm White 3800157628433  
SKU: 2549 - 4500K Day White 3800157628440

Watts:	3w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x1
Sensor Distance:	2-5m
Delay time:	30sec, 130sec, 380sec
Box Qty:	25 Pcs



Blister Pack



Bed Lights-PIR Sensor

6w VT-8068

SKU: 2550 - 3000K Warm White 3800157628457  
SKU: 2551 - 4500K Day White 3800157628464

Watts:	6w
Voltage:	DC:12V
LED/M:	30
Strips length:	1.2 m x2
Sensor Distance:	2-5 m
Delay time:	30sec, 130sec, 380sec
Box Qty:	18 Pcs

Strip-2835 60 LEDs

4w VT-2835 60

SKU: 2559 - 3000K Warm White 3800157637244  
SKU: 2560 - 4000K Day White 3800157637251  
SKU: 2561 - 6400K White 3800157637268



LED Type:	SMD
Watt/M:	4w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60

lm/M:	300lm
lm/LED:	5-8lm
Beam Angle:	120°
IP Rating:	IP20
Width:	6mm
Box Qty:	400 Meters



## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-Set

SKU: 2545 - 3000K Warm White 3800157626804  
 SKU: 2546 - 6000K White 3800157626811  
 SKU: 2544 - RGB 3800157625975

BS PLUG



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty	60

Im/M:	1000lm
Im/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

## Strip Sets-5050 60 LEDs

## 10w VT-5050 60 IP20-RGB Set

SKU: 2558-RGB 3800157634144

EU PLUG



LED Type:	SMD
Watt/M:	10w
Current/M:	1.5A
Voltage:	AC:100-265V,50/60Hz
LED Qty	60

Im/M:	1000lm
Im/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	20 Pcs

**NEW**

## Strip-2216 360 LEDs

## 30w VT-2216 360

SKU: 2580 - 3000K Warm White 3800157642033  
 SKU: 2581 - 4000K Day White 3800157642040  
 SKU: 2582 - 6000K White 3800157642057



LED Type:	SMD
Watt/M:	30w
Current/M:	1.25A
Voltage:	DC:24V
LED Qty	360

Im/M:	2400lm
Im/LED:	6-7lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	250 Meters



## LED strips-2835 240 LEDs-High Lumen

## 18w VT-2835 240-H

SKU: 2164 - 3000K Warm White 3800157610117  
 SKU: 2165 - 4500K Day White 3800157610124  
 SKU: 2166 - 6000K White 3800157610131

**3000 LUMENS PER METER**  
**SUPER EFFICIENT**


LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	240

Im/M:	3000lm
Im/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-2835 204 LEDs

18w VT-2835 204

SKU: 2461 - 3000K Warm White 3800157612234  
 SKU: 2462 - 4500K Day White 3800157612241  
 SKU: 2463 - 6000K White 3800157612258



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	204

lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5730 120 LEDs-High Lumen

18w VT-5730 120

SKU: 2162 - 3000K Warm White 3800157610094  
 SKU: 2163 - 4500K Day White 3800157610100  
 SKU: 2161 - 6000K White 3800157610087



LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	120

lm/M:	3000lm
lm/LED:	20-22lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-5050 30 LEDs

4.8w VT-5050 30-IP20

SKU: 2135 - 3000K Warm White 3800230621405  
 SKU: 2133 - 6000K White 3800230621382  
 SKU: 2124 - RGB 3800230621535



LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 30 LEDs

4.8w VT-5050 30-IP65

SKU: 2145 - 3000K Warm White 3800230621412  
 SKU: 2460 - 4500K Day White 3800157612166  
 SKU: 2144 - 6000K White 3800230621399  
 SKU: 2118 - RGB 3800230621528



LED Type:	SMD
Watt/M:	4.8w
Current/M:	0.4A
Voltage:	DC:12V
LED Qty	30

lm/M:	500lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

## 10.8w VT-5050 60-IP20

SKU: 2122 - 3000K Warm White 3800230621504  
 SKU: 2143 - 4500K Day White 3800230621467  
 SKU: 2126 - 6000K White 3800230621481  
 SKU: 2120 - RGB 3800230621542  
 SKU: 2128 - Red 3800230624468  
 SKU: 2137 - Blue 3800230621429  
 SKU: 2138 - Green 3800230621443  
 SKU: 2156 - Yellow 3800230628824  
 SKU: 2547 - 2200K Warm White 3800157627313

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty	60



lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

## 10.8w VT-5050 60-IP65

SKU: 2149 - 3000K Warm White 3800230621511  
 SKU: 2150 - 4500K Day White 3800230621474  
 SKU: 2148 - 6000K White 3800230621498  
 SKU: 2155 - RGB 3800230621559

LED Type:	SMD
Watt/M:	10.8w
Current/M:	0.9A
Voltage:	DC:12V
LED Qty	60



lm/M:	1000lm
lm/LED:	14 -16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	400 Meters



LED strips-3528 60 LEDs

## 3.6w VT-3528 60-IP20

SKU: 2016 - 3000K Warm White 3800230621160  
 SKU: 2041 - 4500K Day White 3800230621184  
 SKU: 2005 - 6000K White 3800230621153  
 SKU: 2015 - Red 3800230621269  
 SKU: 2013 - Blue 3800230621252  
 SKU: 2011 - Green 3800230621221  
 SKU: 2009 - Yellow 3800230621214

LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60



lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 60 LEDs

## 3.6w VT-3528 60-IP65

SKU: 2032 - 3000K Warm White 3800230621177  
 SKU: 2043 - 4500K Day White 3800230621191  
 SKU: 2031 - 6000K White 3800230621146  
 SKU: 2036 - Red 3800230621276  
 SKU: 2035 - Blue 3800230621245  
 SKU: 2034 - Green 3800230621238

LED Type:	SMD
Watt/M:	3.6w
Current/M:	0.3A
Voltage:	DC:12V
LED Qty	60



lm/M:	400lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

**7.2w VT-3528 120-IP20**

SKU: 2025 - 3000K Warm White 3800230621306  
 SKU: 2042 - 4500K Day White 3800230621327  
 SKU: 2002 - 6000K White 3800230621283

LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty	120



lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP20
Width:	8mm
Box Qty:	400 Meters



LED strips-3528 120 LEDs

**7.2w VT-3528 120-IP65**

SKU: 2038 - 3000K Warm White 3800230621313  
 SKU: 2044 - 4500K Day White 3800230621337  
 SKU: 2037 - 6000K White 3800230621290

LED Type:	SMD
Watt/M:	7.2w
Current/M:	0.6A
Voltage:	DC:12V
LED Qty	120



lm/M:	600lm
lm/LED:	5-6lm
Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

**10.8w VT-5050 60RGBW**

SKU: 2159 - RGB+White 3800230629623  
 SKU: 2552 - RGB+Day White 3800157630306  
 SKU: 2553 - RGB+Warm White 3800157630313

LED Type:	SMD
Watt/M:	10.8w
Current/M:	1.2A
Voltage:	DC:12V
LED Qty	60



lm/M:	900lm
lm/LED:	15lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-3014 204 LEDs

**18w VT-3014 204**

SKU: 2404 - 3000K Warm White 3800230628060  
 SKU: 2405 - 4500K Day White 3800157600309  
 SKU: 2403 - 6000K White 3800230628053

LED Type:	SMD
Watt/M:	18w
Current/M:	1.5A
Voltage:	DC:12V
LED Qty	204



lm/M:	1700lm
lm/LED:	9-11lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	400 Meters



LED strips-5050 60 LEDs

**9w VT-5050 60-24V**

SKU: 2431 - 3000K Warm White 3800230621573  
 SKU: 2459 - 4500K Day White 3800157612036  
 SKU: 2430 - 6000K White 3800230621566

LED Type:	SMD
Watt/M:	9w
Current/M:	0.3A
Voltage:	DC:24V
LED Qty	60



lm/M:	600lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP20
Width:	10mm
Box Qty:	200 Meters



## Tape-5050 60 LEDs

9w VT-5050 60-24V-IP65

SKU: 2562 - 3000K Warm White 3800157637534  
 SKU: 2563 - 4000K Day White 3800157637541  
 SKU: 2564 - 6400K White 3800157637558



LED Type:	SMD
Watt/M:	9w
Current/M:	0.375A
Voltage:	DC:24V
LED Qty	60

lm/M:	500lm
lm/LED:	14-16lm
Beam Angle:	120°
IP Rating:	IP65
Width:	10mm
Box Qty:	200 Meters



Plug-Pin

SKU :	2565
EAN :	3800157637565
Box Qty:	



Fixing Clip

SKU :	2566
EAN :	3800157637572
Box Qty:	



End Cup

SKU :	2567
EAN :	3800157637589
Box Qty:	



## Neon Flex-White

8w VT-555W



SKU:	2512 - 6000K White
EAN:	3800157605656
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Warm White

8w VT-555WW



SKU:	2513 - 3000K Warm White
EAN:	3800157605663
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Day White

**8W**      **VT-555DW**



SKU:	2514 - 4500K Day White
EAN:	3800157605670
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Blue

**8W**      **VT-555B**



SKU:	2515 - Blue
EAN:	3800157605687
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Red

**8W**      **VT-555R**



SKU:	2516 - Red
EAN:	3800157605694
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Green

**8W**      **VT-555G**



SKU:	2517 - Green
EAN:	3800157605700
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



Neon Flex-Yellow

**8W**      **VT-555Y**



SKU:	2518 - Yellow
EAN:	3800157605717
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Pink

8w VT-555P



SKU:	2529 - Pink
EAN:	3800157619523
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Neon Flex-Violet

8w VT-555V



SKU:	2531 - Violet
EAN:	3800157619547
Voltage:	DC:24V
Lumen lm/M:	320±5%
FPC Width MM:	7.5

Power W/M:	8w
Jacket Dia:	9 x16.5 mm
Beam Angle:	160°
Box Qty:	5 Packets



## Backlite Silicon Neon Flex

13w VT-559



2570 - 5000K White	3800157637657
2568 - 3000K Warm White	3800157637633
2569 - 4000K Day White	3800157637640

LED Type:	SMD
Watt/M:	13w
Voltage:	DC:24V
lm/M:	1000
CRI:	>80

Beam Angle:	120°
IP Rating:	IP65
Width:	8mm
Box Qty:	200 Meters



## Aluminium Profiles

SKU :	2527
EAN :	3800157608404
Box Qty:	2200Pcs



## Neon Power Cord

SKU :	3331
EAN :	3800157616829
Box Qty:	500 Pcs



## Neon Connector

SKU :	3333
EAN :	3800157607889
Box Qty:	3000 Pcs



## Neon End Safe Cap

SKU :	3334
EAN :	3800157607896
Box Qty:	2 Pcs



## Plastic Profile

SKU :	2571
EAN :	3800157637664
Box Qty:	



### LED Strip Set -PLUG AND PLAY

LED STRIP LIGHT set is a complete kit where we provide you with 5 meters of LED STRIP LIGHT, along with the POWER SUPPLY and CONNECTOR and REMOTE CONTROL (optional), to make it a complete kit. Available and made in different colour options as per requirement.

- LED Strip
- Remote control (included)
- Driver (included)
- Packing: Blister Pack, 5 meters roll



SKU	Description:	EAN :	BOX Qty:
2351	LED Strip Set SMD3528 60 LEDs 4500K IP20	3800230621634	48 Pcs
2350	LED Strip Set SMD5050 30 LEDs RGB IP20	3800230621641	48 Pcs
2352	LED Strip Set SMD5050 30 LEDs RGB IP65	3800230621658	50 Pcs
2353	LED Strip Set SMD5050 60 LEDs RGB IP20	3800230621665	50 Pcs
2354	LED Strip Set SMD5050 60 LEDs RGB IP65	3800230621672	48 Pcs
2355	LED Strip Set SMD5050 60 LEDs White IP20	3800230621689	48 Pcs
2356	LED Strip Set SMD5050 60 LEDs White IP65	3800230621696	48 Pcs

### Strip Connectors



SKU	Description:	EAN :	BOX Qty:
2587	Flexible Connector - LED Strip 5050 RGB+White	3800157644655	2500 Pcs
2588	Flexible Connector - 5050 RGB+White With Pin	3800157644662	2000 Pcs
2589	Connector - LED Strip 5050 RGB+White	3800157644679	3000 Pcs
3500	Flexible Connector - LED Strip 3528	3800230622051	100 Pcs
3501	Flexible Connector - LED Strip 5050	3800230622068	100 Pcs
3502	Flexible Connector - LED Strip 5050 RGB	3800230622075	100 Pcs
3503	Connector - LED Strip 3528	3800230622082	100 Pcs
3504	Connector - LED Strip 5050	3800230622099	1000 Pcs
3505	Connector - LED Strip 5050 RGB	3800230622105	1000 Pcs
3507	Flexible Connector - LED Strip 3528 DC Female	3800230622112	100 Pcs
3508	Flexible Connector - LED Strip 5050 DC Female	3800157608466	100 Pcs
3509	Connector - LED Strip 3528 Cross Type	3800157608473	100 Pcs
3510	Connector - LED Strip 5050 Cross Type	3800157608480	200 Pcs
3511	Connector - LED Strip 5050 L Type	3800157608497	250 Pcs
3512	Connector - LED Strip DC Female	3800230622112	100 Pcs

**2**  
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-2Pc

- SKU: 2535 - 3000K Warm White 3800157625883
- SKU: 2536 - 4000K Day White 3800157625890
- SKU: 2537 - 6400K White 3800157625906

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	125 Pcs



**10**  
PCS PACK

Bar 4014 144 LEDs

18w VT-4014 144-10Pc

- SKU: 2538 - 3000K Warm White 3800157625913
- SKU: 2539 - 4000K Day White 3800157625920
- SKU: 2540 - 6400K White 3800157625937

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	50 Pcs



Bar 4014 144 LEDs

18w VT-4014 144-P

- SKU: 2541 - 3000K Warm White 3800157625944
- SKU: 2542 - 4500K Day White 3800157625951
- SKU: 2543 - 6400K White 3800157625968

Current:	1.5A
Voltage:	DC:12V
Lumens/LED:	20-24lm
LM/M:	1700lm
Size:	1M
LED Type:	SMD
IP Rating:	IP20
Box Qty:	100 Pcs





## PROFILES AND ACCESSORIES

V-TAC's range of strip lights and aluminum profiles were developed with the sole purpose of adding a constantly stylish way of lighting. Coupled with our diverse range of accessories and controllers, these stylish lights can be installed in a variety of ways and applications.



Lighting Flexibility



Elegant Lighting




Easy to Install

**2** YEAR  
WARRANTY\*


 **add luxury**  
TO YOUR HOME

**NEW**



**Aluminium Profiles-Milky**

Model No:	VT-9327
SKU:	3370
Dimension:	x2000x16mmx7mm
Color of Fixture:	Milky
EAN:	3800157645553
Box Qty.	200 Pcs




**Aluminium Profiles-Milky**

Model No:	VT-8106
SKU:	3350
Dimension:	2000x24.7x7mm
Color of Fixture:	Milky
EAN:	3800157636780

**Aluminium Profiles-White Housing**



Model No:	VT-8106-W
SKU:	3368
Dimension:	2000x24.7x7mm
Color of Fixture:	White
EAN:	3800157640183

Box Qty. 180 Pcs



**Aluminium Profiles-Milky**

Model No:	VT-8107
SKU:	3351
Dimension:	2000x23x15.5mm
Color of Fixture:	Milky
EAN:	3800157636797
Box Qty.	120 Pcs




**Aluminium Profiles-Milky**

Model No:	VT-8108
SKU:	3352
Dimension:	2000x23.5x10mm
Color of Fixture:	Milky
EAN:	3800157636803

**Aluminium Profiles-White Housing**

Model No:	VT-8108-W
SKU:	3367
Dimension:	2000x23.5x10mm
Color of Fixture:	White
EAN:	3800157640176

Box Qty. 120 Pcs





**Aluminium Profiles-Milky**

Model No:	VT-8109
SKU:	3353
Dimension:	2000x15.8x15.8mm
Color of Fixture:	Milky
EAN:	3800157636810

**Aluminium Profiles-White Housing**

Model No:	VT-8109-W
SKU:	3369
Dimension:	2000x15.8x15.8mm
Color of Fixture:	White
EAN:	3800157640190

Box Qty. 160 Pcs




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8110
SKU:	3354
Dimension:	2000x17.2x15.5mm
Color of Fixture:	Milky
EAN:	3800157636827

## Aluminium Profiles-White Housing

Model No:	VT-8110-W
SKU:	3366
Dimension:	2000x17.2x15.5mm
Color of Fixture:	White
EAN:	3800157640169





Box Qty. 180 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8113
SKU:	3355
Dimension:	2000x17.4x7mm
Color of Fixture:	Milky
EAN:	3800157636834

## Aluminium Profiles-White Housing

Model No:	VT-8113-W
SKU:	3365
Dimension:	2000x17.4x7mm
Color of Fixture:	White
EAN:	3800157640152




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8114
SKU:	3356
Dimension:	2000x19x19mm
Color of Fixture:	Milky
EAN:	3800157636841

## Aluminium Profiles-White Housing

Model No:	VT-8114-W
SKU:	3364
Dimension:	2000x19x19mm
Color of Fixture:	White
EAN:	3800157640145




Box Qty. 120 Pcs

## Aluminium Profiles-Milky

Model No:	VT-8115
SKU:	3357
Dimension:	2000x24.5x12.2mm
Color of Fixture:	Milky
EAN:	3800157636858

Box Qty. 120 Pcs




Box Qty. 120 Pcs

## Aluminium Profiles-Milky



Model No:	VT-8116
SKU:	3358
Dimension:	2000x17.4x12.1mm
Color of Fixture:	Milky
EAN:	3800157636865

Box Qty. 120 Pcs





**Aluminium Profiles-Milky-Set**

Model No:	VT-8101
SKU:	3359
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157636995
Box Qty.	30 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8102
SKU:	3360
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637008
Box Qty.	50 pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8103
SKU:	3361
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637015
Box Qty.	40 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8104
SKU:	3362
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637022
Box Qty.	30 Pcs




**Aluminium Profiles-Milky-Set**

Model No:	VT-8105
SKU:	3363
Dimension:	2000mm
Color of Fixture:	Milky
EAN:	3800157637039
Box Qty.	30 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7101-T
SKU:	9981
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Transparent
EAN:	3800230622129
Box Qty.	100 Pcs




### Aluminium Profile-Matt

Model No:	VT-7101-M
SKU:	9982
Dimension:	16.76x10.3x1000mm
Color of Fixture:	Matt
EAN:	3800230622136
Box Qty.	100 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7102-T
SKU:	9983
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Transparent
EAN:	3800230622143
Box Qty.	140 Pcs




### Aluminium Profile-Matt

Model No:	VT-7102-M
SKU:	9984
Dimension:	16.9x12.48x1000mm
Color of Fixture:	Matt
EAN:	3800230622150
Box Qty.	140 Pcs




### Aluminium Profile-Transparent

Model No:	VT-7103-T
SKU:	9985
Dimension:	26.5x9x1000mm
Color of Fixture:	Transparent
EAN:	3800230622150
Box Qty.	90 Pcs



**Aluminium Profile-Matt**


Model No:	VT-7103-M
SKU:	9986
Dimension:	26.5x9x1000mm
Color of Fixture:	Matt
EAN:	3800230622174
Box Qty.	90 Pcs



**2**  
PCS PACK

**Aluminium Profile-2 Meters**


Model No:	VT-7104
SKU:	9956
Dimension:	19x19x2000mm
Color of Fixture:	Milky
EAN:	3800157635509
Box Qty.	40 Pcs



**2**  
PCS PACK


**Aluminium Profile-2 Meters**

Model No:	VT-7109-2Pc
SKU:	9957
Dimension:	22x17x2000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



**Aluminium Profile-Milky**

Model No:	VT-7109
SKU:	9947
Dimension:	22x17x1000mm
Color of Fixture:	Milky
EAN:	3800157617208
Box Qty.	150 Pcs



**Aluminium Profile-Milky**

Model No:	VT-7105
SKU:	9990
Dimension:	24.6x7.85x1000mm
Color of Fixture:	Milky
EAN:	3800230628077
Box Qty.	150 Pcs



### Strip-Controller-Dimmer

Model:	VT-2402
SKU:	3300
Max Current /Watt:	8A, 96W
Input Voltage:	DC:12/24V
EAN:	3800230622198
Box Qty.	50 Pcs



### Strip-Controller-Radio

Model:	VT-2404
SKU:	3303
Max Current /Watt:	12A, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622204
Box Qty.	100 Pcs



### Strip-Controller-DMX 512

Model:	VT-DM X 512
SKU:	3307
Max Current /Watt:	4A x3, 360W
Input Voltage:	DC:12V
EAN:	3800230622266
Box Qty.	50 Pcs



### Strip-Controller-Radio

Model:	VT-2405
SKU:	3312
Max Current /Watt:	3A x4, 144W
Input Voltage:	DC:12/24V
EAN:	3800230622273
Box Qty.	20 Pcs



### Strip-Controller-Radio

Model:	VT-2406
SKU:	3318
Max Current /Watt:	500W
Input Voltage:	DC:12/24V
EAN:	3800230622235
Box Qty.	50 Pcs



### Strip-Controller-RF

Model:	3320
SKU:	3320
Max Current /Watt:	N/A
Input Voltage:	DC:12V
EAN:	3800230628022
Box Qty.	500 Pcs



### Strip-Controller-Infrared

Model:	VT-2472
SKU:	3625
Max Current /Watt:	72w
Input Voltage:	DC:12/24V
EAN:	3800230629630
Box Qty.	100 Pcs



### Strip-Amplifier-5050

Model:	3009
SKU:	3009
Max Current /Watt:	6A, 72W
Input Voltage:	DC:12V
EAN:	3800230622259
Box Qty.	100 Pcs



### Strip-Amplifier-5050

Model:	3018
SKU:	3018
Input Voltage:	DC:12V
EAN:	3800230622242
Box Qty.	1000 Pcs



### Strip-Controller

Model:	3319
SKU:	3319
Input Voltage:	DC:12V
EAN:	3800230628015
Box Qty.	500 Pcs



### Strip-Controller-Wifi

Model:	3321
SKU:	3321
Input Voltage:	DC:12V
EAN:	3800230628039
Box Qty.	50 Pcs



### Strip-Controller-Wifi RGB

Model:	3322
SKU:	3322
Input Voltage:	DC:12V
EAN:	3800230628046
Box Qty.	50 Pcs



### Strip-Controller-5050

Model:	3326
SKU:	3326
Input Voltage:	DC:12V
EAN:	3800230629630
Box Qty.	100 Pcs



### Strip-Amplifier

Model:	VT-2408
SKU:	3327
Input Voltage:	DC:12V
EAN:	3800157601047
Box Qty.	100 Pcs



### Strip-Amplifier


Model:	VT-2407
SKU:	3309
Input Voltage:	DC:12V
EAN:	3800157620819
Box Qty.	100Pcs



### Bed Light-Sensor

Model:	VT-8069
SKU:	2554
Input voltage:	DC:12V
Sensing Distance:	2-5m
DeLay Time:	3s-6min
EAN:	3800157632690
Box Qty.	400Pcs






**Bed Light-Touch Sensor**

Model:	VT-8071
SKU:	2556
Input voltage:	DC:12V
EAN:	3800157632713
Box Qty.	100Pcs



**Bed Light-Hand Wave Sensor**

Model:	VT-8072
SKU:	2557
Input voltage:	DC:12V
EAN:	3800157632720
Box Qty.	100Pcs



**Strip-Controller-Dimmer**

Model:	VT-2411
SKU:	3341
Input voltage:	DC:12V
EAN:	3800157636148
Box Qty.	500Pcs



**Bed Light-Connector Terminal**

Model:	VT-8070
SKU:	2555
EAN:	3800157632706
Box Qty.	400Pcs



**Strip-Controller-Dimmer**

Model:	VT-2410
SKU:	3663
Max Current /Watt:	6A 216W/432W
Input Voltage:	DC:12V
EAN:	3800157619509
Box Qty.	100 Pcs



**LED Sync Controller- Dimmer**

Model:	VT-2414
SKU:	3337
Input Voltage:	DC:12/24V
EAN:	3800157634601
Box Qty.	50Pcs



**LED Sync Controller- RGBW/WW**

Model:	VT-2424
SKU:	3338
Input Voltage:	DC:12/24V
EAN:	3800157634618
Box Qty.	60Pcs



**LED Sync Controller- RGB**

Model:	VT-2420
SKU:	3339
Input Voltage:	DC:12/24V
EAN:	3800157634625
Box Qty.	60Pcs



**LED Sync Controller- RGB**

Model:	VT-2421
SKU:	3340
Input Voltage:	DC:12/24V
EAN:	3800157634632
Box Qty.	100Pcs

**Modules-3 SMD-IP67**

0.72w VT-50303

Voltage/Frequency:	DC:12V
Luminous Flux:	66lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	67x15x8.5mm
IP Rating:	IP67
Box Qty.	2000 Pcs



SKU: 5116 - 6000K White	3800157610209
SKU: 5117 -Red	3800157610216
SKU: 5118 -Blue	3800157610223
SKU: 5119 -Green	3800157610230

**Modules-3 SMD-IP67**

1w VT-28353

Voltage/Frequency:	DC:12V
Luminous Flux:	100lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	53x12x4.6mm
IP Rating:	IP67
Box Qty.	200 Pcs



SKU: 5120 - 6000K White	3800157610247
SKU: 5121 -Red	3800157610254
SKU: 5123 - Green	3800157610261
	3800157610278



### Modules-3 SMD-IP67

**1.5w**      **VT-28356**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-150lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	87x15x10mm
IP Rating:	IP67
Box Qty.	2000 Pcs

SKU: 5124 - 3000K Warm White	3800157621687
SKU: 5127 - Blue	3800157621694
SKU: 5128 - Green	3800157621700
	3800157621717
	3800157621724



### Modules-4 SMD-IP68

**1.44w**      **VT-28358**



Voltage/Frequency:	DC:12V
Luminous Flux:	120-135lm
LED Type:	SMD
CRI:	>75
Beam Angle:	160°
Dimension:	37x37x6.8mm
IP Rating:	IP68
Box Qty.	100Pcs

SKU: 5129 - 3000K Warm White	3800157621731
SKU: 5130 - 6000K White	3800157621748
SKU: 5131 -Red	3800157621755
SKU: 5132 - Blue	3800157621762
SKU: 5133 - Green	3800157621779



### Modules-3 SMD-IP67

**0.72w**      **VT-50506**



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	68x19.5x5.7mm
IP Rating:	IP67
Box Qty.	100 Pcs

SKU: 5134 - RGB	3800157621786
-----------------	---------------



### Modules-SMD-IP68


**0.24w**      **VT-50501**



Voltage/Frequency:	DC:12V
Luminous Flux:	20lm
LED Type:	SMD
CRI:	>75
Beam Angle:	120°
Dimension:	12x22mm
IP Rating:	IP68
Box Qty.	320 Pcs

SKU: 5135 - 3000K Warm white	3800157621793
SKU: 5136 - 6000K White	3800157621809
SKU: 5137 -Red	3800157621816
SKU: 5139 - Blue	3800157621830
SKU: 5140 - Green	3800157621847
SKU: 5138 - Yellow	3800157621823





# Power Supply

## For LED Strip Lights



**Slim Power Supply**  
**VT-20062**

SKU :	3246
Watts:	60w
Current Capacity:	5A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:12V
Unit Size:	130x50x31mm
EAN:	3800157628549
Box Qty.	36 Pcs




**24V**

**Slim Power Supply**  
**VT-24061**

SKU :	3261
Watts:	60w
Current Capacity:	2.5A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:24V
Unit Size:	130x50x31mm
EAN:	3800157640367
Box Qty.	36 Pcs



**Slim Power Supply**  
**VT-20077**

SKU :	3247
Watts:	75w
Current Capacity:	6A
Input Power:	AC:85-265V,50/60Hz

With short circuit protection, over

Output:	DC:12V
Unit Size:	130x50x31mm
EAN:	3800157628556
Box Qty.	60 Pcs



**Slim Power Supply**  
**VT-20122**

SKU :	3243
Watts:	120w
Current Capacity:	10A
Input Power:	AC:85-265V,50/60Hz

Built in EMI Filter

Output:	DC:12V
Unit Size:	190x50x31mm
EAN:	3800157628525
Box Qty.	80 Pcs



**24V**

**Slim Power Supply**  
**VT-24120**

SKU :	3262
Watts:	120w
Current Capacity:	5A
Input Power:	AC:85-265V,50/60Hz

Built in EMI Filter

Output:	DC:24V
Unit Size:	190x50x31mm
EAN:	3800157640374
Box Qty.	80 Pcs



**Slim Power Supply**  
**VT-20152**

SKU :	3244
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC:85-265V,50/60Hz

High efficiency, low temperature

Output:	DC:12V
Unit Size:	200x62x31mm
EAN:	3800157628532
Box Qty.	60 Pcs



**Slim Power Supply  
VT-20352**

SKU :	3259
Watts:	350w
Current Capacity:	30A
Input Power:	AC:200-240V,50/60 Hz

Output:	DC:12V
Unit Size:	208x82x32MM
EAN:	3800157636766
Box Qty.	30 Pcs



**24V**

**Slim Power Supply  
VT-24350**

SKU :	3263
Watts:	350w
Current Capacity:	15A
Input Power:	AC:200-240V,50/60 Hz

Output:	DC:24V
Unit Size:	208x82x32MM
EAN:	3800157640381
Box Qty.	30 Pcs



**Power Supply-Metal  
VT-20026**

SKU :	3228
Watts:	25w
Current Capacity:	2.1A
Input Power:	AC:85-265V,50/60Hz

100% load tested

Output:	DC:12V
Unit Size:	140x33x27mm
EAN:	3800157622929
Box Qty.	100 Pcs



**Power Supply-Metal  
VT-20350**

SKU :	3057
Watts:	350w
Current Capacity:	30A
Input Power:	AC:110-220V,50/60Hz

Output:	DC:12V
Unit Size:	215x115x50mm
EAN:	3800230621795
Box Qty.	20 Pcs



**Power Supply-Metal  
VT-20061**

SKU :	3229
Watts:	60w
Current Capacity:	5A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:12V
Unit Size:	160x40x32mm
EAN:	3800157622936
Box Qty.	100 Pcs



**Power Supply-Metal  
VT-20076**

SKU :	3230
Watts:	75w
Current Capacity:	6A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:12V
Unit Size:	188x47x35mm
EAN:	3800157622943
Box Qty.	60 Pcs



**Power Supply-Metal  
VT-20121**

SKU :	3226
Watts:	120w
Current Capacity:	10A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:12V
Unit Size:	188x47x35mm
EAN:	3800157622905
Box Qty.	36 Pcs



**Power Supply-Metal  
VT-20151**

SKU :	3227
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC:85-265V,50/60Hz

Output:	DC:12V
Unit Size:	200x58x40mm
EAN:	3800157622912
Box Qty.	50 Pcs



**Power Supply-Metal  
VT-20153**

SKU : 3253  
Watts: 150w  
Current Capacity: 6.5A  
Input Power: AC:85-265V,50/60Hz

Output: DC:24V  
Unit Size: 253x72x45mm  
EAN: 3800157635233  
Box Qty. 50 Pcs



**Power Supply-Metal  
VT-20027**

SKU : 3254  
Watts: 25w  
Current Capacity: 2A  
Input Power: AC:85-265V,50/60Hz

Output: DC:12V  
Unit Size: 140x33x27mm  
EAN: 3800157635264  
Box Qty. 100 Pcs



**LED Power Supply-TRIAC Dimmable  
VT-20101D**

SKU : 3256  
Watts: 100w  
Current Capacity: 8.5A  
Input Power: AC:200-240V,50/60 Hz

Output: DC:12V  
Unit Size: 199x98x42mm  
EAN: 3800157635523  
Box Qty. 50 Pcs



**LED Power Supply-TRIAC Dimmable  
VT-20154D**

SKU : 3257  
Watts: 150w  
Current Capacity: 12.5A  
Input Power: AC:200-240V,50/60 Hz

Output: DC:12V  
Unit Size: 199x98x42mm  
EAN: 3800157635530  
Box Qty. 50 Pcs



**LED Power Supply-TRIAC Dimmable  
VT-20155D**

SKU : 3258  
Watts: 150w  
Current Capacity: 6.25A  
Input Power: AC:200-240V,50/60 Hz


Output: DC:24V  
Unit Size: 199x98x42mm  
EAN: 3800157635547  
Box Qty. 50 Pcs



**LED Power Supply-Rainproof-IP45  
VT-21151**

SKU : 3231  
Watts: 150w  
Current Capacity: 12.5A  
Input Power: AC: 100-264V,50/60Hz

Output: DC:12V  
Unit Size: 207x74x42mm  
EAN: 3800157627979  
Box Qty. 40 Pcs



**LED Power Supply-Rainproof-IP45  
VT-21251**

SKU : 3232  
Watts: 250w  
Current Capacity: 20A  
Input Power: AC: 100-264V,50/60Hz

Output: DC:12V  
Unit Size: 218x95x50mm  
EAN: 3800157627986  
Box Qty. 25 Pcs



**LED Power Supply-Rainproof-IP45  
VT-21401**

SKU : 3233  
Watts: 400w  
Current Capacity: 33A  
Input Power: AC: 100-264V,50/60Hz

Output: DC:12V  
Unit Size: 223x118x50mm  
EAN: 3800157627993  
Box Qty. 20 Pcs



**IP45**  
RATING

**24V**

**LED Power Supply-Rainproof-IP45  
VT-26400**

SKU :	3265
Watts:	400w
Current Capacity:	16.6A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:24V
Unit Size:	223x118x50mm
EAN:	3800157640404
Box Qty.	20 Pcs



**IP65**  
RATING

**Power Supply-Waterproof-IP65  
VT-22101**

SKU :	3101(24v) - 3236 (12v)
Watts:	100w
Current Capacity:	4.2A
Input Power:	AC: 100-264V,50/60Hz

Unit Size:	201x30,5x20mm
EAN:	3800157605991
Box Qty.	20 Pcs



**IP67**  
RATING

**Power Supply-Waterproof-IP67  
VT-22061**

SKU :	3234
Watts:	60w
Current Capacity:	5A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	166x43x33mm
EAN:	3800157628006
Box Qty.	40 Pcs



**IP67**  
RATING

**Power Supply-Waterproof-IP67  
VT-22075**

SKU :	3235
Watts:	75w
Current Capacity:	6A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	166x43x33mm
EAN:	3800157628013
Box Qty.	40 Pcs



**IP67**  
RATING

**Power Supply-Waterproof-IP67  
VT-22153**

SKU :	3248
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	192x52x37mm
EAN:	3800157629362
Box Qty.	15 Pcs



**IP67**  
RATING

**5**  
YEAR  
WARRANTY\*

**Power Supply-Waterproof-IP67  
VT-22155**

SKU :	3250
Watts:	150w
Current Capacity:	12.5A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	192x52x37mm
EAN:	3800157630436
Box Qty.	20 Pcs



**IP67**  
RATING

**5**  
YEAR  
WARRANTY\*

**Power Supply-Waterproof-IP67  
VT-22105**

SKU :	3251
Watts:	100w
Current Capacity:	8.3A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	192x52x37mm
EAN:	3800157630443
Box Qty.	25 Pcs













**IP67**  
RATING

**5**  
YEAR  
WARRANTY\*

**Power Supply-Waterproof-IP67  
VT-22065**

SKU :	3252
Watts:	60w
Current Capacity:	5A
Input Power:	AC: 100-264V,50/60Hz

Output:	DC:12V
Unit Size:	166x43x33mm
EAN:	3800157630450
Box Qty.	40 Pcs

 <p><b>Power Supply-Plastic-IP44 VT-23019</b></p> <table border="1"> <tr><td>SKU :</td><td>3237</td></tr> <tr><td>Watts:</td><td>18w</td></tr> <tr><td>Current Capacity:</td><td>1.5A</td></tr> <tr><td>Input Power:</td><td>AC: 100-264V,50/60Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>73x27x43mm</td></tr> <tr><td>EAN:</td><td>3800157628037</td></tr> <tr><td>Box Qty.</td><td>120 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3237	Watts:	18w	Current Capacity:	1.5A	Input Power:	AC: 100-264V,50/60Hz	Output:	DC:12V	Unit Size:	73x27x43mm	EAN:	3800157628037	Box Qty.	120 Pcs	Plug	EU Plug	<p><b>LED Power Supply-Plastic VT-23005</b></p> <table border="1"> <tr><td>SKU :</td><td>3260</td></tr> <tr><td>Watts:</td><td>5w</td></tr> <tr><td>Current Capacity:</td><td>1A</td></tr> <tr><td>Input Power:</td><td>AC:100-265V 50/60 Hz</td></tr> <tr><td>Output:</td><td>DC:+5V</td></tr> <tr><td>Unit Size:</td><td>73x27x43mm</td></tr> <tr><td>EAN:</td><td>3800157637992</td></tr> <tr><td>Box Qty.</td><td>120 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table> 	SKU :	3260	Watts:	5w	Current Capacity:	1A	Input Power:	AC:100-265V 50/60 Hz	Output:	DC:+5V	Unit Size:	73x27x43mm	EAN:	3800157637992	Box Qty.	120 Pcs	Plug	EU Plug
SKU :	3237																																				
Watts:	18w																																				
Current Capacity:	1.5A																																				
Input Power:	AC: 100-264V,50/60Hz																																				
Output:	DC:12V																																				
Unit Size:	73x27x43mm																																				
EAN:	3800157628037																																				
Box Qty.	120 Pcs																																				
Plug	EU Plug																																				
SKU :	3260																																				
Watts:	5w																																				
Current Capacity:	1A																																				
Input Power:	AC:100-265V 50/60 Hz																																				
Output:	DC:+5V																																				
Unit Size:	73x27x43mm																																				
EAN:	3800157637992																																				
Box Qty.	120 Pcs																																				
Plug	EU Plug																																				
 <p><b>Power Supply-Plastic-IP44 VT-23031</b></p> <table border="1"> <tr><td>SKU :</td><td>3238</td></tr> <tr><td>Watts:</td><td>30w</td></tr> <tr><td>Current Capacity:</td><td>2.5A</td></tr> <tr><td>Input Power:</td><td>AC: 100-264V,50/60Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157628044</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3238	Watts:	30w	Current Capacity:	2.5A	Input Power:	AC: 100-264V,50/60Hz	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157628044	Box Qty.	50 Pcs	Plug	EU Plug	 <p><b>Power Supply-Plastic-IP44 VT-23061</b></p> <table border="1"> <tr><td>SKU :</td><td>3239</td></tr> <tr><td>Watts:</td><td>60w</td></tr> <tr><td>Current Capacity:</td><td>5A</td></tr> <tr><td>Input Power:</td><td>AC: 100-264V,50/60Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157628051</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3239	Watts:	60w	Current Capacity:	5A	Input Power:	AC: 100-264V,50/60Hz	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157628051	Box Qty.	50 Pcs	Plug	EU Plug
SKU :	3238																																				
Watts:	30w																																				
Current Capacity:	2.5A																																				
Input Power:	AC: 100-264V,50/60Hz																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157628044																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				
SKU :	3239																																				
Watts:	60w																																				
Current Capacity:	5A																																				
Input Power:	AC: 100-264V,50/60Hz																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157628051																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				
<p><b>24V</b></p>  <p><b>Power Supply-Plastic-IP44 VT-25060</b></p> <table border="1"> <tr><td>SKU :</td><td>3264</td></tr> <tr><td>Watts:</td><td>60w</td></tr> <tr><td>Current Capacity:</td><td>2.5A</td></tr> <tr><td>Input Power:</td><td>AC: 100-264V,50/60Hz</td></tr> <tr><td>Output:</td><td>DC:24V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157640398</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3264	Watts:	60w	Current Capacity:	2.5A	Input Power:	AC: 100-264V,50/60Hz	Output:	DC:24V	Unit Size:	119x52x32mm	EAN:	3800157640398	Box Qty.	50 Pcs	Plug	EU Plug	 <p><b>Power Supply-Plastic-IP44 VT-23079</b></p> <table border="1"> <tr><td>SKU :</td><td>3240</td></tr> <tr><td>Watts:</td><td>78w</td></tr> <tr><td>Current Capacity:</td><td>6.5A</td></tr> <tr><td>Input Power:</td><td>AC: 100-264V,50/60Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157628068</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3240	Watts:	78w	Current Capacity:	6.5A	Input Power:	AC: 100-264V,50/60Hz	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157628068	Box Qty.	50 Pcs	Plug	EU Plug
SKU :	3264																																				
Watts:	60w																																				
Current Capacity:	2.5A																																				
Input Power:	AC: 100-264V,50/60Hz																																				
Output:	DC:24V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157640398																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				
SKU :	3240																																				
Watts:	78w																																				
Current Capacity:	6.5A																																				
Input Power:	AC: 100-264V,50/60Hz																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157628068																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				
 <p><b>Power Supply-Plastic-IP44 VT-23043</b></p> <table border="1"> <tr><td>SKU :</td><td>3249</td></tr> <tr><td>Watts:</td><td>42w</td></tr> <tr><td>Current Capacity:</td><td>3.5A</td></tr> <tr><td>Input Power:</td><td>AC:100-265V 50/60 Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157629379</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3249	Watts:	42w	Current Capacity:	3.5A	Input Power:	AC:100-265V 50/60 Hz	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157629379	Box Qty.	50 Pcs	Plug	EU Plug	 <p><b>Power Supply-Plastic VT-23060</b></p> <table border="1"> <tr><td>SKU :</td><td>3035</td></tr> <tr><td>Watts:</td><td>60w</td></tr> <tr><td>Current Capacity:</td><td>5A</td></tr> <tr><td>Input Power:</td><td>AC:100-265V 50/60 Hz</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>130x90x45mm</td></tr> <tr><td>EAN:</td><td>3800157601085</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>BS Plug</td></tr> </table>	SKU :	3035	Watts:	60w	Current Capacity:	5A	Input Power:	AC:100-265V 50/60 Hz	Output:	DC:12V	Unit Size:	130x90x45mm	EAN:	3800157601085	Box Qty.	50 Pcs	Plug	BS Plug
SKU :	3249																																				
Watts:	42w																																				
Current Capacity:	3.5A																																				
Input Power:	AC:100-265V 50/60 Hz																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157629379																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				
SKU :	3035																																				
Watts:	60w																																				
Current Capacity:	5A																																				
Input Power:	AC:100-265V 50/60 Hz																																				
Output:	DC:12V																																				
Unit Size:	130x90x45mm																																				
EAN:	3800157601085																																				
Box Qty.	50 Pcs																																				
Plug	BS Plug																																				
<p><b>NEW</b></p>  <p><b>Power Supply-Plastic-IP44 VT-23060-W</b></p> <table border="1"> <tr><td>SKU :</td><td>3269</td></tr> <tr><td>Watts:</td><td>60w</td></tr> <tr><td>Current Capacity:</td><td>5A</td></tr> <tr><td>Input Power:</td><td>AC:100-264V</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157642668</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>BS Plug</td></tr> </table>	SKU :	3269	Watts:	60w	Current Capacity:	5A	Input Power:	AC:100-264V	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157642668	Box Qty.	50 Pcs	Plug	BS Plug	<p><b>NEW</b></p>  <p><b>Power Supply-Plastic-IP44 VT-23061-W</b></p> <table border="1"> <tr><td>SKU :</td><td>3270</td></tr> <tr><td>Watts:</td><td>60w</td></tr> <tr><td>Current Capacity:</td><td>5A</td></tr> <tr><td>Input Power:</td><td>AC:100-264V</td></tr> <tr><td>Output:</td><td>DC:12V</td></tr> <tr><td>Unit Size:</td><td>119x52x32mm</td></tr> <tr><td>EAN:</td><td>3800157642675</td></tr> <tr><td>Box Qty.</td><td>50 Pcs</td></tr> <tr><td>Plug</td><td>EU Plug</td></tr> </table>	SKU :	3270	Watts:	60w	Current Capacity:	5A	Input Power:	AC:100-264V	Output:	DC:12V	Unit Size:	119x52x32mm	EAN:	3800157642675	Box Qty.	50 Pcs	Plug	EU Plug
SKU :	3269																																				
Watts:	60w																																				
Current Capacity:	5A																																				
Input Power:	AC:100-264V																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157642668																																				
Box Qty.	50 Pcs																																				
Plug	BS Plug																																				
SKU :	3270																																				
Watts:	60w																																				
Current Capacity:	5A																																				
Input Power:	AC:100-264V																																				
Output:	DC:12V																																				
Unit Size:	119x52x32mm																																				
EAN:	3800157642675																																				
Box Qty.	50 Pcs																																				
Plug	EU Plug																																				



## LED Track Lights

V-TAC's extensive range of modern LED track lights are the perfect ecological alternative to old, inefficient Halogen lights. Delivering high performance, excellent durability and remarkable light output to serve the general Commercial and Retail market.

### Product Features

- Saves 80% energy
- No Ultraviolet or Infrared Rays
- Totally flexible, compact & adjustable design
- No Lead or mercury content hence environment-friendly
- Provides uniform radiance & enhances appeal of retail environment
- Enhances measurable levels of performance as compared to older versions of high wattage Halogen & HID light sources in retail & commercial lighting applications

### Applications

Perfect choice for exhibition stands, hotels, bars, commercial & residential lighting.





Tracklights-Smart Color Changing  
**15w** VT-7715-W

SKU: 1456 - 3 IN 1 3800157637909

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	650
LED Type:	COB
CRI:	>80
PF:	>0.5





**CCT AND DIMMING**  
VIA SMART PHONE APP



Beam Angle:	18°-48°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x141x60mm
Box Qty:	20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**5 YEAR**  
WARRANTY



Tracklights-Smart Color Changing  
**15w** VT-7715-B

SKU: 1457 - 3 IN 1 3800157637916

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	500
LED Type:	COB
CRI:	>80
PF:	>0.5





**CCT AND DIMMING**  
VIA SMART PHONE APP



Beam Angle:	18°-48°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x141x60mm
Box Qty:	20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**5 YEAR**  
WARRANTY



Tracklights-Smart Color Changing  
**35w** VT-7735-W

SKU: 1458 - 3 IN 1 3800157637923

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2350
LED Type:	COB
CRI:	>80
PF:	>0.9





**CCT AND DIMMING**  
VIA SMART PHONE APP



Beam Angle:	16°-53°
Color of Fixture:	White
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x183x93mm
Box Qty:	20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**5 YEAR**  
WARRANTY



Tracklights-Smart Color Changing  
**35w** VT-7735-B

SKU: 1459 - 3 IN 1 3800157637930

Sensor Compatible:	
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1950
LED Type:	COB
CRI:	>80
PF:	>0.9





**CCT AND DIMMING**  
VIA SMART PHONE APP



Beam Angle:	16°-53°
Color of Fixture:	Black
Body Type:	Aluminium
Life span:	30,000 Hours
Dimension:	250x183x93mm
Box Qty:	20 Pcs

**CCT Adjustable**  
2800K/4000K/6000K

**5 YEAR**  
WARRANTY





### Tracklights-Color Changing

## 18w VT-4718-W

SKU: 1410 - 3 IN 1 3800157629324



**CCT Adjustable**  
2800K/4000K/6000K




**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 18w VT-4718-B

SKU: 1411 - 3 IN 1 3800157629331



**CCT Adjustable**  
2800K/4000K/6000K




**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	1450lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø93x93.5x203mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 35w VT-4745-W

SKU: 1412 - 3 IN 1 3800157629348



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	White
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



**5 YEAR**  
WARRANTY\*



### Tracklights-Color Changing

## 35w VT-4745-B

SKU: 1413 - 3 IN 1 3800157629355



**CCT Adjustable**  
2800K/4000K/6000K



**Lens Angle Adjustable**  
20°-60°



**Triac Dimmable**

Sensor Compatible:	Yes	Beam Angle:	20° ~ 60° (Adjust-able)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	able)
Luminous Flux:	3000lm	Body Type:	Black
LED Type:	COB	Life span:	Aluminium
CRI:	>95	Dimension:	30,000 Hours
PF:	>0.9	Box Qty:	Ø100x196x262mm



**5 YEAR**  
WARRANTY\*




Tracklights-Black-White Body  
**10w VT-4512**

SKU: 1332 - 3000K Warm White 3800157620604  
SKU: 1333 - 4000K Day White 3800157620611  
SKU: 1334 - 6000K White 3800157620628

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	800lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x65x163mm
PF:	>0.9	Box Qty:	40 Pcs




Tracklights-Black-White Body  
**25w VT-4528**

SKU: 1335 - 3000K Warm White 3800157620635  
SKU: 1336 - 4000K Day White 3800157620642  
SKU: 1337 - 6000K White 3800157620659

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2100lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	209x85x187mm
PF:	>0.9	Box Qty:	20 Pcs




Tracklights-Black-White Body  
**35w VT-4537**

SKU: 1338 - 3000K Warm White 3800157620666  
SKU: 1339 - 4000K Day White 3800157620673  
SKU: 1340 - 6000K White 3800157620680

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black+White
Luminous Flux:	2850lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>80	Dimension:	224x100x215mm
PF:	>0.9	Box Qty:	10 Pcs



Tracklights-CREE COB-15° to 60°  
**35w VT-4735**


SKU: 1357 - 3000K Warm White 3800157625074  
SKU: 1358 - 4000K Day White 3800157625081  
SKU: 1359 - 6400K White 3800157625098



**15° to 60°**  
Beam Angle  
Adjustable by Rotating

**5** YEAR WARRANTY

Sensor Compatible:	Yes	Beam Angle:	15°-60° (Adjustable)
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2800lm	Body Type:	Aluminium
LED Type:	COB(CREE)	Life span:	30,000 Hours
CRI:	>80	Dimension:	178.4x197.7x95mm
PF:	>0.9	Box Qty:	8 Pcs







### Tracklights-White Body 15w VT-4615W

SKU: 1298 - 3000K Warm White 3800157619851  
SKU: 1299 - 4000K Day White 3800157619868  
SKU: 1300 - 6400K White 3800157619875

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	Ø180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*





### Tracklights-Black Body 15w VT-4615B

SKU: 1301 - 3000K Warm White 3800157619882  
SKU: 1302 - 4000K Day White 3800157619899  
SKU: 1303 - 6400K White 3800157619905

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1350lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x97x155mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*





### Tracklights-White Body 30w VT-4635W

SKU: 1292 - 3000K Warm White 3800157619790  
SKU: 1293 - 4000K Day White 3800157619806  
SKU: 1294 - 6400K White 3800157619813

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*





### Tracklights-Black Body 30w VT-4635B

SKU: 1295 - 3000K Warm White 3800157619820  
SKU: 1296 - 4000K Day White 3800157619837  
SKU: 1297 - 6400K White 3800157619844

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2700lm	Body Type:	Aluminium
LED Type:	COB	Life span:	30,000 Hours
CRI:	>95	Dimension:	180x140x215mm
PF:	>0.9	Box Qty:	20 Pcs



**5** YEAR  
WARRANTY\*







Tracklights-Black Body  
33W VT-4535

SKU: 1233 - 3000K Warm White 3800157603720  
SKU: 1234 - 4000K Day White 3800157603737  
SKU: 1235 - 5000K White 3800157603744



Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1800lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	112x165x205mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
45W VT-4545

SKU: 1236 - 3000K Warm White 3800157603751  
SKU: 1237 - 4000K Day White 3800157603768  
SKU: 1238 - 5000K White 3800157603775



Sensor Compatible:	Yes	Beam Angle:	25°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>95	Dimension:	123x165x218mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
20W VT-4521T

SKU: 1202 - 5000K Day White 3800157600187



Sensor Compatible:	Yes	Beam Angle:	46°
Voltage/Frequency:	AC:100-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	1500lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	Ø80x185mm
PF:	>0.9	Box Qty:	8 Pcs



Tracklights-Black Body  
40W VT-4540T

SKU: 1191 - 3000K Warm White 3800230629548  
SKU: 1192 - 5000K Day White 3800230629555

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2600lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>70	Dimension:	225x185x138mm
PF:	>0.9	Box Qty:	8 Pcs







### Tracklights-White Body 33W VT-4534W

SKU: 1241 - 3000K Warm White  
SKU: 1229 - 4000K Day White  
SKU: 1230 - 5000K White

3800157603997  
3800157602501  
3800157602518

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-Black Body 33W VT-4534B

SKU: 1242 - 3000K Warm White  
SKU: 1231 - 4000K Day White  
SKU: 1232 - 5000K White

3800157604000  
3800157602525  
3800157602532

Sensor Compatible:	Yes	Beam Angle:	22°
Voltage/Frequency:	AC:220-240V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	2300lm	Body Type:	Die Cast Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	106x208x206mm
PF:	>0.9	Box Qty:	8 Pcs





### Tracklights-White Body 35W VT-4536W

SKU: 1255 - 3000K Warm White  
SKU: 1256 - 4500K Day White  
SKU: 1257 - 6000K White

3800157607551  
3800157607568  
3800157607575

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs





### Tracklights-Black Body 35W VT-4536B

SKU: 1285 - 3000K Warm White  
SKU: 1286 - 4000K Day White  
SKU: 1287 - 6000K White

3800157618694  
3800157618700  
3800157618717

Sensor Compatible:	Yes	Beam Angle:	24°
Voltage/Frequency:	AC:220-264V,50/60Hz	Color of Fixture:	Black
Luminous Flux:	3500lm	Body Type:	Aluminium
LED Type:	COB	Life span:	20,000 Hours
CRI:	>80	Dimension:	92x165x192mm
PF:	>0.9	Box Qty:	20 Pcs



<p>Track Fittings-4Line-PAR20 Model: VT-7112-4W SKU : 3554 EAN : 3800230628398 Box Qty: 18 Pcs</p>	<p>Track Fittings-2Line-PAR20 Model: VT-7112-2W SKU : 3556 EAN : 3800230628411 Box Qty: 18 Pcs</p>	<p>Track Fittings-4Line-PAR20 Model: VT-7112-4B SKU : 3553 EAN : 3800230628381 Box Qty: 18 Pcs</p>	<p>Track Fittings-4Line-PAR38 Model: VT-7116-4W SKU : 3570 EAN : 3800157604252 Box Qty: 18 Pcs</p>	<p>Track-Connectors-4I SKU : 3522 EAN : 3800230623232 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4I SKU : 3523 EAN : 3800230623195 Box Qty: 50 Pcs</p>
<p>Track-Connectors-4T SKU : 3524 EAN : 3800230623201 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4T SKU : 3525 EAN : 3800230623249 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4X SKU : 3526 EAN : 3800230623218 Box Qty: 10 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3655 EAN : 3800157619103 Box Qty: 100 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3656 EAN : 3800157619110 Box Qty: 100 Pcs</p>	<p>4 Wired Y Series-Connectors SKU : 3657 EAN : 3800157619127 Box Qty: 200 Pcs</p>
<p>4 Wired Y Series-Connectors SKU : 3658 EAN : 3800157619134 Box Qty: 200 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3659 EAN : 3800157619141 Box Qty: 50 Pcs</p>	<p>4 Wired Y Series-Adaptor SKU : 3660 EAN : 3800157619158 Box Qty: 50 Pcs</p>	<p>Track-Connectors-4X SKU : 3527 EAN : 3800230623256 Box Qty: 10 Pcs</p>	<p>Track-Connectors-4L SKU : 3528 EAN : 3800230623225 Box Qty: 25 Pcs</p>	<p>Track-Connectors-4L SKU : 3529 EAN : 3800230623263 Box Qty: 25 Pcs</p>
<p>Flexible Joint-4 Line SKU : 3560 EAN : 3800230628459 Box Qty: 20 Pcs</p>	<p>Hanging Trackline Kit-1 SKU : 3565 EAN : 3800157600019 Box Qty: 100 Pcs</p>	<p>Hanging Trackline Kit-1 SKU : 3566 EAN : 3800157600026 Box Qty: 100 Pcs</p>	<p>4 Core Track-1 Meter SKU : 9944 EAN : 3800230623133 Box Qty: 10 Pcs</p>	<p>4 Core Track-1 Meter SKU : 9945 EAN : 3800230623164 Box Qty: 10 Pcs</p>	<p>4 Core Track-1.5 Meter SKU : 9952 EAN : 3800230623140 Box Qty: 10 Pcs</p>
<p>4 Core Track-1.5 Meter SKU : 9953 EAN : 3800230623171 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9954 EAN : 3800230623157 Box Qty: 10 Pcs</p>	<p>4 Core Track-2 Meter SKU : 9955 EAN : 3800230623188 Box Qty: 10 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-788 SKU : 3617 EAN : 3800157607469 Box Qty: 20 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-789 SKU : 3618 EAN : 3800157607476 Box Qty: 20 Pcs</p>	<p>Track Fitting-Gu10 Model: VT-790 SKU : 3619 EAN : 3800157607483 Box Qty: 10 Pcs</p>



## LED Downlights

Swap outdated CFL Lights with high quality LED Down Lights for long lasting and energy efficient lighting. Choose from a wide range of 3w to 4w variations.

### Product Features

- Innumerable styles & elegant appearance
- Non - Flickering
- Premium quality power driver with lowest power factor saver & high RA
- Easy Installation
- Varied finishes with strong die cast aluminium body
- Low maintenance
- All down lights come with premium quality power

### Applications

Residences, showrooms, hotels & boutiques etc.






Hotel Downlight-COB

**6w VT-2907**

SKU: 1479 - 3000K Warm White 3800157644242  
SKU: 1480 - 4000K Day White 3800157644259



Cutting Size  
Ø55mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø65x82mm
Cutting Size:	Ø55mm
Box Qty:	24 Pcs

Hotel Downlight-COB

**10w VT-2911**

SKU: 1481 - 3000K Warm White 3800157644068  
SKU: 1482 - 4000K Day White 3800157644075



Cutting Size  
Ø75mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	650lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø85x96mm
Cutting Size:	Ø75mm
Box Qty:	16 Pcs

Hotel Downlight-COB

**15w VT-2916**

SKU: 1483 - 3000K Warm White 3800157644082  
SKU: 1484 - 4000K Day White 3800157644099



Cutting Size  
Ø95mm


Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	100lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø105x113mm
Cutting Size:	Ø105mm
Box Qty:	12 Pcs

Hotel Downlight-COB

**35w VT-2936**

SKU: 1477 - 3000K Warm White 3800157644105  
SKU: 1478 - 4000K Day White 3800157644112



Cutting Size  
Ø150mm

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2300lm
LED Type:	COB-CREE
CRI:	>95
PF	>0.6

Beam Angle:	0-27°
Body Type:	Aluminium
Dimension:	Ø160x176mm
Cutting Size:	Ø150mm
Box Qty:	8 Pcs

NEW



Side Light

3W VT-2903

SKU: 1485 - 3000K Warm White 3800157642675

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	Black
Dimension:	80x80x25mm
Cutting Size:	N/A
Box Qty:	40 Pcs

NEW



Side Light

3W VT-2913

SKU: 1486 - 3000K Warm White 3800157644327

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	90x60x30mm
Cutting Size:	N/A
Box Qty:	40 Pcs

NEW



Side Light

3W VT-2943

SKU: 1487 - 3000K Warm White 3800157644334

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6

Beam Angle:	30°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	120x120x45mm
Cutting Size:	N/A
Box Qty:	20 Pcs

NEW



Side Light

3+6W VT-2953

SKU: 1488 - 3000K Warm White 3800157644341

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	CREE Chip
CRI:	>80
PF	>0.6

Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	300x50x35mm
Cutting Size:	N/A
Box Qty:	30 Pcs

NEW



Side Light

3+6W VT-2963

SKU: 1489 - 3000K Warm White 3800157644358

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	180+500lm
LED Type:	COB-CREE
CRI:	>80
PF	>0.6


Beam Angle:	120°
Body Type:	Die Cast Aluminium
Color of Fixture:	White
Dimension:	140x30mm
Cutting Size:	N/A
Box Qty:	30 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**10W VT-26101**

SKU: 1270 - 3000K Warm White 3800157611923  
SKU: 1271 - 4000K Day White 3800157611930  
SKU: 1272 - 6400K White 3800157611947



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	1200lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø120mm
Box Qty:	27 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**20W VT-26201**

SKU: 1273 - 3000K Warm White 3800157611954  
SKU: 1274 - 4000K Day White 3800157611961  
SKU: 1275 - 6400K White 3800157611978



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	2400lm
LED Type:	COB
CRI:	>80
PF:	>0.5


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø180x83mm
Cutting Size:	Ø167mm
Box Qty:	18 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**30W VT-26301**

SKU: 1276 - 3000K Warm White 3800157611985  
SKU: 1277 - 4000K Day White 3800157611992  
SKU: 1278 - 6400K White 3800157612005



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-277V,50/60Hz
Luminous Flux:	3600lm
LED Type:	COB
CRI:	>80
PF:	>0.9


Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	White
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



**120+**  
LUMENS/WATT  
SUPER EFFICIENT

Reflector Series - High Lumen  
**40W VT-26451**

SKU: 1453 - 3000K Warm White 3800157635561  
SKU: 1279 - 4500K Day White 3800157612012




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-270V,50/60Hz
Luminous Flux:	4800lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø220x103mm
Cutting Size:	Ø207mm
Box Qty:	12 Pcs



Reflector Series  
**10W VT-2610**

SKU: 1100 - 6000K White 3800230622372



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	730lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø135x71mm
Cutting Size:	Ø105mm
Box Qty:	27 Pcs




## Reflector Series

20W VT-2620

SKU: 1103 - 6000K White

3800230622402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Body Type:	PKW
Color of Fixture:	PKW
Shape:	Round
Dimension:	Ø182x90mm
Cutting Size:	Ø160mm
Box Qty:	18 Pcs



## Zoom Series - Rectangle

30W VT-2930

SKU: 1306 - 3000K Warm White


3800157619936

SKU: 1307 - 4000K Day White

3800157619943

SKU: 1289 - 6400K White

3800157619646



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2450lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	99°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Rectangle
Dimension:	235x146x139mm
Cutting Size:	220 x 132mm
Box Qty:	20 Pcs



## Zoom Series - Round

33W VT-2933

SKU: 1304 - 3000K Warm White


3800157619912

SKU: 1305 - 4500K Day White

3800157619929

SKU: 1288 - 6400K White

3800157619639



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2650lm
LED Type:	COB
CRI:	>80
PF:	>0.9

Beam Angle:	24°
Body Type:	Die Cast Aluminum
Color of Fixture:	White
Shape:	Round
Dimension:	Ø165x140mm
Cutting Size:	Ø 155
Box Qty:	20 Pcs



## Downlight-Moving Head-Square

3W VT-1133SQ

SKU: 5096 - 4000K Day White

3800157609371

SKU: 5097 - 6400K White

3800157609388

3800157609395

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	55x55x42mm
Cutting Size:	45 x 45mm
Box Qty:	100 Pcs



## Downlight-Fixed Type-Square

3W VT-1123SQ

SKU: 5110 - 6400K White

3800157609456


Sensor Compatible:	Yes
Voltage/Frequency:	AC:85-265V,50/60Hz
Luminous Flux:	200lm
LED Type:	COB
CRI:	>80
PF:	>0.5

Beam Angle:	60°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Square
Dimension:	45x45x35mm
Cutting Size:	36 x 36 mm
Box Qty:	100 Pcs



Step Light With Sensor  
3W VT-8035

SKU: 5570 - 4000K Day White 3800157617291




Sensor Compatible:	<b>Sensor Included</b>
Voltage/Frequency:	<b>AC:100-240V, 50/60Hz</b>
Luminous Flux:	<b>100lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>

Beam Angle:	<b>45°</b>
Body Type:	<b>Die cast Aluminum</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>85x85x42mm</b>
Cutting Size:	<b>85x85mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Square  
3W VT-1143

SKU: 1284 - 4000K Day White 3800157617307



Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:85-265V,50/60Hz</b>
Luminous Flux:	<b>100lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>

Beam Angle:	<b>83°</b>
Body Type:	<b>Die Cast Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>84x84x43mm</b>
Cutting Size:	<b>72x72mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Square  
3W VT-1109

SKU: 1209 - 3000K Warm White 3800157600255  
SKU: 1210 - 4200K Day White 3800157600262




Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>
Luminous Flux:	<b>120lm</b>
LED Type:	<b>COB</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>

Beam Angle:	<b>15°</b>
Body Type:	<b>Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Square</b>
Dimension:	<b>80x80x51mm</b>
Cutting Size:	<b>62x62mm</b>
Box Qty:	<b>100 Pcs</b>



Steplight-Round  
3W VT-1109RD

SKU: 1207 - 3000K Warm White 3800157600231  
SKU: 1208 - 4200K Day White 3800157600248



Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:100-240V,50/60Hz</b>
Luminous Flux:	<b>120lm</b>
LED Type:	<b>COB</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.5</b>

Beam Angle:	<b>15°</b>
Body Type:	<b>Aluminium</b>
Color of Fixture:	<b>White</b>
Shape:	<b>Round</b>
Dimension:	<b>Ø80x51mm</b>
Cutting Size:	<b>Ø62mm</b>
Box Qty:	<b>100 Pcs</b>

**NEW**



Round Steplight  
0.5W VT-1141

SKU: 1463 - 3000K Warm White 3800157643610



Sensor Compatible:	<b>Yes</b>
Voltage/Frequency:	<b>AC:220-240V,50/60Hz</b>
Luminous Flux:	<b>5lm</b>
LED Type:	<b>SMD</b>
CRI:	<b>&gt;80</b>
PF:	<b>&gt;0.4</b>

Beam Angle:	<b>90°</b>
Body Type:	<b>PC</b>
Color of Fixture:	<b>Silver+Black</b>
Shape:	<b>Round</b>
Dimension:	<b>Ø26X82mm</b>
Cutting Size:	<b>Ø25mm</b>
Box Qty:	<b>50 Pcs</b>


**NEW**

Round Steplight

SKU: 1464 - 6500K White

3800157643627

1W VT-1151



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	50lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Silver+Black
Shape:	Round
Dimension:	Ø48X82mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

**NEW**

Round Steplight


SKU: 1467 - 6500K White

3800157643658

1W VT-1161-W

SKU: 1465 - 3000K Warm White

3800157643634



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

**NEW**

Round Steplight


SKU: 1468 - 6500K White

3800157643665

1W VT-1161-B

SKU: 1466 - 3000K Warm White

3800157643641



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

**NEW**

Round Steplight


SKU: 1471 - 6500K White

3800157643696

1W VT-1171-W

SKU: 1469 - 3000K Warm White

3800157643672



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	White
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

**NEW**

Round Steplight


SKU: 1472 - 6500K White

3800157643702

1W VT-1171-B

SKU: 1470 - 3000K Warm White

3800157643689



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	10lm
LED Type:	SMD
CRI:	>80
PF	>0.4

Beam Angle:	90°
Body Type:	PC+AL
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø60X93mm
Cutting Size:	Ø43mm
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1327 - 3000K Warm White 3800157620550  
SKU: 1326 - 4000K Day White 3800157620543

3W VT-1162-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1329 - 3000K Warm White 3800157620574  
SKU: 1328 - 4000K Day White 3800157620567

3W VT-1162-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Rectangle-IP65

SKU: 1331 - 3000K Warm White 3800157620598  
SKU: 1330 - 4000K Day White 3800157620581

3W VT-1162-G




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	110lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	230x80x28mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

SKU: 1315 - 3000K Warm White 3800157620437  
SKU: 1314 - 4000K Day White 3800157620420

2W VT-1142-W




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs

Step Light-Round-IP65

SKU: 1317 - 3000K Warm White 3800157620451  
SKU: 1316 - 4000K Day White 3800157620444

2W VT-1142-B




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Round-IP65  
2W VT-1142-G

SKU: 1319 - 3000K Warm White 3800157620475  
SKU: 1318 - 4000K Day White 3800157620468




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	150x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-W

SKU: 1321 - 3000K Warm White 3800157620499  
SKU: 1320 - 4000K Day White 3800157620482




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-B

SKU: 1323 - 3000K Warm White 3800157620512  
SKU: 1322 - 4000K Day White 3800157620505




Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs



Step Light-Square-IP65  
2W VT-1152-G

SKU: 1325 - 3000K Warm White 3800157620536  
SKU: 1324 - 4000K Day White 3800157620529



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	60lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	55°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	124x124x27mm
Cutting Size:	N/A
Box Qty:	50 Pcs





Step Light - IP65  
3W VT-1172-B

SKU: 1398 - 3000K Warm White 3800157628310  
SKU: 1399 - 4000K Day White 3800157628327



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-G

SKU: 1400 - 3000K Warm White 3800157628334  
SKU: 1401 - 4000K Day White 3800157628341



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light - IP65  
3W VT-1172-W

SKU: 1402 - 3000K Warm White 3800157628358  
SKU: 1403 - 4000K Day White 3800157628365



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Square
Dimension:	151x72x154mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-B

SKU: 1404 - 3000K Warm White 3800157628372  
SKU: 1405 - 4000K Day White 3800157628389



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Black
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-G

SKU: 1406 - 3000K Warm White 3800157628396  
SKU: 1407 - 4000K Day White 3800157628402



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF:	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	Grey
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Step Light-Round-IP65  
3W VT-1182-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	210lm
LED Type:	SMD
CRI:	>80
PF	>0.5

Beam Angle:	90°
Body Type:	PC
Color of Fixture:	White
Shape:	Round
Dimension:	Ø166x94mm
Cutting Size:	N/A
Box Qty:	20 Pcs



Steplight-Rectangle  
6W VT-856-B



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Black
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-G



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	Grey
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs

Steplight-Rectangle  
6W VT-856-W



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	240lm
LED Type:	SMD
CRI:	>70
PF	>0.6

Beam Angle:	120°
Body Type:	Aluminium
Color of Fixture:	White
Shape:	Rectangle
Dimension:	210x65x60mm
Cutting Size:	195x46mm
Box Qty:	50 Pcs



## LED Dome Lights

Create a better ambience in any environment with V-TAC's LED Dome Lights. These compact and easy to install lights make a perfect replacement for traditional dome lights.

### Product Features

- Non - flickering
- No uv radiation
- Easy installation
- Premium quality LED chip
- Premium quality power driver
- Instant start 0-100% in 0.01 seconds
- Extreme weather toleration (-20 to + 45 degrees centigrade)

### Applications

Mostly used in parking lots, passage's in big areas, exterior walls of prestigious buildings for ambience, airports, ports and malls.




Smart Domelight-Speaker-CCT Changeable

36w VT-5500

SKU:1490- RGB+3IN1

3800157645386



Sensor Compatible:	N/A
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3400lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle: 180°

Color of Fixture: White

Body Type: PC

Shape: Round

Dimension: Ø500x65mm

Box Qty: 8 Pcs



Domelight-Remote Control-CCT Changeable

60w VT-8555

SKU:1455- 3IN1

3800157637701

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø555x75mm
Box Qty:	6 Pcs



DIMMABLE


**COLOR  
CHANGING  
WITH REMOTE**

**NEW**




Domelight-Remote Control-CCT Changeable

40w VT-8401

SKU:1474-3IN1

3800157643559



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3200lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:400mm
PF:	>0.6	Box Qty:	10 Pcs




**DIMMABLE**

Domelight-Remote Control-CCT Changeable

65w VT-8501

SKU:1473-3IN1

3800157643542



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	4900lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:500mm
PF:	>0.6	Box Qty:	8 Pcs



**DIMMABLE**

NEW




## Domelight-Remote Control-CCT Changeable

40w VT-8402

SKU:1476-3IN1

3800157643573



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	2200lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:400mm
PF:	>0.6	Box Qty:	10 Pcs




DIMMABLE

## Domelight-Remote Control-CCT Changeable

65w VT-8502

SKU:1475-3IN1

3800157643566



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes	Beam Angle:	180°
Voltage/Frequency:	AC:200-240V,50/60Hz	Color of Fixture:	White
Luminous Flux:	3500lm	Body Type:	PC+Metal
IP Rating:	IP20	Shape:	Round
CRI:	>80	Dimension:	D:500mm
PF:	>0.6	Box Qty:	6 Pcs



DIMMABLE

**NEW**




Domelight-Remote Control-CCT Changeable

40w VT-8403

SKU:1460-3IN1

3800157643580



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	3200lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:400mm
Box Qty:	10 Pcs




**DIMMABLE**

Domelight-Remote Control-CCT Changeable

65w VT-8503

SKU:1461-3IN1

3800157643597



**COLOR  
CHANGING  
WITH REMOTE**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	10 Pcs




**DIMMABLE**

NEW



**COLOR  
CHANGING  
WITH REMOTE**



Domelight-Remote Control-CCT Changeable

65w VT-8504

SKU:1462- 3IN1

3800157643603

Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	4900lm
IP Rating:	IP20
CRI:	>80
PF:	>0.6

Beam Angle:	180°
Color of Fixture:	White
Body Type:	PC+Metal
Shape:	Round
Dimension:	D:500mm
Box Qty:	6 Pcs

Ceiling Lights - Round


14w VT-8073RD

SKU: 1428 - 3000K Warm White	3800157633147
SKU: 1429 - 4000K Day White	3800157633154
SKU: 1430 - 6400K White	3800157633161



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1000lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	257x65mm
Box Qty:	20 Pcs



Ceiling Lights - Round

20w VT-8074RD

SKU: 1431 - 3000K Warm White	3800157633178
SKU: 1432 - 4000K Day White	3800157633185
SKU: 1433 - 6400K White	3800157633192



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	290x65mm
Box Qty:	10 Pcs





Ceiling Lights - Square

20w VT-8074SQ

SKU: 1434 - 3000K Warm White 3800157633208  
 SKU: 1435 - 4000K Day White 3800157633215  
 SKU: 1436 - 6400K White 3800157633222



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1500lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	280x280x60mm
Box Qty:	10 Pcs



Ceiling Lights - Round


24w VT-8075RD

SKU: 1437 - 3000K Warm White 3800157633239  
 SKU: 1438 - 4000K Day White 3800157633246  
 SKU: 1439 - 6400K White 3800157633253



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	340x65mm
Box Qty:	10 Pcs



Ceiling Lights - Square

32w VT-8076SQ

SKU: 1443 - 3000K Warm White 3800157633291  
 SKU: 1444 - 4000K Day White 3800157633307  
 SKU: 1445 - 6400K White 3800157633314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2600lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Square
Dimension:	330x330x65mm
Box Qty:	10 Pcs



Ceiling Lights - Round

32w VT-8076RD

SKU: 1440 - 3000K Warm White 3800157633260  
 SKU: 1441 - 4000K Day White 3800157633277  
 SKU: 1442 - 6400K White 3800157633284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	2800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø390x65mm
Box Qty:	10 Pcs



## Ceiling Lights - Square

15W VT-8033SQ


SKU: 1390 - 3000K Warm White 3800157626477  
 SKU: 5567 - 4000K Day White 3800157610360  
 SKU: 1391 - 6400K White 3800157626484

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	200x200x47.5
Box Qty:	20 Pcs



## Ceiling Lights - Round

15W VT-8033RD


SKU: 1388 - 3000K Warm White 3800157626453  
 SKU: 5566 - 4000K Day White 3800157610353  
 SKU: 1389 - 6400K White 3800157626460

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1250lm
IP Rating:	IP44
CRI:	>80
PF:	>0.6

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø200x47.5mm
Box Qty:	20 Pcs



## Ceiling Lights - Square

25W VT-8066SQ


SKU: 1395 - 3000K Warm White 3800157628280  
 SKU: 1396 - 4200K Day White 3800157628297  
 SKU: 1397 - 6500K White 3800157628303

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Square
Dimension:	300x300x50mm
Box Qty:	10 Pcs



## Ceiling Lights - Round

25W VT-8066RD


SKU: 1392 - 3000K Warm White 3800157628259  
 SKU: 1393 - 4200K Day White 3800157628266  
 SKU: 1394 - 6500K White 3800157628273

TRIMLESS  
 Luxurious Finish  
 SURFACE MOUNTED



Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	2000lm
IP Rating:	IP44
CRI:	>80
PF:	>0.9

Beam Angle:	110°
Color of Fixture:	White
Body Type:	PC
Shape:	Round
Dimension:	Ø300x50mm
Box Qty:	10 Pcs



Dome Series - Rectangle Oval


8W VT-8038-B

SKU: 1308 - 3000K Warm White 3800157620260  
 SKU: 1309 - 4500K Day White 3800157620277  
 SKU: 1310 - 6000K White 3800157620284



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Dome Series - Rectangle Oval


8W VT-8038-W

SKU: 1311 - 3000K Warm White 3800157620291  
 SKU: 1312 - 4000K Day White 3800157620307  
 SKU: 1313 - 6000K White 3800157620314



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	PC
Shape:	Rectangle
Dimension:	190x100x55mm
Box Qty:	20 Pcs



Bling Star


8W VT-8061

SKU: 1370 - 3000K Warm White 3800157626262  
 SKU: 1371 - 4000K Day White 3800157626279  
 SKU: 1372 - 6400K White 3800157626286



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	560lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø215x78mm
Box Qty:	20 Pcs



Bling Star


12W VT-8062

SKU: 1373 - 3000K Warm White 3800157626293  
 SKU: 1374 - 4000K Day White 3800157626309  
 SKU: 1375 - 6400K White 3800157626316



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	840lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø260x92mm
Box Qty:	10 Pcs



## Bling Star


18W VT-8063

SKU: 1376 - 3000K Warm White 3800157626323  
 SKU: 1377 - 4000K Day White 3800157626330  
 SKU: 1378 - 6400K White 3800157626347



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1260lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø290x92mm
Box Qty:	10 Pcs



## Bling Star


24W VT-8064

SKU: 1379 - 3000K Warm White 3800157626354  
 SKU: 1380 - 4000K Day White 3800157626361  
 SKU: 1381 - 6400K White 3800157626378



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1680lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Iron+PMMA
Shape:	Round
Dimension:	Ø330x102mm
Box Qty:	10 Pcs



## Ceiling Lights - Round


12W VT-8031

SKU: 1414 - 3000K Warm White 3800157630092  
 SKU: 5563 - 4500K Day White 3800157610322  
 SKU: 5562 - 6500K White 3800157610315



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	800lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø250x80mm
Box Qty:	16 Pcs



## Ceiling Lights - Round


24W VT-8032

SKU: 1415 - 3000K Warm White 3800157630108  
 SKU: 5565 - 4500K Day White 3800157610346  
 SKU: 5564 - 6500K White 3800157610339



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1700lm
IP Rating:	IP20
CRI:	>80
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Metal+PMMA
Shape:	Round
Dimension:	Ø320x95mm
Box Qty:	10 Pcs



Dome Series - Oval


8W VT-8014-OV-B

SKU: 1267 - 3000K Warm White 3800157611893  
 SKU: 1266 - 4000K Day White 3800157611886  
 SKU: 1268 - 6400K White 3800157611909



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


8W VT-8014-OV-W

SKU: 1264 - 3000K Warm White 3800157611862  
 SKU: 1263 - 4500K Day White 3800157611855  
 SKU: 1265 - 6400K White 3800157611879



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø126x76mm



Dome Series - Oval


12W VT-8016-B

SKU: 5056 - 4500K Day White 3800157603980



Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



Dome Series - Oval


12W VT-8016-W

SKU: 5053 - 6400K White 3800157603324



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø245x96mm



## Dome Series - Round


8W VT-8014-RD-W

SKU: 4999 - 3000K Warm White 3800157602556  
 SKU: 1259 - 4500K Day White 3800157611817  
 SKU: 4997 - 6400K White 3800157602259



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



## Dome Series - Round


8W VT-8014-RD-B

SKU: 1261 - 3000K Warm White 3800157611831  
 SKU: 1260 - 4000K Day White 3800157611824  
 SKU: 1262 - 6000K White 3800157611848



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	560lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø180x82mm



## Dome Series - Oval


12W VT-8015-B

SKU: 1349 - 3000K Warm White 3800157624046  
 SKU: 5052 - 4000K Day White 3800157603317  
 SKU: 5051 - 6400K White 3800157603300



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



## Dome Series - Round


12W VT-8015-W

SKU: 4998 - 3000K Warm White 3800157602549  
 SKU: 5050 - 4500K Day White 3800157603294



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>70
PF:	>0.5

Beam Angle:	120°
Color of Fixture:	White
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Round
Box Qty:	Ø220x105mm



Dome Series - Oval


12w VT-8010-B

SKU: 1350 - 3000K Warm White 3800157624053  
 SKU: 4973 - 4500K Day White 3800230629050  
 SKU: 1269 - 6400K White 3800157611916



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9

Beam Angle:	120°
Color of Fixture:	Black
Body Type:	Plastic CLAD Alu-
Shape:	minium
Dimension:	Oval
Box Qty:	Ø242x96mm



Dome Series - Oval


12w VT-8010-W

SKU: 1351 - 3000K Warm White 3800157624060  
 SKU: 1353 - 6000K White 3800157624084



Sensor Compatible:	Yes
Voltage/Frequency:	AC:200-240V,50/60Hz
Luminous Flux:	840lm
IP Rating:	IP54
CRI:	>80
PF:	>0.9


Beam Angle:	110°
Color of Fixture:	White
Body Type:	Plastic CLAD Aluminium
Shape:	Oval
Dimension:	Ø242x96mm
Box Qty:	10 Pcs



Dome Sensor Series

VT-8002C

SKU: 4966 3800230625816




Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max. 60W(E27)

Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP44
Dimension:	Ø296x96mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12mins±1min

Dome Sensor Series

16w VT-8001C

SKU: 1281 - 3000K Warm White 3800157612678  
 SKU: 1282 - 6000K White 3800230625809  
 3800157612685




Built In LED



Sensor Type:	Microwave
Color:	White
Detection Range:	360°
Voltage:	AC:200-240V,50/60Hz
Rated Load:	16w
Watts:	16w


Detection Distance:	1-8m(radius) adjustable
Body Type:	PC
IP Rating:	IP54
Dimension:	Ø296 x 96mm
Time Delay:	Min. 10 sec to 12 min
Box Qty:	5 Pcs



## Dome Sensor Series

12w VT-8017

SKU: 5057 - 3000K Warm White 3800157605250  
 SKU: 5058 - 4000K Day White 3800157605267  
 SKU: 5059 - 6400K White 3800157605274



Sensor Type:	PIR
Color:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	12W(24PCS LED)
Watts:	12w

Detection Distance:	Max. 6m(<24°C)
Body Type:	Plastic CLAD Aluminium
IP Rating:	IP20
Dimension:	Ø290x60mm
Time Delay:	Min. 10sec±3sec,
Box Qty:	Max. 12min±1min







**5** **YEAR**  
**WARRANTY\***



## Fire Rated Light With Anti-glare Lens


- ✔ IP65 Rating.
- ✔ Integrated COB LED (Non-replaceable).
- ✔ Isolate driver with terminal for easy and speedy installation.
- ✔ Designed to retain 30,60,90 minutes of fire integrity of ceiling and subsequent load bearing floors.

## Color Changing

Easily can change Color from  
2700-6500K

## Dimmable

Controls brightness level from  
0% To 100%





**5** YEAR WARRANTY\*

Fire Rated Downlight With White Bezel

10w VT-7710

SKU: 1424 - 3 IN 1

3800157633109

**Changeable bezel options:**



Black  
SKU- 1425



Brush Nickel  
SKU - 1426



Polish Chrome  
SKU- 1427

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	850lm
LED Type:	COB
Body Type:	Aluminium
Beam Angle:	38°
Life Span:	30,000 Hours
Unit Size:	Ø83x57mm
IP Rating:	IP65
Box Qty:	40 Pcs



**CCT AND DIMMING**  
VIA SMART PHONE APP



DIMMABLE



QUICK CONNECTOR



Fire Rated Downlight With Satin Nickel

7W VT-7077-SN

SKU: 1419 - 3000K Warm White 3800157630375  
 SKU: 1420 - 4000K Day White 3800157630382  
 SKU: 1421 - 6400K White 3800157630399



**Optional Bezel Changeable:**



Chrome SKU- 1423

Voltage/Frequency:	AC:220-240V,50Hz
Lumens:	600lm
LED Type:	COB
Body Type:	Aluminium Alloy & Iron
Beam Angle:	38°

Life Span:	30,000 Hours
Unit Size:	Ø85x52mm
Cutting Size:	Ø72mm
IP Rating:	IP65
Box Qty:	50 Pcs

**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3131 EAN: 3800157634793

Model:	VT-7011-W	IP Rating:	IP20
Base:	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast Aluminum	Cutting Size:	Ø65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	White		

**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3132 EAN: 3800157634809

Model:	VT-7011-SN	IP Rating:	IP20
Base:	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast Aluminum	Cutting Size:	Ø65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	Satin Nickel		

**90 MIN Fire Rated**

**Twist & Lock**

**Fire Rated Fitting-GU10**  
 SKU: 3133 EAN: 3800157634816

Model:	VT-7011	IP Rating:	IP20
Base:	GU10	Dimension:	Ø80x105mm
Material:	Steel+Die Cast Aluminum	Cutting Size:	Ø65mm
Shape:	Round	Box Qty:	50 Pcs
Color of Fxture:	Chrome		

**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3683 EAN: 3800157626880

Model:	VT-702-SN	IP Rating:	IP65
Base:	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Satin Nickel		

**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3684 EAN: 3800157626897


Model:	VT-702-W	IP Rating:	IP65
Base:	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	White		

**90 MIN Fire Rated**

**IP65 RATING**

**Fire Rated Fitting-GU10**  
 SKU: 3685 EAN: 3800157626903

Model:	VT-702-CH	IP Rating:	IP65
Base:	GU10	Dimension:	Ø86mmx115mm
Material:	Steel	Cutting Size:	65mm
Shape:	Round	Box Qty:	40 Pcs
Color of Fxture:	Chrome		




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3686 EAN: 3800157626910

Model:	VT-703-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3687 EAN: 3800157626927

Model:	VT-703-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3688 EAN: 3800157626934

Model:	VT-703-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome

IP Rating:	IP20
Dimension:	Ø82mmx130mm
Cutting Size:	68mm
Box Qty:	40 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3680 EAN: 3800157626859

Model:	VT-701-SN
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Satin Nickel

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs




**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3681 EAN: 3800157626866

Model:	VT-701-W
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	White

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs



**90 MIN**  
Fire Rated

**Fire Rated Fitting-GU10**

SKU: 3682 EAN: 3800157626873

Model:	VT-701-CH
Base:	GU10
Material:	Steel
Shape:	Round
Color of Fxture:	Chrome

IP Rating:	IP20
Dimension:	Ø80mmx115mm
Cutting Size:	65mm
Box Qty:	50 Pcs



# Motion Sensors

Many areas like lobbies, parking garages, staircases remain unused for long hours, but do need lighting to be lit automatically in case of movement. A motion sensor is a device, which detects movements, and in some cases light conditions and then transmits a signal for illumination.

## Product Features

- Power saving
- Available for indoor and outdoor purposes
- Compatible with most of our models
- Proven quality from reliable suppliers
- Wide range of models to choose from

## Applications

- Outdoor Areas like parking garages, gardens compounds and yards
- Indoor areas like walkways, lobbies and staircases.



Infrared Sensor  
Max 1000W(LED)

**VT-8027-W**

SKU: 5086 3800157609173

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	625x220x265mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor  
Max 1000W(LED)

**VT-8027-B**

SKU: 5087 3800157609180

Sensor Type:	Infrared
Colour:	Black
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 1000W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	625x220x265mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44  
Max 400W(LED)

**VT-8028-W**

SKU: 5088 3800157609197

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



Infrared Sensor-Moving Head-IP44  
Max 400W(LED)

**VT-8028-B**

SKU: 5089 3800157609203

Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	445X345X19mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs




Infrared Sensor  
Max 300W(LED)

**VT-8029**

SKU: 5090 3800157609210

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	76x75.6mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-Moving Head**  
Max 400W(LED)


**VT-8030**

SKU: 5091 3800157609227



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 400W(LED)
Detection Distance:	Max. 8m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	98x73x82mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-IP44**  
Max 300W(LED)

**VT-8003-W**

SKU: 4967 3800230625823



Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs



**Infrared Sensor-IP44**  
Max 300W(LED)

**VT-8003-B**

SKU: 5077 3800157606875



Sensor Type:	Infrared
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP44
Dimension:	86.4x60.4x98mm
Time Delay:	Min. 10sec±3sec, Max. 7min±2min
Box Qty:	50 Pcs



**Infrared Sensor**  
Max 300W(LED)

**VT-8004**

SKU: 4968 3800230625830



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	PC
IP Rating:	IP20
Dimension:	Ø88x55mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	50 Pcs



**Infrared Sensor-E27**  
Max 60W


**VT-8005**

SKU: 4982 3800157600071



Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 60W
Detection Distance:	Max. 6m(<24°C)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	55.5x116.5mm
Time Delay:	Min. 10sec±3sec, Max. 5min±1min
Box Qty:	50 Pcs





## Infrared Sensor-IP44

Max 300W(LED)

VT-8048

SKU: 1354

3800157624794

Sensor Type:	Infrared
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)

Body Type: PC

IP Rating: IP44

Dimension: 86.4x86.4x60.4mm

Time Delay: Min. 10sec±3sec, Max. 7min±2min

Box Qty: 50 Pcs



## Infrared Sensor

Max 300W(LED)

VT-8049

SKU: 1355

3800157624800

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 12m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)

Body Type: PC

IP Rating: IP20

Dimension: 88x55mm

Time Delay: Min. 10sec±3sec, Max. 15min±2min

Box Qty: 50 Pcs



## Infrared Sensor

Max 300W(LED)

VT-8051

SKU: 1356

3800157624817

Sensor Type:	Infrared
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	Max. 6m(<24°C)

## Manual Override Function:

1. Automatic Sensor Override Mode - Turn the switch OFF and ON within 3 Seconds, the sensor will be overridden and switched off. The light will work continuously and normally.(Make sure the automatic mode is switched ON before using this functionality).
2. Sensor Switch On - Turn the switch OFF for 20 seconds and switch it back ON. The sensor will restart and work as per the settings adjusted.
3. If the light is left idle for a longer period of time, the sensor will automatically switch back to automatic mode (Possible when the outside light reaches 100Lux).

Ambient Light: &lt;3-2000LUX(adjustable)


Body Type: PC

IP Rating: IP20

Dimension: 76x75.6mm

Time Delay: Min. 10sec±3sec, Max. 15min±2min

Box Qty: 50 Pcs



## Day Light Sensor - 1-10V

VT-8059

SKU: 1369

3800157625982

Colour:	White
Detection	360°
Range:	1% - 100%
Dimming	DC:1-10V
Range:	PC
Voltage:	IP20
Body Type:	100 Pcs

Daylight sensor supplies a simple and effective solution for daylight harvesting. Connecting to 1-10V Power source and using with LED dimmable driver.

The illuminations level of lamps will get darker when ambient light gets brighter.

When daylight is insufficient, the lamp will be in 100% Illumination level, and turns to 1% Level when daylight is sufficient enough, then gradually back to 100% level when it is getting darker.






**NEW**

Infrared Sensor  
1000w(LED)

**VT-8083-B**  
SKU: 15011 3800157641265



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.5x56x712.5mm
Rated Load:	1000w(LED)	Time Delay:	Min.10sec±3sec, Max. 30min±2min
Detection Distance:	20m(max)	Box Qty:	50 Pcs




**NEW**

Infrared Sensor  
1000w(LED)

**VT-8083-W**  
SKU: 1500 3800157641258



Sensor Type:	Infrared	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC
Detection Range:	360°	IP Rating:	IP20
Voltage:	AC:220-240V,50/60Hz	Dimension:	86.5x56x712.5mm
Rated Load:	1000w(LED)	Time Delay:	Min.10sec±3sec, Max. 30min±2min
Detection Distance:	20m(max)	Box Qty:	50 Pcs




**NEW**

Microwave Sensor  
300w(LED)

**VT-8084-B**  
SKU: 15031 3800157641289



Sensor Type:	Microwave	Ambient Light:	<3-2000LUX (adjustable)
Colour:	Black	Body Type:	PC+Glass
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	95x50x95mm
Rated Load:	300w(LED)	Time Delay:	Min.10sec±3sec, Max. 12min±1min
Detection Distance:	5-15m	Box Qty:	50 Pcs




**NEW**

Microwave Sensor  
300w(LED)

**VT-8084-W**  
SKU: 15021 3800157641272



Sensor Type:	Microwave	Ambient Light:	<3-2000LUX (adjustable)
Colour:	White	Body Type:	PC+Glass
Detection Range:	180°	IP Rating:	IP65
Voltage:	AC:220-240V,50/60Hz	Dimension:	95x50x95mm
Rated Load:	300w(LED)	Time Delay:	Min.10sec±3sec, Max. 12min±1min
Detection Distance:	5-15m	Box Qty:	50 Pcs



### Infrared-Hand Gesture Detection Max 200W(LED)

#### VT-8025


SKU: 5084 3800157608046



On/Off via Moving Hand

Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x20.6mm
Box Qty:	100 Pcs



### Infrared-Door Detection Max 200W(LED)

#### VT-8026


SKU: 5085 3800157608053



On/Off via the opening and closing of the door

Sensor Type:	Infrared
Colour:	White
Detection Range:	30°
Voltage:	AC:110-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5cm/6cm(<24°C)

Body Type:	Plastic
IP Rating:	IP20
Dimension:	35.5x78.2x18.7mm
Box Qty:	100 Pcs



### Microwave Sensor-IP65 Max 200W(LED)

#### VT-8036-W

SKU: 5571 3800157620246



Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



### Microwave Sensor-IP65 Max 200W(LED)

#### VT-8036-B

SKU: 5572 3800157620253



Sensor Type:	Microwave
Colour:	Black
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	5m/10m

Ambient Light:	<25-2000LUX
Body Type:	Plastic
IP Rating:	IP65
Dimension:	115x35x25mm
Time Delay:	Min. 10sec±3sec, Max. 15min±2min
Box Qty:	100 Pcs



### Microwave Sensor Max 300W(LED)


#### VT-8018

SKU: 5078 3800157606882



Sensor Type:	Microwave
Colour:	White
Detection Range:	180° / 360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) adjustable

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	37x25x61.5mm
Time Delay:	Min. 10sec±3sec, Max. 12min±1min
Box Qty:	100 Pcs






**Housing Case-IP65**

**VT-8021**

SKU: 5079 3800157606899

Colour:	White
IP Rating:	IP65
Dimension:	134x66.5mm
Box Qty:	50 Pcs



**Photocell Sensor-IP44**


**VT-8019**

SKU: 5081 3800157608015



Sensor Type:	Photocell
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50Hz
Ambient Light:	<5-15LUX(adjustable)

Body Type:	Plastic
IP Rating:	IP44
Dimension:	35.5x46x44.1mm
Time Delay:	5 sec to 8 min (adjustable)
Box Qty:	100 Pcs



**Infrared Sensor-IP44**

**Max 200W(LED)**


**VT-8022**

SKU: 5082 3800157608022



Sensor Type:	Infrared
Colour:	White
Detection Range:	120°/360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 200W(LED)
Detection Distance:	3/6m(<24°C)

Ambient Light:	10LUX/2000LUX(choice)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	36.8x25.5x55.4mm
Time Delay:	5s,30s,1min,3min,5min,8min(choice)
Box Qty:	100 Pcs



**Microwave Sensor**

**Max 300W(LED)**


**VT-8077**

SKU: 1446 3800157634755



Sensor Type:	Microwave
Colour:	White
Detection Range:	360°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	1-8m(radius) Adjustable

Ambient Light:	0<3-2000LUX(Adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80.7x42.1x43.8mm
Time Delay:	Min. 10sec±3sec, Max.12min±1min
Box Qty:	100 Pcs



**Microwave Sensor**

**Max 300W(LED)**


**VT-8023**

SKU: 5083 3800157608039



Sensor Type:	Microwave
Colour:	White
Detection Range:	180°
Voltage:	AC:220-240V,50/60Hz
Rated Load:	Max 300W(LED)
Detection Distance:	5m-15m(adjustable)

Ambient Light:	<3-2000LUX(adjustable)
Body Type:	Plastic
IP Rating:	IP20
Dimension:	80x80x32mm
Time Delay:	10 sec to 12 min (adjustable)
Box Qty:	100 Pcs





## LED Emergency Lights

V-TAC features a line of premium quality LED emergency lights for clear and bright emergency illumination. Inclusive of evident exit signs, these signs are powered by high performance batteries, rendering a longer lifespan and lower maintenance. V-TAC's emergency lights and signs are a practical and valuable asset to many applications inclusive of offices, hotels, hospitals and residential areas.

### Product Features

- Thermoplastic PC housing, Rectangular type plastic with different signs
- Single or double face configuration
- ✓ Universal (wall, side or ceiling) mounting
- ⚡ Low energy consumption only 2.0 watts at 120V
- ⊙ LED indicator light and push button test switch
- LED LEDs mounted on print circuit board
- ⌚ 24 hours recharge after more than 3 Hours discharge
- 🔧 Efficient thermal management technology
- 🔩 Corrosion free mounting clamps
- 🔋 High performance Ni-Cd batteries made for Longevity & low maintenance
- ✓ Reliable Emergency backup of 3 hours




Exit Light - Surface

2W VT-519

SKU: 8099 - 6000K White 3800157623155

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

**24Hrs**  
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light - Surface

2W VT-519-12

SKU: 8312 - 6000K White 3800157630764

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

**12Hrs**  
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Surface Hanging

2W VT-520

SKU: 8100 - 6000K White 3800157623162

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

**24Hrs**  
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	24 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




Exit Light-Surface Hanging

2W VT-520-12

SKU: 8313 - 6000K White 3800157630771

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Surface/Ceiling Mounted
Viewing Distance:	22 Meters From Both Sides

**12Hrs**  
CHARGING TIME



Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs




## Exit Light-Hanging

2w VT-521-12

SKU: 8314 - 6000K White 3800157630788

Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Hanging
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 Hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



## Exit Light-Recessed


2w VT-522-12

SKU: 8315 - 6000K White 3800157630795



Lamp Type:	16 SMD LEDs
Lumens:	160lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP20
Material :	PC
Exit Lamp Type:	Recessed Fixed
Viewing Distance:	22 Meters From Both Sides

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,600mAh
Recharging Time:	12 hours
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Way Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs



## Exit Light - Bulkhead


3w VT-523-12

SKU: 8311 - 6000K White 3800157630757

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6v,1500mAh
Recharging Time:	12 Hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs



NEW



## Emergency -Bulkhead

3w VT-533

SKU:8437 - 6000K White 3800157641296

Lamp Type:	16 SMD LEDs
Lumens:	140lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	ABS+PC

Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-cd 3.6V, 1200mAh
Recharging Time:	24 Hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	10 Pcs






Exit Light - Bulkhead

4w VT-524-12

SKU: 8382 - 6000K White 3800157635493

**12Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type:	30 SMD LEDs
Lumens:	190lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC


Exit Lamp Type:	Wall - Bulkhead
Viewing Distance:	22 Meters From One side
Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 4.8V,900mAh
Recharging Time:	12 hours

Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	4 Ways Legend Available
Mode Of Operation:	Maintained
Box Qty:	12 Pcs

Emergency-Downlight

3w VT-503

SKU: 8274 - 5500K White 3800157627269



Material:	Poly Carbonate & Aluminium
Mounded:	Ceiling Recessed
Life Time Of Battery:	2 Years
Light Output (Emergency):	140lm
Lamp Protection:	Over Charge And Discharge Protection
Led Indicator:	Green Light Indicator Test Button
Charging Current:	90mA

Convert Voltage:	AC:155V
Discharging Current:	300mA
Discharge Duration:	3 Hours
Spec Of Battery:	3.6V 1800mAh Ni-cd Battery
Packing:	38.5x22x25mm
IP Rating:	IP20
Mode Of Operation:	Non Maintained
Box Qty:	20 Pcs

Emergency-Twin Spotlight


6w VT-526-IP65

SKU: 80981 - 6000K White 3800157623148



**24Hrs**  
CHARGING TIME

**IP65**  
RATING



Lamp Type:	2x6 SMD LEDs
Lumens:	300lm
Input Voltage:	AC:220-240V,50/60Hz
Protection Rating:	IP65
Material :	PC
Exit Lamp Type:	Wall Mounted
Viewing Distance:	22 Meters From One side

Emergency Operation Time:	>3 Hours
Battery:	Ni-Cd 3.6V,300mAh
Recharging Time:	24 Hours(intial charge 36 hours)
Test Button:	Green Light Indicator Test Button
Stickers:	4 Stickers
Legends:	2 Ways Legend Available
Mode Of Operation:	Non Maintained
Box Qty:	5 Pcs



# LED Floor & Table Lamps

Most cozy & favorite corners always deserve comfortable lighting conditions. To cater to this need, we bring to you an exclusive range of LED table lamps. Designed with a touch of class, these lamps deliver sufficient and smooth lighting, with unique and suitable functions for both task and ambient lighting.

## Product Features

- Energy efficient lighting
- Easily adjustable for your convenience
- Multiple functions like dimming, color changing, and more
- With USB charging functionality
- Sleek and modern design

## Applications

Table lamps can be used in any space, though they are most often found in bedrooms, living rooms at home next to sofas, chairs or beds. Also a good accessory to be a part of the office decor.






Floor Lamp-Touch Dimming  
80w

Silver	<b>VT-8400D-S</b>
SKU: 8521 4000K Day White	3800157638104
White	<b>VT-8400D-W</b>
SKU: 8522 4000K Day White	3800157638111

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:4200/Down:3800
CRI:	>80
PF:	>0.9
Beam Angle:	110°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	310x52x1950mm
Box Qty:	1 Pc



UP-DOWN  
LIGHTS



## Floor Lamp-Knob Dimming-Round

80w

Silver VT-8500D-S

SKU: 8523 4000K Day White 3800157638128

White VT-8500D-W

SKU: 8524 4000K Day White 3800157638135

Voltage/Frequency: AC:100-240V,50/60Hz

Luminous Flux: UP:5200/Down:3600

CRI: &gt;80

PF: &gt;0.9


Beam Angle: 110°/90°

Color: Silver

Body Type: Aluminium Alloy+PC

Dimension: 280x35x1950mm

Box Qty: 1 Pc

KNOB  
DIMMINGUP-DOWN  
LIGHTS



Floor Lamp-Knob Dimming-Square  
80w


Silver **VT-8600D-S**  
SKU: 8525 4000K Day White 3800157638142

White **VT-8600D-W**  
SKU: 8526 4000K Day White 3800157638159

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	UP:5200/Down:3600
CRI:	>80
PF:	>0.9
Beam Angle:	110°/90°
Color:	Silver
Body Type:	Aluminium Alloy+PC
Dimension:	280x35x1950mm
Box Qty:	1 Pc



UP-DOWN  
LIGHTS



## Table Lamps-Slim

6.5w VT-1037 **SKU: 8520 3IN 1**  
3800157637718

Voltage/Frequency:	DC:12V,1A
Luminous Flux:	110lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	PC-Rubber Finish
Dimension:	562x65x21mm
Box Qty:	10 Pcs



- Flexible LED Table Lamp bends 0-180 degrees on both sides.
- Touch power switch and dimmer
- Color temperature Switch

## Table Lamps-Wireless

16w VT-1027 **SKU: 8519 - 3 IN 1**  
3800157637527

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	1000lux
CRI:	>80
PF:	>0.5
Beam Angle:	120°

Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	12 Pcs



- Wireless Charging.
- 5 Levels of Brightness Dimming
- Watts as per led 0.2W.
- Rating Input DC:12V/1.5A


## Table Lamps-White+Silver

4w VT-1014-S

**SKU: 7098 - 3 IN 1** 3800157616980

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Silver
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs




## Table Lamps-White+Gold

4w VT-1014-G

**SKU: 7099 - 3 IN 1** 3800157616997

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White+Gold
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs




## Table Lamps-Black

4w VT-1014-B

**SKU: 8500 - 3 IN 1** 3800157617215

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	120lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+PC+Aluminium
Dimension:	200x50x263mm
Box Qty:	25 Pcs





**Table Lamps-Grey**


**7W VT-1007D-G**

SKU: 7034 - 5000K White 3800157603836



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Grey
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs



**Table Lamps-Pink**


**7W VT-1007D-P**

SKU: 7042- 5000K White 3800157605311



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Pink
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs



**Table Lamps-Blue**

**7W VT-1007D-B**

SKU: 7043- 5000K White 3800157605328



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	850lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Blue
Body Type:	ABS
Dimension:	330x130x380mm
Box Qty:	8 Pcs



**Table Lamps-3 In 1-Dimmable**


**7W VT-1009D-W**

SKU: 7039 - 3 IN 1 3800157605281



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	650lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	9 Pcs



**Table Lamps-3 In 1-Dimmable**


**7W VT-1009D-B**

SKU: 7040 - 3 IN 1 3800157605298



Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	650lux
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black+White
Body Type:	ABS+Aluminium
Dimension:	240x396x180mm
Box Qty:	9 Pcs





## Table Lamps-3 In 1-Dimmable

10W VT-1010D

SKU: 7033 - 3 IN 1 3800157603829

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 700lm  
CRI: >80  
PF: >0.45



DIMMABLE

Beam Angle: 120°  
Color: White+Silver  
Body Type: ABS+Aluminium  
Dimension: 328x445x205mm  
Box Qty: 12 Pcs



## Table Lamps-3 In 1-Dimmable

7W VT-1008D

SKU: 7035 - 3 IN 1 3800157603843

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 400lm  
CRI: >80  
PF: >0.45



DIMMABLE

Beam Angle: 120°  
Color: White  
Body Type: ABS  
Dimension: 170x352x113mm  
Box Qty: 16 Pcs



## Desk Lamp-White

5W VT-1015-W


SKU: 7051 - 4000K Day white  
3800157610650

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 360lm  
CRI: >80  
PF: >0.45



Touch Control

Beam Angle: 90°  
Color: White  
Body Type: ABS+Metal  
Dimension: 210x136x32mm  
Box Qty: 6 Pcs



## Desk Lamp-Touch Dimming

5W VT-1015-B


SKU: 7052 - 4000K Day white  
3800157610667

Voltage/Frequency: AC:100-240V,50/60Hz  
Luminous Flux: 360lm  
CRI: >80  
PF: >0.45



Touch Control

Beam Angle: 90°  
Color: Black  
Body Type: ABS+Metal  
Dimension: 210x136x32mm  
Box Qty: 6 Pcs




## Table Lamps

5.5W VT-1046

SKU: 8514 - 3000K Warm White  
3800157627245

Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 420lm  
CRI: >80  
PF: >0.5

Beam Angle: 110°  
Color: White  
Body Type: Plastic+Metal  
Dimension: 142x101.8x310mm  
Box Qty: 12 Pcs





Desk Lamp-White

7W VT-1017-W

SKU: 7053 - 4000K Day white  
3800157610674

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	White
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs



Desk Lamp-Touch Dimming

7W VT-1017-B

SKU: 7054 - 4000K Day white  
3800157610681

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.45

Beam Angle:	120°
Color:	Black
Body Type:	ABS+Metal
Dimension:	376x166x270mm
Box Qty:	12 Pcs



Table Lamps-Bakelite-E27

VT-7151-GR

SKU: 3912 3800157626071

Body Type:	Glass+Metal
Holder:	E27
Color:	Green
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY\*




Table Lamps-Bakelite-E27

VT-7151-B

SKU: 3913 3800157626088

Body Type:	Glass+Metal
Holder:	E27
Color:	Blue
Dimension:	260x180x360mm
Box Qty:	6 Pcs

5 YEAR WARRANTY\*





Table Lamps-Bakelite-E27

VT-7151-GD

SKU: 3914 3800157626095

Body Type:	Glass+Metal
Holder:	E27
Color:	Yellow
Dimension:	260x180x360mm
Box Qty:	6 Pcs


5 YEAR WARRANTY\*






**NEW**
**Table Lamps+Speaker**
**2\*3W VT-7456**

Voltage/Frequency:	DC:5V
Working Time:	2-3 Hours
Battery Type:	Lithium 1800mAh
Charging Time:	3 Hours
Dimension:	Ø92x218mm
Box Qty:	12 Pcs

- LED wireless speaker with Bluetooth technology
- Output of 2x3W
- Dancing RGB colorful lights
- Soft rubber finish with touch buttons
- USB & TF card slot
- Bluit in 3.5mm Aux input
- Rechargeable Lithium battery
- Battery capacity 1800 mAh


 SKU: 8570 | Red Body  
3800157645140

 SKU: 8571 | Blue Body  
3800157645157

 SKU: 8569 | Black Body  
3800157645164

**Floor Lamp**
**7W VT-7700**

 SKU White: 8507 - 4000K Day White 3800157620406  
 SKU Black: 8508 - 4000K Day White 3800157620413

**Built In LED**

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	420lm
CRI:	>80
PF:	>0.5
Beam Angle:	120°
Body Type:	ABS+Metal
Dimension:	Ø220x440x1405mm
Box Qty:	3 Pcs




**NEW**

Floor Lamp-E27

**VT-7451**

SKU: 8564 Black 3800157644167  
 SKU: 8565 Ivory 3800157644174

Max. Watts:	60W
Body Type:	Marble+Metal
Holder:	E27
Dimension:	1920x1960mm
Box Qty:	1 Pc



Floor Lamp-E27

**VT-7500**

SKU Black: 7055 3800157610698  
 SKU Silver: 7056 3800157610704

Max. Watts:	60W
Body Type:	ABS+Metal
Holder:	E27
Dimension:	250x250x1800mm
Box Qty:	4 Pcs




Floor Lamp-E27

**VT-7600**

SKU Black: 3703 3800157610766  
 SKU White: 3704 3800157610773

Max. Watts:	60W
Body Type:	Metal With Sand Finish
Holder:	E27
Dimension:	140x200x1600mm
Box Qty:	4 Pcs



Desk Lamp

5W

VT-1035



Touch Control

SKU Purple : 8501 - 4000K Day White 3800157620345  
 SKU Blue: 8503 - 4000K Day White 3800157620369

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	300lm
CRI:	>80
PF:	>0.45

Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x233mm
Box Qty:	6 Pcs

Hanging Lamp

7W

VT-1036

SKU Purple: 8504 - 4000K Day White 3800157620376  
 SKU White: 8505 - 4000K Day White 3800157620383  
 SKU Blue: 8506 - 4000K Day White 3800157620390

Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	360lm
CRI:	>80
PF:	>0.45
Beam Angle:	90°
Body Type:	PC+Metal
Dimension:	Ø150x151x1241mm
Box Qty:	9 Pcs











# LED Innovative Lights

An innovative and sustainable way of lighting up your outdoors. V-TAC's LED Solar Outdoor lights can function for up to 24 hours, with just 6-7 hours charging during the day. Inbuilt sensors allow these outdoor lamps to light up upon detection of movement.

## Product Features

-  ZERO Electricity Cost
-  Solar Powered
-  PIR Detective
-  Outdoor
-  Light on/off automatically
-  Cordless

## Applications


Suitable for Outdoor and Indoor Lighting



### Solar Wall Light-IP65

## 1.5W VT-767-2-W

SKU: 8276 - 4000K Day White 3800157627931



Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs


Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



### Solar Wall Light-IP65

## 1.5W VT-767-2-B

SKU: 8277 - 4000K Day White 3800157627948



Battery:	3.7V Lithium Battery 1200mAh
Lumens:	220lm
No. of LED:	14pcs (Front 12pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs


Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	144.5x96x79mm
Working Time:	Min 8 hrs and Max 24 hrs
Box Qty:	20Pcs



### Solar Wall Light-IP65

## 3W VT-768

SKU: 7523 - Day+Warm White 3800157619363



Battery:	3.7V Lithium Battery 2000mAh
Lumens:	400lm
No. of LED:	30pcs (Front 28pcs, Back 2 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs


Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	140x212x109.2mm
Working Time:	Min 5-8 hrs and Max 24 hrs
Box Qty:	12Pcs



### Solar Wall Light-IP65

## 7W VT-767-7-W

SKU: 8278 - 4000K Day White 3800157627955



Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights
Box Qty:	Mode C: 3-4 nights

Solar Wall Light-IP65

7W VT-767-7-B

SKU: 8279 - 4000K Day White 3800157627962



Solar  
Lights




MOTION  
PIR  
SENSOR



UV  
PROTECTION



IP65  
RATING



Battery:	3.7V Lithium Battery 4000mAh
Lumens:	800lm
No. of LED:	60pcs (Front 56pcs, Back 4 pcs)
Detecting Angle:	120°
Sensing Range:	2 - 6 mtrs

Charging Time:	6-7 hrs Sunlight Charging
IP Rating:	IP65
Material:	ABS+PC
Dimension:	270x221x109.2mm
Working Time:	Mode A: 5 hours, Mode B: 2-3 nights
Box Qty:	Mode C: 3-4 nights

# Wireless Smart Lights Switches



Introducing the next generation self powered wireless switches, functions using RF receiver making it a hassle free experience. Offering a push-touch button and remote features.



NEW



Switch-One Gang

VT-5131 White

SKU: 8460 3800157644914

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

NEW



Switch-Two Gang

VT-5132 White

SKU: 8461 3800157644921

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

NEW



Switch-Three Gang

VT-5133 White

SKU: 8462 3800157644938

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	86x86x11mm
Box Qty:	144
Remote Distance	Outdoor >600m   Indoor >40m

NEW



Remote Three Gang

VT-5143

SKU: 8463 3800157644945

Input Power:	2-3V(CR2032 Button Battery)
Switch Lifetime:	30,000 times
Body Type:	PC
Dimensions:	62x30x12mm
Box Qty:	364
Remote Distance	Outdoor >160m   Indoor >20m

NEW



Receiver

VT-5129

SKU: 8458 3800157644891

Input Power:	AC:180-240V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	39x23x22 mm
Box Qty:	364
Remote Distance	Outdoor >600m   Indoor >40m

NEW

works with  
amazon alexaworks with the  
Google Assistant

Wifi Receiver

VT-5130

SKU: 8459 3800157644907

Input Power:	AC:85-265V
Load Power:	1000W(Max)
Body Type:	PC
Dimensions:	75x28x28.5 mm
Box Qty:	196
Remote Distance	Outdoor >500m   Indoor >40m



**VT-5111-B Black**  
SKU: 8385 3800157635714




**VT-5111-W White**  
SKU: 8354 3800157634953

**Touch Switch 1Gang-1Way**

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



**VT-5112-B Black**  
SKU: 8387 3800157635738




**VT-5112-W White**  
SKU: 8357 3800157634984

**Touch Switch 2Gang-1Way**

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-1000W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



**VT-5121-B Black**  
SKU: 8389 3800157635752



**VT-5121-W White**  
SKU: 8360 3800157635011

**Touch Switch 1Gang-2Way**

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10-60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%-93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5311-B Black

SKU: 8395 3800157635813




VT-5311-W White

SKU: 8369 3800157635103


## Remote Dimmer 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5411-B Black

SKU: 8397 3800157635837



VT-5411-W White

SKU: 8372 3800157635134

## Doorbell-Switch 1Gang-1Way

Input Power:	AC:180-250V,50/60Hz
Operating Temp:	-10~60°C
Switch Lifetime:	>100,000 times
Relative Humidity:	10%~93%
Load Power:	5-500W
Body Type:	PC+Glass Finish
Dimensions:	86x86mm
Box Qty:	100



VT-5811-B Black

SKU: 8401 3800157635875



VT-5811-W White

SKU: 8402 3800157635882

## Socket EU-2 Way

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	60



VT-5711 Black

SKU: 8399 3800157635851



VT-5711-W White

SKU: 8379 3800157635202

## Socket EU-Glass Panel

Input Power:	AC:200-250V,50Hz
Body Type:	PC+Glass Finish
Box Qty:	80





V-TAC meets the growing IoT demand for home lighting with the new SMART Light series — a collection of WiFi-supported LED lighting solutions that can be fully controlled via Amazon Alexa or Google Home.



9w

VT-5010

SKU: 7452 6000K RGB+White  
SKU: 7450 3000K RGB+Warm White  
SKU: 7451 4000K RGB+Day White



9w

VT-5011

SKU: 7471 3000K RGB+Warm White



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

Voltage/Frequency: AC:85-265V 50/60Hz

Luminous Flux: 800lm

Beam Angle: 200°

Wireless Frequency: 2.4GHz

Wireless Standard: IEEE 802.11 b/g/n

Base: E27

Body Type: Thermoplastic

Dimension: D:60x112mm

Box Qty: 60 pcs



works with  
 amazon alexa

works with the  
Google Assistant

V-TAC Smart Light products work with Amazon Echo, Echo Dot, Amazon Tap and Google Home

You can use Alexa to voice control your home appliances with simple commands. To use this function, you just need to link your V-TAC Smart Home account with the Amazon Alexa App. With a few steps, you can tell Alexa to turn on or off any light and any appliances.



**NEW**



LED Smart Bulb

20w VT-5021

SKU:7470 RGB+WW+W EAN: 3800157639361

Voltage/Frequency:	AC:170-265v, 50/60Hz
Luminous Flux:	1400lm
Beam Angle:	200°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	E27
Body Type:	Thermoplastic
Dimension:	D:95x164mm
Box Qty:	50 pcs



- 16 Million Colors
- APP Remote Control
- Smart Timer Function
- Smart Lighting Adjustment

works with  
 amazon alexa

works with the  
Google Assistant

**NEW**



LED Smart Spotlight

4.5w VT-5015

SKU: 8436 - 3 in 1 EAN: 3800157641326

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
Beam Angle:	100°
Wireless Frequency:	2.4GHz
Wireless Standard:	IEEE 802.11 b/g/n
Base:	GU10
Body Type:	PBT Aluminium
Dimension:	70x50mm
Box Qty:	100 pcs



- WarmWhite-DayWhite-White
- APP Remote Control
- Smart Timer Function
- Smart Dimming

works with  
 amazon alexa

works with the  
Google Assistant

**NEW**

LED Smart Panel

**40w**      **VT-5140**

SKI:8080 3IN1

EAN: 3800157646215

Voltage/Frequency: **AC:220-240V**Luminous Flux: **4000lm**Beam Angle: **120°**Wireless Frequency: **2.4GHz**Body Type: **Aluminium**Dimension: **595x595mm**

Box Qty: \_\_\_\_\_



DIMMABLE

works with  
 amazon alexa

works with the  
 Google Assistant

**NEW**
**Wifi-Controller  
 Included**


LED Smart Striplight Kit

LED Type: **SMD**Watt/M: **10w**Current/M: **1.5A**Voltage: **DC:12V**lm/M: **1000**lm/LED: **14-16lm**Beam Angle: **120°**IP Rating: **IP20**Width: **8mm**Box Qty: **20 pcs**

works with  
 amazon alexa

works with the  
 Google Assistant

10w

VT-5050 60

SKU: 2583 RGB  
SKU: 2584 RGB+WEAN: 3800157642682  
EAN: 3800157642699
**EU PLUG**


10w

VT-5050 60

SKU: 2585 RGB  
SKU: 2586 RGB+WEAN: 3800157643795  
EAN: 3800157643801
**BS PLUG**



Controller-Wifi

SKU: 2575 RGB



SKU: 2576 RGBW

VT-5014 Strip Compatibility RGB  
and VT-5016 Strip Compatibility  
RGBW

# V-TAC SMART HOME



SUPPORT AMAZON ALEXA AND GOOGLE HOME.



- SUPPORTS WI-FI NETWORK.
- SUPPORTS STATUS TRACKING, HOME APPLIANCES STATUS TIMELY FEEDBACK TO YOUR DEVICE.
- FCC, CE, ROHS, RED APPROVAL.
- LIGHTING PROTECTION (4000V)
- SUPPORTS SMART CONFIGURE NET TECHNOLOGY, EASY TO ACCESS SETTINGS.
- SUPPORTS MAX 8 TIMING TASK.
- SUPPORTS MAX 150 WI-FI SMART DEVICES FROM ONE SMART PHONE.





works with  
amazon alexa

works with the  
Google Assistant



#### Touch Switch-Wifi

##### VT-5003

SKU: 8417 EAN: 3800157637305

Voltage/Frequency: AC: 90-250V,50/60Hz

Wireless Frequency: 2.412 - 2.484GHz

Max Watts: 2200w

Material: PC/Glass

On/Off Cycle: 10,000 Times

Life Span: 10,000 Times

IP RATING : IP40

Dimension: 86x86x35mm

Box Qty: 50 pcs



works with  
amazon alexa

works with the  
Google Assistant



#### Touch Switch-Wifi

##### VT-5004

SKU: 8418 EAN: 3800157637312

Voltage/Frequency: AC: 90-250V,50/60Hz

Wireless Frequency: 2.412 - 2.484GHz

Max Watts: 2200w

Material: PC/Glass

On/Off Cycle: 10,000 Times

Life Span: 10,000 Times

IP RATING : IP40

Dimension: 86x86x35mm

Box Qty: 50 pcs



works with  
amazon alexa

works with the  
Google Assistant



#### Touch Switch-Wifi

##### VT-5005

SKU: 8419 EAN: 3800157637329

Voltage/Frequency: AC: 90-250V,50/60Hz

Wireless Frequency: 2.412 - 2.484GHz

Max Watts: 2200w

Material: PC/Glass

On/Off Cycle: 10,000 Times

Life Span: 10,000 Times

IP RATING : IP40

Dimension: 86x86x35mm

Box Qty: 50 pcs



works with  
amazon alexa

works with the  
Google Assistant



#### Touch Switch-Wifi

##### VT-5003-BS

SKU: 8429 EAN: 3800157639828

Voltage/Frequency: AC: 90-250V,50/60Hz

Wireless Frequency: 2.412 - 2.484GHz

Max Watts: 2200w

Material: PC/Glass

On/Off Cycle: 10,000 Times

Life Span: 10,000 Times

IP RATING : IP40

Dimension: 86x86x35mm

Box Qty: 50 pcs



works with  
amazon alexa

works with the  
Google Assistant



Touch Switch-Wifi

**VT-5004-BS**

SKU: 8430 EAN: 3800157639835

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant



Touch Switch-Wifi

**VT-5005-BS**

SKU: 8431 EAN: 3800157639842

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant



Touch Switch-Wifi

**VT-5003-B**

SKU: 8423 EAN: 3800157637411

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant



Touch Switch-Wifi

**VT-5004-B**

SKU: 8424 EAN: 3800157637428

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs



works with  
amazon alexa

works with the  
Google Assistant



### Touch Switch-Wifi

#### VT-5005-B

SKU: 8425 EAN: 3800157637510

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	50 pcs

NEW



### Wifi Dimmer Switch-EU

#### VT-5013-Black

SKU: 8432 EAN: 3800157640954

works with  
amazon alexa

works with the  
Google Assistant



#### VT-5013-White

SKU: 8433 EAN: 3800157640961

Voltage/Frequency:	AC:90-250V
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC/Glass
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP40
Dimension:	86x86x35mm
Box Qty:	100 pcs

NEW



### Wall Socket-Wifi(EU)

#### VT-5134-Black

SKU: 8797 EAN: 3800157645393

works with  
amazon alexa

works with the  
Google Assistant



#### VT-5134-White

SKU: 8798 EAN: 3800157645409

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	86x86x45mm
Box Qty:	60 pcs

NEW



2 5V/2.1A  
USB Port

works with  
amazon alexa

works with the  
Google Assistant



### Wall Socket-Wifi(BS)

#### VT-5017

SKU: 8446 EAN: 3800157644648

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	2900w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	146x86x32mm
Box Qty:	100 pcs





works with  
amazon alexa

works with the  
Google Assistant



Online Switch-Wifi

**VT-5008**

SKU: 8422 EAN: 3800157637350

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	40,000 Times
IP RATING :	IP30
Dimension:	90x40x25mm
Box Qty:	100 pcs



works with  
amazon alexa

works with the  
Google Assistant



Waterproof Socket

**VT-5000**

SKU: 8414 EAN: 3800157637275

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP54
Dimension:	86x71x68mm
Box Qty:	50 pcs



BS Plug SKU: 8427



works with  
amazon alexa

works with the  
Google Assistant



Plug-Wifi

**VT-5001**

SKU: 8415 EAN: 3800157637282

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs

NEW



works with  
amazon alexa

works with the  
Google Assistant



Plug-Wifi-Italian

**VT-5148**

SKU: 8470 EAN: 3800157645133

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	110x62x36mm
Box Qty:	50 pcs



BS Plug SKU: 8428

works with  
amazon alexaworks with the  
Google Assistant

## Mini Plug-Wifi

## VT-5002

SKU: 8416 EAN: 3800157637299

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	63x45x30mm
Box Qty:	100 pcs

works with  
amazon alexaworks with the  
Google Assistant

## Power Strip-Wifi

## VT-5006

SKU: 8420 EAN: 3800157637336

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	32x60x48mm
Box Qty:	25 pcs

NEW


**4 5V/5A  
USB Port**  
1.8M Cable Length
works with  
amazon alexaworks with the  
Google Assistant

## Power Strip-Wifi(EU)

## VT-5018

SKU: 8447 EAN: 3800157644631

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.4Ghz
Max Watts:	3500w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	305x58x43mm
Box Qty:	25 pcs

works with  
amazon alexaworks with the  
Google Assistant

## E27 Lamp Holder-Wifi

## VT-5007

SKU: 8421 EAN: 3800157637343

Voltage/Frequency:	AC: 90-250V,50/60Hz
Wireless Frequency:	2.412 - 2.484GHz
Max Watts:	2200w
Material:	PC
On/Off Cycle:	10,000 Times
Life Span:	10,000 Times
IP RATING :	IP20
Dimension:	67x67x102mm
Box Qty:	50 pcs

NEW



works with  
amazon alexa

works with the  
Google Assistant

works with  
nest

RF433 Gateway

VT-5144

SKU: 8466 EAN: 3800157645096

- Input Voltage: 90-250V
- Max Current: 10A
- Wireless Standard: Wi-Fi 2.4Ghz
- Box Qty: 100 pcs

*RF Gateway is a bridge converting any device operated with RF functionality into a smart device. One RF Bridge supports a maximum of 4 RF Remotes.*

NEW



works with  
amazon alexa

works with the  
Google Assistant

works with  
nest

Temperature Humidity Scheduler

VT-5145

SKU: 8467 EAN: 3800157645102

- Material: PC
- Input: AC:90-250V,50/60Hz
- 2.4Ghz Wi-Fi
- Smart Link technology
- Remote control connected appliance
- Remotely monitor Temperature & Humidity
- DIY your favorite scenes
- Box Qty: 100 pcs

NEW



works with  
amazon alexa

works with the  
Google Assistant

works with  
nest

Temperature & Humidity Sensor

VT-5146

SKU: 8468 EAN: 3800157645119

- Material: ABS
- Temperature Humidity: 0~99.9%RH
- Measuring Range: -40~+80°C
- Wire Length: 0.5 Meter
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs

NEW



works with  
amazon alexa

works with the  
Google Assistant

works with  
nest

Waterproof Temperature Probe

VT-5147

SKU: 8469 EAN: 3800157645126

- Material: ABS
- Measuring Range: -50~+125°C
- Wire Length: 1 Meter
- Waterproof - IP65 Rated
- Compatible with V-TAC Temperature Humidity scheduler (Not included)
- Box Qty: 200 pcs



## Smart Cameras

V-TAC introduces its all-new extensive range of smart cameras - fully compatible with any smart device (mobile phones, tablets, or PCs) through WiFi integration. These cameras offer detection alerts via email -- all available in standard UK & EU plugs for compatibility.

### Product Features

- Standard wireless frequencies for WiFi transmission
- Equipped with premium quality image sensors - high definition, high resolution videos at standard frames per second,
- Supports iOS & Android devices
- Real-time alerts sent straight to your mobile for motion detected
- Night Vision
- Two-Way Audio
- Video storage: Micro SD storage or cloud transmission

### Applications

Designed to add an extra layer of security in houses, condominiums, restaurants, retail shops, office spaces, and more high-definition video feed in real-time, including two-way audio, full security camera sets, motion

**NEW**

720P INDOOR WIFI IP 2 WAY AUDIO CAMERA WITH SPEAKER MICRO PHONE



Night Vision



Two Way Audio



Motion Detection

- Image Sensor: 1/4 color CMOS
- 1.0 Mega Pixels camera, Infrared Lens
- 10 meters Night Vision
- 2 Way voice, built in speaker & microphone
- 720P resolution
- Horizontal 355°/Vertical 120° Pan/Tilt
- Network by cable or WiFi
- TCP/UDP/IP/ICMP/DHCP/DNS/HTTP/FTP/SMTP/NTP/UPNP/DDNS/RTSP
- 6w/4w (Infrared on/off) power consumption
- DC 5V, 2.0A with adapter
- Motion detection, alarm via email.
- Supports Android & IOS devices
- 36 Pcs In Cartoon

**EU PLUG**



**VT-5120**

SKU: 8377 3800157640626

**BS PLUG**



**VT-5120-BS**

SKU: 8464 3800157644969

**NEW**

1080P WIRELESS NVR CAMERA FULL SET



- Transmission distance more than 800 meters in open space with no obstacles
- Built-in security wireless WIFI module with stable signal transmission and strong anti-interference ability
- No need setting WIFI, plug and play
- P2P remote viewing in seconds with high-definition video quality
- Support motion detection alarm
- Support buzzer/Email alarm
- Support Android/IOS devices
- 4 Pcs In Cartoon

**EU PLUG**



**VT-5188**

SKU: 8400 3800157643757

**BS PLUG**



**VT-5188-BS**

SKU: 8465 3800157644969

**NEW**

1080P IP INDOOR CAMERA WITH AUTO-TRACK FUNCTION



Night Vision



Two Way Audio



Motion Detection

- DC:5V±5% Input Power
- Auto tracking
- Motion Detection
- 2.4-2.4835 Ghz Wireless Frequency
- 355°/85° Pan/Tilt
- 1920x1080P Resolution
- 2.0M pixel HD cmos Image Sensor
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD upto 64gb Storage
- Indoor Use only - IP20
- Supports Android & IOS devices
- 50 Pcs In Carton

**EU PLUG**



**VT-5122**

SKU: 8439 3800157644136

**BS PLUG**



**VT-5122-BS**

SKU: 8438 3800157644129

**NEW**

1080P IP INDOOR & OUTDOOR CAMERA



Night Vision



Two Way Audio



Motion Detection

- DC:12V±5% Input Power
- Motion detection
- 2.4-2.4835 Ghz Wireless Frequency
- Alarm motion detection
- Lan port RJ-45
- 1920x1080P Resolution
- 2.0M pixel HD cmos
- 3.6mm Lens
- H.264/Mjpeg Video Compression
- 10 meters Night Vision
- 25-30fps Frame Rate
- Two way Audio
- WEP/WPA-PSK/WPA2-PSK encryption Wireless Security
- SD upto 64gb Storage
- IP65(Indoor & Outdoor use)
- Supports Android & IOS devices
- 30 Pcs In Carton

**EU PLUG**



**VT-5123**

SKU: 8441 3800157644150

**BS PLUG**



**VT-5123-BS**

SKU: 8440 3800157644143

**NEW**

Video Doorbell



- Two-way audio
- IR Distance: dual IR cut filter with auto switch, max 5 meters
- Motion detection: alerts users with a push notification
- Remote operation-system settings, account management, stream code setting
- ABS+PC Body Type
- 75x40x143mm
- -10°C ~+50°C Working Temperature
- 1280x720P Resolution
- Rechargeable 18650 Battery 3350mAH or AC 8~24V Power
- HD720P@25FPS Frame Rate
- 166 Degree Field View
- Max 64GB TF Card Storage
- 50 Pcs In Cartoon

VT-5412

SKU: 8355

**NEW**

Doorbell CHIME



**EU PLUG**



VT-5415

SKU: 8445 3800157644594

**BS PLUG**



VT-5413

SKU: 8359 3800157635004

- 5 levels of volume
- 55 ringtones
- Voltage: AC100-265V
- Protection Rating: IP54
- Wireless range upto 250 mtrs
- Directly plug into an electrical outlet
- 100 Pcs In Cartoon



## Digital Accessories

Upholding the ceaseless approach towards innovation, V-TAC meets the modern-day tech demands for digital accessories as it introduces its new series of premium-quality power banks, charging cables, and audio accessories.

- Fast-charging power banks with digital display - supports any iOS & Android device
- Up to 10000mAh capacity - fully recharge any smartphone to up to 4 times
- Multiple ports mean multiple devices can be charged at once
- Charge quickly on the go through the new wireless power bank & charger
- Superb sound quality with standard 3.5 mm jack for compatibility
- Bluetooth headsets and earbuds also available for maximum usability
- Extensive range of Micro USB, Type C, Lightning charging cables available for mobile phones, tablets, laptops, and more



**NEW**



**10000mAh**

POWER BANK WITH DISPLAY  
**VT-3501**

SKU Black: 8188      3800157641562  
SKU White: 8187      3800157641555

Battery Type:	10000mAh/37wh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	ABS
Dimension:	63x94x25mm
Box Qty:	40

**30%** Digital Display

**NEW**



**20000mAh**

POWER BANK WITH DISPLAY  
**VT-3502**

SKU Black : 8190      3800157641586  
SKU White : 8189      3800157641579

Battery Type:	20000mAh/74wh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	ABS
Dimension:	68.5x142x28mm
Box Qty:	30

**NEW**



**5000mAh**

**POWER BANK  
VT-3503**

SKU White: 8191	3800157642927
SKU Red: 8192	3800157642934
SKU Black: 8193	3800157642941
SKU Pink: 8194	3800157642958
SKU Blue: 8195	3800157642965
SKU Yellow: 8196	3800157642972

Battery Type:	5000mAh/18.5wh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	ABS
Dimension:	63x94x15mm
Box Qty:	40

**NEW**



**10000mAh**

**POWER BANK  
VT-3504**

SKU Black: 8850	3800157643832
SKU Dark Blue: 8853	3800157643863
SKU Grey: 8852	3800157643856
SKU White: 8851	3800157643849

Battery Type:	3.7V, 10000mAh/37wh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	Rubber Coating
Dimension:	63x94x25mm
Box Qty:	42

**30% Digital Display**

**NEW**



**10000mAh**

WIRELESS POWER BANK WITH DISPLAY  
VT-3505

SKU Black: 8855      3800157643887  
SKU White: 8854      3800157643870

Battery Type:	3.7V, 10000mAh/37wh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	Rubber Coating
Dimension:	140x70.5x15mm
Box Qty:	11

 **Wireless Charger**

 **Digital Display**

**NEW**



**10000mAh**

POWER BANK  
SKU: 8185

3800157641388

Battery Type:	10000mAh
USB Output 1:	5V 2.0A
USB Output 2:	5V 2.1A
USB Port:	2
IP Rating:	IP20
Body Type:	ABS
Dimension:	63x94x25mm
Box Qty:	22

 **Digital Display**

**NEW**



Earphones

**VT-1032**

SKU GREY: 7706

3800157645522

**VT-1132**

SKU GOLD: 7707

3800157645539

Frequency: 20-10000Hz

Jack: 3.5MM

Box Qty: 180



IPHONE



ANDROID



TABLETS



IPODS



COMPUTERS

**NEW**



Earbuds-Bluetooth

**VT-6500**

SKU BLACK: 7704

3800157645508

SKU WHITE: 7705

3800157645515

Battery Type: 55 mAh

Charging Time: 1-2 hours

Working Time: 3 hours (Max)

Transmission Distance: 10M

Box Qty: 208



Long Battery



Microphone



Signature Sound

**NEW**



Headset-Bluetooth

**VT-6700**

SKU BLACK: 7700

3800157645461

SKU WHITE: 7701

3800157645478

Battery Type: 70 mAh

Charging Time: 1-2 hours

Working Time: 4-6 hours

Transmission Distance: 10M

Box Qty: 240



Long Battery



Microphone



Signature Sound

**NEW**



**Headset-Bluetooth  
VT-6800**

SKU BLACK: 7702      3800157645485  
SKU WHITE: 7703      3800157645492

Battery Type:	170 mAh
Charging Time:	1-2 hours
Working Time:	10-12 hours
Transmission Distance:	10M
Box Qty:	224

**Bluetooth™**



Long Battery



Microphone



Signature Sound

**NEW**



**Headset-Bluetooth  
VT-6166**

SKU BLACK: 7710      3800157645645  
SKU RED: 7711      3800157645652

Battery Type:	500 mAh
Charging Time:	1-2 hours
Working Time:	7-8 hours
Transmission Distance:	10M
Box Qty:	56

**Bluetooth™**



Long Battery



Microphone



Signature Sound

**NEW**



**Wireless Charger  
VT-1210**

SKU BLACK: 7708      3800157645546  
SKU WHITE: 7709      3800157645560

Voltage/Current:	DC5V-2.0A, DC9V-2.0A
Wireless Output:	DC:5V-1.0A, DC:9V-1.2A(10w)
Transmit Power:	5W/7.5W/10W
Accessories:	5.0A Fast Charging Cable
Box Qty:	96



Smart charger



Quick Charger



Smart Chip

**NEW**



Micro USB Cable

**VT-5332-B**

SKU BLACK: 8448

SKU WHITE: 8450

3800157644730

3800157644754

Box Qty: 200



**1.5M**  
Wire

**NEW**



Micro USB Cable

**VT-5333**

SKU BLACK: 8449

SKU WHITE: 8451

3800157644747

3800157644761

Box Qty: 200



**3.0M**  
Wire

**NEW**



USB Cable-Type C

**VT-5542**

SKU BLACK: 8454

SKU WHITE: 8456

3800157644792

3800157644815

Box Qty: 200



**1.5M**  
Wire

NEW



USB Cable-Type C  
VT-5543

SKU BLACK: 8455  
SKU WHITE: 8457

3800157644808  
3800157644822

Box Qty: 200

3.0M  
Wire



NEW



Made for  
iPhone | iPad | iPod

Iphone Cable-MFI  
VT-5552

SKU BLACK: 8452  
SKU WHITE: 8453

3800157644778  
3800157644785

Box Qty: 200

1.5M  
Wire



NEW



Micro USB to Type C Adaptor  
VT-5149

SKU BLACK: 8471  
SKU WHITE: 8472

3800157645355  
3800157645362

Box Qty: 2880



# TOWER FANS

WITH TEMPERATURE DISPLAY  
AND REMOTE CONTROL

- 3 speeds with remote control
- 3 fan mode (Normal / Natural / Sleep)

REMOTE CONTROL



CONTROL PANEL



CONTROL PANEL





**NEW**



**36 Inches**

LED TOWER FAN WITH TEMPERATURE DISPLAY AND REMOTE CONTROL

**VT-5536**

SKU: 7900 3800157644709

Power(Watts):	55
Voltage/Freq:	AC:220-240V,50Hz
Size(inches):	36 Inches
Material:	ABS
Unit Color:	White
Speed:	3(Low-Med-High)
Wind Mode:	3 (Normal-Natural-Sleep)
Timer:	1-15hrs(Max)
Power Cord Length:	1.8m
Plug Type:	EU
Box Qty:	1

**NEW**



**46 Inches**

LED TOWER FAN WITH TEMPERATURE DISPLAY AND REMOTE CONTROL

**VT-5546**

SKU: 7901 3800157644716

Power(Watts):	55
Voltage/Freq:	AC:220-240V,50Hz
Size(inches):	46 Inches
Material:	ABS
Unit Color:	Black Finish
Speed:	3(Low-Med-High)
Wind Mode:	3 (Normal-Natural-Sleep)
Timer:	1-15hrs(Max)
Power Cord Length:	1.75m
Plug Type:	EU
Box Qty:	1

**NEW**



**46 Inches**

LED TOWER FAN WITH TEMPERATURE DISPLAY AND REMOTE CONTROL

**VT-5547**

SKU: 7902 3800157644723

Power(Watts):	55
Voltage/Freq:	AC:220-240V,50Hz
Size(inches):	46 Inches
Material:	ABS
Unit Color:	White & BLA Finish
Speed:	3(Low-Med-High)
Wind Mode:	3 (Normal-Natural-Sleep)
Timer:	1-15hrs(Max)
Power Cord Length:	1.8m
Plug Type:	EU
Box Qty:	1



## Italian & European Sockets and Adapters

Extensive variety of electrical accessories to power your devices with Italian & European socket and adapters made from high-quality, modern components from V-TAC. Includes cable reels and sockets of different types and lengths, extension cords, travel adapters/converters, grounded counterparts, and more.

- 3/4/5/6/8-way sockets - sockets with switches and/or USB ports also available
- Includes sockets for different socket types compatible in Italy and more European countries
- 2/3/4 Outlet, Universal Travel Adapters available for flexibility of use
- Earthing variants available for select socket types

10M Wire



**VT-6002**  
SKU: 8781 3800157643528  
CABLE REEL WITH 4 SOCKET

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	20X27X6.5mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	Black
Box Qty:	5 pcs

25M Wire



**VT-6003**  
SKU: 8782 3800157643535  
CABLE REEL WITH 4 SOCKET

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	24X13X33mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	Black
Box Qty:	1 pcs

3M Wire



**VT-3001-3**  
SKU: 8778 3800157643498  
Extension Cord

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

5M Wire



**VT-3001-5**  
SKU: 8779 3800157643504  
Extension Cord

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200X160X90mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

10M Wire



**VT-3001-10**  
SKU: 8780 3800157643511  
Extension Cord

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	15 pcs

1.4M Wire



**VT-1153-2**  
SKU: 8799 3800157645669  
3WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	AC:230V
Body Type:	PC
Dimension:	130X138.30x42mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.4M Wire



**VT-1154-2**  
SKU: 8800 3800157645676  
4WAYS SOCKET WITH USB(3G1.5MM2 X1.4M)

Wire Length:	1.4M
Input Power:	AC:230V
Body Type:	PC
Dimension:	77X77X82.8mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



**VT-1117-4**  
SKU: 8770 3800157643412  
4 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



**VT-1117-2**  
 SKU: 8771 3800157643429  
 4 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M Wire



**VT-1118-8**  
 SKU: 8772 3800157643436  
 8 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

1.5M Wire



**VT-1118-2**  
 SKU: 8773 3800157643443  
 8 HOLES SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

1.5M Wire



**VT-1124-2**  
 SKU: 8774 3800157643450  
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



**VT-1124-5**  
 SKU: 8775 3800157643467  
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire



**VT-1125-2**  
 SKU: 8776 3800157643474  
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	40 pcs

5M Wire



**VT-1125-5**  
 SKU: 8777 3800157643481  
 WITH SWITCH 3WAYS SOCKET WITH 2USB

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	Black
Box Qty:	20 pcs

1.5M Wire



**VT-1103-2**  
 SKU: 8754 3800157643252  
 3 WAYS SOCKET

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M  
Wire

**VT-1103-3**  
SKU: 8755 3800157643269  
3 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

**VT-1104-2**  
SKU: 8756 3800157643276  
4 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M  
Wire

**VT-1104-3**  
SKU: 8757 3800157643283  
4 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

**VT-1105-2**  
SKU: 8758 3800157643290  
5 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M  
Wire

**VT-1105-3**  
SKU: 8759 3800157643306  
5 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

**VT-1106-2**  
SKU: 8760 3800157643313  
6 WAYS SOCKET



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

3M  
Wire

**VT-1106-3**  
SKU: 8761 3800157643320  
6 WAYS SOCKET



Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

**VT-1113-2**  
SKU: 8762 3800157643337  
3WAYS SOCKET  
WITH SWITCH



Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



**VT-1113-5**  
 SKU: 8763 3800157643344  
 3WAYS SOCKET WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	174x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire



**VT-1114-2**  
 SKU: 8764 3800157643351  
 4WAYS SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



**VT-1114-5**  
 SKU: 8765 3800157643368  
 4WAYS SOCKET WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	178x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire



**VT-1115-2**  
 SKU: 8766 3800157643375  
 5WAYS SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



**VT-1115-5**  
 SKU: 8767 3800157643382  
 5WAYS SOCKET WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	182x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs

1.5M Wire



**VT-1116-2**  
 SKU: 8768 3800157643399  
 6WAYS SOCKET WITH SWITCH

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	40 pcs

5M Wire



**VT-1116-5**  
 SKU: 8769 3800157643405  
 6WAYS SOCKET WITH SWITCH

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	186x45x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3680W
Color:	White
Box Qty:	20 pcs



**VT-1006-2**  
 SKU: 8783 3800157643986  
 2 WAYS ADAPTER WITH EARTHING CONTACT

Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	98x46x74.6mm
Input Current:	16A
Output Current:	2x16A
Rated Load:	2300W
Box Qty:	100 pcs

**VT-1005-2**

SKU: 8784 3800157643993

ADAPTER WITH  
2 EURO-SOCKET



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x48x75.3mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1004-4**

SKU: 8785 3800157644006

4 WAYS ADAPTER WITH  
EARTHING CONTACT  
2



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	91.2x49x78.1mm
Input Current:	16A
Output Current:	4x2.5A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1008-2**

SKU: 8786 3800157644013

2 WAYS ADAPTER  
WITH EARTHING CONTACT



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x45.8x99.5mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1009-3**

SKU: 8787 3800157644020

3 WAYS ADAPTER WITH  
EARTHING CONTACT



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	92.8x72.4x86.1mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1010-3**

SKU: 8788 3800157644037

3 OUTLET POWER  
ADAPTER WITH EARTH  
CONTACT AND SWITCH



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	93.1x69.7x76.5mm
Input Current:	16A
Output Current:	16A+2x2.5A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1011-3**

SKU: 8789 3800157644044

3 OUTLET POWER  
ADAPTER WITH  
EARTH CONTACT



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	133.6x49.5x76.9mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1012-3**

SKU: 8790 3800157644051

3 OUTLET POWER  
ADAPTER



Input Power:	AC:250V, 16A
Body Type:	PP Plastic+ Copper
Dimension:	87.5x84.98x59.4mm
Input Current:	16A
Output Current:	3x16A
Rated Load	3680W
Box Qty:	100 pcs

**VT-1022**

SKU: 8801 3800157645683

2 OUTLET ADAPTER 2.5A



Input Power:	AC:230V
Body Type:	PP
Dimension:	44X39X61mm
Input Current:	16A
Output Current:	5A
Rated Load	1100W
Box Qty:	200 pcs



**VT-1023**  
 SKU: 8802 3800157645690  
 3 OUTLET ADAPTER 2.5A

Input Power:	AC:230V
Body Type:	PP
Dimension:	65x47x72mm
Input Current:	16A
Output Current:	7.5A
Rated Load	1700W
Box Qty:	200 pcs



**VT-1053**  
 SKU: 8804 3800157645713  
 ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	92x47.5x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	200 pcs



**VT-1042**  
 SKU: 8805 3800157645720  
 2 OUTLET ADAPTER 16A WITH EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	92x50x75mm
Input Current:	16A
Output Current:	16A
Rated Load	3680W
Box Qty:	200 pcs



**VT-1054**  
 SKU: 8803 3800157645706  
 4 OUTLET ADAPTER 2.5A

Input Power:	AC:230V
Body Type:	PP
Dimension:	83x47x72mm
Input Current:	16A
Output Current:	10A
Rated Load	2300W
Box Qty:	200 pcs



**VT-1063**  
 SKU: 8806 3800157645737  
 ADAPTER WITH 2 SOCKET 2.5A, 1 SOCKET 16A WITH SWITCH & EARTHING CONTACT 16A

Input Power:	AC:230V
Body Type:	PP
Dimension:	95x70x74mm
Input Current:	16A
Output Current:	16A
Rated Load	3500W
Box Qty:	200 pcs



**VT-1044-W**  
 SKU: 8795 3800157644303  
 ADAPTER WITH EARTHING CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs



**VT-1044-B**  
 SKU: 8796 3800157644310  
 ADAPTER WITH EARTHING CONTACT & CHARGING

Input Power:	AC:110-230V,50/60Hz
Dimension:	107x54.2x74.2mm
Input Current:	16A
Output Current:	16A+2.1A
Rated Load	3680W
Box Qty:	60 pcs



**VT-1024-W**  
 SKU: 8791 3800157644266  
 USB TRAVEL ADAPTOR

Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	48 pcs



**VT-1024-B**

SKU: 8792 3800157644273

**USB TRAVEL ADAPTOR**



Input Power:	AC:100-230V,50/60Hz
Body Type:	ABS
Dimension:	27x47x70mm
Input Current:	0.25A
Output Current:	2A
Rated Load	10W
Box Qty:	48 pcs

**VT-1026-W**

SKU: 8793 3800157644280

**USB QC3.0 TRAVEL ADAPTOR**



Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Rated Load	18W
Box Qty:	48 pcs



**VT-1026-B**

SKU: 8794 3800157644297

**USB QC3.0 TRAVEL ADAPTOR**



Input Power:	AC:100-240V,50/60Hz
Body Type:	PC
Dimension:	42x57x24mm
Input Current:	0.2A
Rated Load	18W
Box Qty:	48 pcs



**Universal Adapter**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x55x50mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8747 3800157642590

**UNIVERSAL ADAPTOR  
10A 250V~**

**Universal Adapter**



SKU: 8704 3800157642163

**UNIVERSAL ADAPTOR WITH  
OVERLOAD PROTECTION WITH  
2USB 2A**

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	48 pcs

**Universal Adapter**



SKU: 8705 3800157642170

**UNIVERSAL ADAPTOR WITH  
OVERLOAD PROTECTION**

Input Power:	AC:110-250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	2500W
Box Qty:	100 pcs



**ITALIAN  
SOCKETS**

5M  
Wire

SKU: 8700 3800157642125

2 prese 2P+T 10/16A Bipasso  
Con protezione termica ripristinabile

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	200x160x90mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	10 pcs

10M  
Wire

SKU: 8701 3800157642132

4 prese Bipasso/Schuko  
Con protezione termica  
ripristinabile

Wire Length:	10M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	250x200x150mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

15M  
Wire

SKU: 8702 3800157642149

4 prese Bipasso/Schuko  
Con protezione termica  
ripristinabile

Wire Length:	15M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	240x190x160mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	6 pcs

25M  
Wire

SKU: 8703 3800157642156

4 prese Bipasso/Schuko  
Con protezione termica  
ripristinabile

Wire Length:	25M
Input Power:	AC:250V,50/60Hz
Body Type:	ABS+PC+COPPER
Dimension:	300x240x190mm
Input Current:	16A
Output Current:	16A
Rated Load:	2200W
Color:	Black
Box Qty:	4 pcs

1.5M  
Wire

SKU: 8745 3800157642576

2 presa 2p+T10/16A Bipasso +  
1 presa Bipasso/schuko  
con protezione sovraccarico /  
con 2USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	145x50x40mm
Input Current:	10A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

3M  
Wire

SKU: 8729 3800157642415

Prolunga lineare  
spina 10A,2p+T prese 10A

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

5M  
Wire

SKU: 8730 3800157642422

Prolunga lineare  
spina 10A,2p+T prese 10A

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	10A
Output Current:	10A
Rated Load:	2300W
Color:	White
Box Qty:	30 pcs

3M  
Wire

SKU: 8731 3800157642439

Prolunga lineare  
spina 16A,2p+T prese 10/16Aa

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	200x110x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

5M Wire



SKU: 8732 3800157642446  
**Prolunga lineare  
 spina 16A,2p+T prese 10/16Aa**

Wire Length:	5M
Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	230x110x60mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8706 3800157642187  
**Multipresa, 3 pos. 10/16A prese  
 Bipasso  
 Con attacco a parete**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	115x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8707 3800157642194  
**Multipresa, 4 pos. 10/16A prese  
 Bipasso  
 Con attacco a parete**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	135x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8708 3800157642200  
**Multipresa, 5 pos. 10/16A prese  
 Bipasso  
 Con attacco a parete**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	155x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8709 3800157642217  
**Multipresa, 6 pos. 10/16A prese  
 Bipasso  
 Con attacco a parete**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	170x47x22mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8710 3800157642224  
**3 pos. con interruttore luminoso  
 10/16A Bipasso/schuko**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	50 pcs

1.5M Wire



SKU: 8711 3800157642231  
**4 POS.  
 CON INTERRUOTORE LUMINOSO  
 10/16A BIPASSO/SCHUKO**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	245x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	40 pcs

1.5M Wire



SKU: 8712 3800157642248  
**5 pos.  
 con interruttore luminoso  
 10/16A Bipasso/schuko**

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	280x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

SKU: 8713 3800157642255

6 pos.  
con interruttore luminoso  
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	325x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

SKU: 8714 3800157642262

7 pos.  
con interruttore luminoso  
10/16A Bipasso/schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	370x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

SKU: 8715 3800157642279

5pos. con interruttore luminoso  
10/16A Bipasso/schuko +  
con 2 connessioni USB

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	335x55x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M  
Wire

SKU: 8748 3800157642606

4 pos.10/16A Bipasso/schuko  
con protezione sovratensioni e  
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	40 pcs

1.5M  
Wire

SKU: 8749 3800157642613

6 pos.10/16A Bipasso/schuko  
con protezione sovratensioni e  
interruttori luminoso

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x100x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	30 pcs

3M  
Wire

SKU: 8733 3800157642453

2 prese 2p+t 10/16A Bipasso  
1 prese Bipasso/Schuko

Wire Length:	3M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	100x47x52mm
Input Current:	16A
Output Current:	16A
Rated Load:	2500W
Color:	White
Box Qty:	50 pcs

1.5M  
Wire

SKU: 8734 3800157642460

4 prese 2p+t 10/16A Bipasso  
2 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	150x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	25 pcs

1.5M  
Wire

SKU: 8735 3800157642477

6 prese 2p+t 10/16A Bipasso  
3 prese 10/16A Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	195x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	25 pcs

1.5M Wire



SKU: 8736 3800157642484  
8 prese 2p+T10/16A Bipasso  
4 prese Bipasso/Schuko

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	240x47x45mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8737 3800157642491  
4 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensioni e  
interruttore generale luminoso e  
4 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	225x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8738 3800157642507  
5 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensioni  
e interruttore generale luminoso e  
5 interruttori indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	260x72x40mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8739 3800157642514  
6 pos. 10/16A Bipasso/Schuko  
Con protezione sovratensioni  
e interruttori generale luminoso e  
6 interruttore indipendenti

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	305x70x35mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8740 3800157642521  
4 pos. Con interruttore  
luminoso 10/16A Bipasso  
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	160x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8741 3800157642538  
5 pos. Con interruttore  
luminoso 10/16A Bipasso  
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	180x47x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

1.5M Wire



SKU: 8742 3800157642545  
6 pos. Con interruttore  
luminoso 10/16A Bipasso  
Con attacco a parete

Wire Length:	1.5M
Input Power:	AC:250V,50/60Hz
Body Type:	PP+COPPER
Dimension:	200x50x30mm
Input Current:	16A
Output Current:	16A
Rated Load:	3500W
Color:	White
Box Qty:	30 pcs

SKU: 8716 3800157642286

Adattatore spina 16A  
2 prese 2P+T 10/16A +  
1 presa/Schuko  
con interruttore



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	85x75x50mm
Input Current:	16A
Output Current:	16A
Rated Load:	1500W
Box Qty:	200 pcs

SKU: 8717 3800157642293

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x32x15mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8718 3800157642309

Spina 2p+t 16A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x43x20mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8719 3800157642316

Spina 2p+t 10A



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	70x40x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8720 3800157642323

Adattatore spina 16A  
presa 2p+T 10A schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x40x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8721 3800157642330

10A adattatore spina 10 A  
3 prese 10 A

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x50x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8722 3800157642347

Adattatore spina 16A  
3 presa 10A /16A Bipasso

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	60x47x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8723 3800157642354

Adattatore spina 10A  
2presa 10/ 10A schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8724 3800157642361

Adattatore spina 16A  
2presa 10/ 16A Bipasso  
+ 1 Bipasso/schuko

Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	75x50x40mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8725 3800157642378

**Adattatore spina 10A  
4 prese 10A**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8726 3800157642385

**Spina 2p+t 16A**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x60x45mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8727 3800157642392

**Spina 2p+t 10A**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x35x25mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8728 3800157642408

**Prese 10A /16A Bipasso  
2p+T**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	65x43x25mm
Input Current:	16A
Output Current:	16A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8744 3800157642569

**Adattatore rotante,Spina 10A  
2 prese 2P+T 10/16A Bipasso+  
1 presa Bipasso/Schuko  
Con protezione de sovraccarico**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	80x75x48mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	60 pcs

SKU: 8746 3800157642583

**Adattatore Spina 10A  
4 prese 10/16A Bipasso  
Con protezione de  
sovraccarico**




Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x70x70mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs

SKU: 8743 3800157642552

**Adattatore Spina 10A  
2 prese 2P+T 10/16A Bipasso+  
1 presa Bipasso/Schuko  
Con protezione de sovraccarico**



Input Power:	AC:250V,50/60Hz
Body Type:	PC+COPPER
Dimension:	95x50x40mm
Input Current:	10A
Output Current:	10A
Rated Load	1500W
Box Qty:	200 pcs



## LED Wall Lights

Presenting our modern LED wall lights, the perfect replacement for traditional wall lamps. A classy combination of energy efficiency and design. Applied indoors or outdoors, style up your bedroom, hall or pathways with the soft light illuminated from these wall lamps.

### Product Features

- Modern wall lights available in sleek and stylish designs.
- Adjustable beam angle.
- Available in black, grey & white colors
- Easy installation
- Perfect for halls, pathways, bedroom, kitchen & terrace

### Applications

Suitable for residential lighting, hotels, restaurants, resorts, residential lighting and similar environment



**NEW**



**VT-844-B**

SKU: 8563 - 3000K White 3800157643740  
SKU: 8561 - 3000K Warm White 3800157643726



**VT-844-W**

SKU: 8562 - 3000K Warm White 3800157643733  
SKU: 8560 - 3000K Warm White 3800157643719



LED Wall Lights


4w

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	150lm
IP Rating:	IP65
CRI:	>80
PF:	>0.4
Beam Angle:	41°
Body Type:	Nylon
Dimension:	83x123x30mm
Box Qty:	10 Pcs




**VT-827-RD**

SKU: 8537 - 3000K Warm White 3800157638869  
SKU: 8538 - 4000K Day White 3800157638876



**VT-827-SQ**

SKU: 8539 - 3000K Warm White 3800157638883  
SKU: 8540 - 4000K Day White 3800157638890



LED Wall/ Ceiling Lights


12w

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	128°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs




**VT-828-RD**

SKU: 8541 - 3000K Warm White 3800157638906  
SKU: 8542 - 4000K Day White 3800157638913



**VT-828-SQ**

SKU: 8543 - 3000K Warm White 3800157638920  
SKU: 8544 - 4000K Day White 3800157638937



LED Wall/ Ceiling Lights

12w

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200
IP Rating:	IP65
CRI:	>80
PF:	>0.5
Beam Angle:	158°
Body Type:	PC
Dimension:	169x100mm
Box Qty:	20 Pcs





### White


SKU: 8316 - 3000K Warm White	3800157632270
SKU: 8317 - 4000K Day White	3800157632287
SKU: 8318 - 5000K White	3800157632294

### Black

SKU: 8322 - 3000K Warm White	3800157632331
SKU: 8323 - 4000K Day White	3800157632348
SKU: 8324 - 5000K White	3800157632355

### Grey

SKU: 8319 - 3000K Warm White	3800157632300
SKU: 8320 - 4000K Day White	3800157632317
SKU: 8321 - 5000K White	3800157632324



### Bollard Lights

10w VT-830

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	450lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	72°
Body Type:	Aluminium
Dimension:	108x250mm
Box Qty:	8 Pcs



### White


SKU: 8325 - 3000K Warm White	3800157632362
SKU: 8326 - 4000K Day White	3800157632379
SKU: 8327 - 5000K White	3800157632386

### Black

SKU: 8331 - 3000K Warm White	3800157632423
SKU: 8332 - 4000K Day White	3800157632430
SKU: 8333 - 5000K White	3800157632447

### Grey

SKU: 8328 - 3000K Warm White	3800157632393
SKU: 8329 - 4000K Day White	3800157632409
SKU: 8330 - 5000K White	3800157632416




### Bollard Lights

10w VT-820

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	450lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	72°
Body Type:	Aluminium
Dimension:	108x800mm
Box Qty:	4 Pcs





**White**


- SKU: 8334 - 3000K Warm White 3800157632454
- SKU: 8335 - 4000K Day White 3800157632461
- SKU: 8336 - 6400K White 3800157632478

**Black**

- SKU: 8340 - 3000K Warm White 3800157632515
- SKU: 8341 - 4000K Day White 3800157632522
- SKU: 8342 - 6400K White 3800157632539

**Grey**


- SKU: 8337 - 3000K Warm White 3800157632485
- SKU: 8338 - 4000K Day White 3800157632492
- SKU: 8339 - 6400K White 3800157632508



Wall Lights  
12W VT-822

Sensor Compatible:	Yes
Voltage/Frequency:	AC:100-240V,50/60Hz
Luminous Flux:	750lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	140°
Body Type:	PC
Dimension:	130x160mm
Box Qty:	20 Pcs




**White**

- SKU: 8209 - 3000K Warm White 3800157623261
- SKU: 8210 - 4000K Day White 3800157623278

**Black**

- SKU: 8211 - 3000K Warm White 3800157623285
- SKU: 8212 - 4000K Day White 3800157623292




Square-IP65  
4W VT-704

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x150x50mm
Box Qty:	20 Pcs






### White

SKU: 8213 - 3000K Warm White 3800157623308  
SKU: 8214 - 4000K Day White 3800157623315

### Black

SKU: 8215 - 3000K Warm White 3800157623322  
SKU: 8216 - 4000K Day White 3800157623339




Round-IP65

4W VT-706

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	4*60°
Body Type:	Aluminium+Acrylic
Dimension:	150x50mm
Box Qty:	20 Pcs




### White

SKU: 8551 - 3000K Warm White 3800157640459  
SKU: 8552 - 4000K Day White 3800157640466

### Black

SKU: 8553 - 3000K Warm White 3800157640473  
SKU: 8554 - 4000K Day White 3800157640480



Round-IP65

4W VT-834-W

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	440lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	4*90°
Body Type:	Aluminum
Dimension:	Ø112mm
Box Qty:	20 Pcs



**White**


SKU: 8280 - 3000K Warm White 3800157629744  
 SKU: 8281 - 4000K Day White 3800157629751

**Black**

SKU: 8282 - 3000K Warm White 3800157629768  
 SKU: 8283 - 4000K Day White 3800157629775

**Grey**

SKU: 8284 - 3000K Warm White 3800157629782  
 SKU: 8285 - 4000K Day White 3800157629799



Modern Wall Lights

5W VT-825

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	550lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	120°
Body Type:	Aluminium
Dimension:	170x170x75mm
Box Qty:	20 Pcs



**White**


SKU: 8295 - 3000K Warm White 3800157629898  
 SKU: 8296 - 4000K Day White 3800157629904

**Black**

SKU: 8297 - 3000K Warm White 3800157629911  
 SKU: 8298 - 4000K Day White 3800157629928

**Grey**

SKU: 8299 - 3000K Warm White 3800157629935  
 SKU: 8300 - 4000K Day White 3800157629942



Triangle Light

6W VT-826

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	Up15°-Down120°
Body Type:	Aluminium
Dimension:	90x200x90mm
Box Qty:	20 Pcs





### White


SKU: 8286 - 3000K Warm White 3800157629805  
SKU: 8287 - 4000K Day White 3800157629812

### Black

SKU: 8288 - 3000K Warm White 3800157629829  
SKU: 8289 - 4000K Day White 3800157629836

### Grey

SKU: 8290 - 3000K Warm White 3800157629843  
SKU: 8291 - 4000K Day White 3800157629850



Single Head-Rotatable

6w VT-816

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **350°**  
Body Type: **Aluminium**  
Dimension: **110x54x97mm**  
Box Qty: **20 Pcs**



### White


SKU: 8292 - 3000K Warm White 3800157629867

### Black

SKU: 8293 - 3000K Warm White 3800157629874

### Grey

SKU: 8294 - 3000K Warm White 3800157629881




Double Head-Rotatable

12w VT-814

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:110-240V,50/60Hz**  
Luminous Flux: **1320lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **350°**  
Body Type: **Aluminium**  
Dimension: **230x54x97mm**  
Box Qty: **20 Pcs**





**White**


SKU: 7079 - 3000K Warm White 3800157616386  
 SKU: 7088 - 4000K Day White 3800157616881

**Black**

SKU: 7078 - 3000K Warm White 3800157616379  
 SKU: 7087 - 4000K Day White 3800157616874

**Grey**


SKU: 7080 - 3000K Warm White 3800157616393  
 SKU: 7089 - 4000K Day White 3800157616898



Square-Bridgelux  
**6w VT-759**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	100x100x100mm
Box Qty:	20 Pcs



**White**


SKU: 8527 - 3000K Warm White 3800157638616  
 SKU: 8528 - 4000K Day White 3800157638623

**Black**

SKU: 8529 - 3000K Warm White 3800157638630  
 SKU: 8530 - 4000K Day White 3800157638647

**Grey**

SKU: 8531 - 3000K Warm White 3800157638654  
 SKU: 8532 - 4000K Day White 3800157638661



Square-Bridgelux  
**12w VT-759-12**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	Adjustable 5°-120°
Body Type:	Aluminium
Dimension:	100x100x100mm
Box Qty:	20 Pcs





### White


SKU: 7082 - 3000K Warm White 3800157616416  
SKU: 7091 - 4000K Day White 3800157616911

### Black

SKU: 7081 - 3000K Warm White 3800157616409  
SKU: 7090 - 4000K Day White 3800157616904

### Grey


SKU: 7083 - 3000K Warm White 3800157616423  
SKU: 7092 - 4000K Day White 3800157616928



Round-Bridgelux  
6w VT-756

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **Adjustable 5°-120°**  
Body Type: **Aluminium**  
Dimension: **140x115x100mm**  
Box Qty: **20 Pcs**



### White


SKU: 8305 - 3000K Warm White 3800157629997  
SKU: 8306 - 4000K Day White 3800157630009

### Black

SKU: 8303 - 3000K Warm White 3800157629973  
SKU: 8304 - 4000K Day White 3800157629980

### Grey

SKU: 8301 - 3000K Warm White 3800157629959  
SKU: 8302 - 4000K Day White 3800157629966



Round Light  
6w VT-836

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **660lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **Up-Down 90°**  
Body Type: **Aluminium**  
Dimension: **112x112x93mm**  
Box Qty: **20 Pcs**








**White**

SKU: 8217 - 3000K Warm White 3800157623346  
 SKU: 8218 - 4000K Day White 3800157623353

**Black**

SKU: 8219 - 3000K Warm White 3800157623360  
 SKU: 8220 - 4000K Day White 3800157623377



Ceiling-Blade Lights  
**7W VT-707**

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	770lm
IP Rating:	IP65
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	110x120x170mm
Box Qty:	20 Pcs




Round-Bridgelux  
**6W VT-741**

SKU: 7524 - 3000K Warm White 3800157620017  
 SKU: 7525 - 4000K Day White 3800157620024

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	660lm
IP Rating:	IP65
CRI:	>80

PF:	>0.55
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	Ø135mm
Box Qty:	20 Pcs




Round-Bridgelux  
**9W VT-743**

SKU: 7526 - 3000K Warm White 3800157620031  
 SKU: 7527 - 4000K Day White 3800157620048

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP65
CRI:	>80

PF:	>0.55
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	Ø180mm
Box Qty:	20 Pcs





## Up-Down Light-Medium


9w VT-8056

SKU: 8239 - 3000K Warm White  
SKU: 8240 - 4000K Day White  
SKU: 8241 - 6400K White

3800157625791  
3800157625807  
3800157625814

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **400lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **90°**  
Body Type: **PC**  
Dimension: **173x81x46mm**  
Box Qty: **20 Pcs**



## Up-Down Light-Large


12w VT-8057

SKU: 8242 - 3000K Warm White  
SKU: 8243 - 4000K Day White  
SKU: 8244 - 6400K White

3800157625821  
3800157625838  
3800157625845

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **600lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **92°**  
Body Type: **PC**  
Dimension: **230x100x90mm**  
Box Qty: **20 Pcs**



## Softlight-Bulkhead


12w VT-8058

SKU: 8245 - 3000K Warm White  
SKU: 8246 - 4000K Day White  
SKU: 8247 - 6400K White

3800157625852  
3800157625869  
3800157625876

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **500lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **130°**  
Body Type: **PC**  
Dimension: **230x110x76mm**  
Box Qty: **20 Pcs**



## Landscape-Soft Light-Medium


12w VT-8054

SKU: 8233 - 3000K Warm White  
SKU: 8234 - 4000K Day White  
SKU: 8235 - 6400K White

3800157625739  
3800157625746  
3800157625753

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **600lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **110°**  
Body Type: **PC**  
Dimension: **265x120x81mm**  
Box Qty: **20 Pcs**






Landscape-Soft Light-Large  
20w VT-8055


SKU: 8236 - 3000K Warm White 3800157625760  
SKU: 8237 - 4000K Day White 3800157625777  
SKU: 8238 - 6400K White 3800157625784

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1000lm**  
IP Rating: **IP65**  
CRI: **>80**

PF: **>0.9**  
Beam Angle: **110°**  
Body Type: **PC**  
Dimension: **319x170x114mm**  
Box Qty: **20 Pcs**



Indoor Wall Lights




Wall Lights

5w VT-705

SKU: 8208 - 3000K Warm White 3800157623254  
SKU: 8232 - 4000K Day White 3800157624756

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **550lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **150°**  
Body Type: **Aluminium**  
Dimension: **175x80x96mm**  
Box Qty: **20 Pcs**




Rotatable-360-White

5w VT-757

SKU: 7086 - 3000K Warm White 3800157616454  
SKU: 7093 - 4000K Day White 3800157616935

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:110-240V,50/60Hz**  
Luminous Flux: **560lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.45**  
Beam Angle: **10-360°**  
Body Type: **Aluminium**  
Dimension: **140x105x140mm**  
Box Qty: **20 Pcs**




### White

SKU: 8344 - 3000K Warm White 3800157633000  
SKU: 8345 - 4000K Day White 3800157633017

### Black


SKU: 8346 - 3000K Warm White 3800157633024  
SKU: 8347 - 4000K Day White 3800157633031



Square-Bridgelux  
3w VT-803

Sensor Compatible: Yes  
Voltage/Frequency: AC:110-240V,50/60Hz  
Luminous Flux: 300lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 120°  
Body Type: Iron  
Dimension: 220x80x200mm  
Box Qty: 20 Pcs




### White

SKU: 8225 - 3000K Warm White 3800157623421  
SKU: 8226 - 4000K Day White 3800157623438

### Black


SKU: 8227 - 3000K Warm White 3800157623445  
SKU: 8228 - 4000K Day White 3800157623452



Modern Wall Lights  
9w VT-710

Sensor Compatible: Yes  
Voltage/Frequency: AC:220-240V,50/60Hz  
Luminous Flux: 990lm  
IP Rating: IP20  
CRI: >80

PF: >0.5  
Beam Angle: 360°  
Body Type: Aluminium+Acrylic  
Dimension: 210x80mm  
Box Qty: 20 Pcs




**White**

SKU: 8221 - 3000K Warm White 3800157623384  
 SKU: 8222 - 4000K Day White 3800157623391

**Black**

SKU: 8223 - 3000K Warm White 3800157623407  
 SKU: 8224 - 4000K Day White 3800157623414



Modern Wall Lights  
 9w VT-709

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	990lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	440x335x75mm
Box Qty:	10 Pcs




**White**

SKU: 8307 - 3000K Warm White 3800157630016  
 SKU: 8308 - 4000K Day White 3800157630023

**Black**


SKU: 8309 - 3000K Warm White 3800157630030  
 SKU: 8310 - 4000K Day White 3800157630047



Modern Wall Lights  
 10w VT-811

Sensor Compatible:	Yes
Voltage/Frequency:	AC:110-240V,50/60Hz
Luminous Flux:	1100lm
IP Rating:	IP65
CRI:	>80

PF:	>0.45
Beam Angle:	360°
Body Type:	Aluminium
Dimension:	300x215x60mm
Box Qty:	20 Pcs



### White


SKU: 8202 - 3000K Warm White 3800157623193  
SKU: 8203 - 4000K Day White 3800157623209

### Black

SKU: 8204 - 3000K Warm White 3800157623216  
SKU: 8205 - 4000K Day White 3800157623223

### Grey

SKU: 8206 - 3000K Warm White 3800157623230  
SKU: 8207 - 4000K Day White 3800157623247




#### Modern Wall Lights

12w VT-712

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:100-240V,50/60Hz**  
Luminous Flux: **1100lm**  
IP Rating: **IP20**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **360°**  
Body Type: **Aluminium+Acrylic**  
Dimension: **260x125x55mm**  
Box Qty: **20 Pcs**




#### Adjustable Modern Wall Lights

18w VT-819-W

SKU: 8533 - 3000K Warm White 3800157638678  
SKU: 8534 - 4000K Day White 3800157638685

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **1800lm**  
IP Rating: **IP44**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **Adjustable 5°-90°**  
Body Type: **Aluminium**  
Dimension: **600x100x42mm**  
Box Qty: **10 Pcs**



#### Modern Wall Lights

20w VT-821-W

SKU: 8535 - 3000K Warm White 3800157638692  
SKU: 8536 - 4000K Day White 3800157638708

Sensor Compatible: **Yes**  
Voltage/Frequency: **AC:220-240V,50/60Hz**  
Luminous Flux: **2000**  
IP Rating: **IP44**  
CRI: **>80**

PF: **>0.5**  
Beam Angle: **150°**  
Body Type: **Aluminium**  
Dimension: **610x90x35mm**  
Box Qty: **20 Pcs**



Single Head


4.5W VT-805-W

SKU: 8262 - 3000K Warm White  
SKU: 8264 - 4000K Day White

3800157627122  
3800157627146

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x94x45mm
Box Qty:	12 Pcs



Single Head


4.5W VT-805-B

SKU: 8263 - 3000K Warm White  
SKU: 8265 - 4000K Day White

3800157627139  
3800157627153

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	360lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x94x45mm
Box Qty:	12 Pcs



Double Head


9W VT-810-W

SKU: 8266 - 3000K Warm White  
SKU: 8268 - 4000K Day White

3800157627160  
3800157627184

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	400x100x94mm
Box Qty:	12 Pcs



Double Head


9W VT-810-B

SKU: 8267 - 3000K Warm White  
SKU: 8269 - 4000K Day White

3800157627177  
3800157627191

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	720lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	400x100x94mm
Box Qty:	12 Pcs





Tripple Head


13.5W VT-813-W

SKU: 8270 - 3000K Warm White  
SKU: 8272 - 4000K Day White

3800157627207  
3800157627221

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Tripple Head


13.5W VT-813-B

SKU: 8271 - 3000K Warm White  
SKU: 8273 - 4000K Day White

3800157627214  
3800157627238

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1080lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	600x100x94mm
Box Qty:	12 Pcs



Single Head


6W VT-806-W

SKU: 8250 - 3000K Warm White  
SKU: 8252 - 4000K Day White

3800157627009  
3800157627023

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs



Single Head


6W VT-806-B

SKU: 8251 - 3000K Warm White  
SKU: 8253 - 4000K Day White

3800157627016  
3800157627030

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	480lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	100x93mm
Box Qty:	24 Pcs







Double Head


12w VT-812-W

SKU: 8254 - 3000K Warm White  
SKU: 8256 - 4000K Day White

3800157627047  
3800157627061

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Double Head


12w VT-812-B

SKU: 8255 - 3000K Warm White  
SKU: 8257 - 4000K Day White

3800157627054  
3800157627078

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	960lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	405x100x93mm
Box Qty:	12 Pcs



Tripple Head


18w VT-818-W

SKU: 8258 - 3000K Warm White  
SKU: 8260 - 4000K Day White

3800157627085  
3800157627108

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs



Tripple Head


18w VT-818-B

SKU: 8259 - 3000K Warm White  
SKU: 8261 - 4000K Day White

3800157627092  
3800157627115

Sensor Compatible:	Yes
Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1440lm
IP Rating:	IP20
CRI:	>80

PF:	>0.5
Beam Angle:	100°
Body Type:	Plastic+Metal
Dimension:	605x100x93mm
Box Qty:	12 Pcs





## LED Outdoor Lights

Transform the exteriors of a Building or a Garden into a Beautiful piece of Architecture. Simultaneously help navigate obstacles at night, prevent accidents and provide security.

### Product Features

- Perfect replacement for traditional fittings as they are more flexible & efficient
- Work perfectly in extreme temperatures from -20° to +45° without any adverse effects
- Specifically designed for Outdoor use
- IP65 Protection Rating to ensure safety
- Low Maintenance
- Outstanding Colour options and settings

### Applications

Used for gardens, outdoor residential areas, walkways & passages, driveways, fountains, lawns, entrance, patio or terrace and similar environments



**Wall Fitting-IP44-GU10-PIR**  
**VT-7621PIR**  
 SKU: 7502 3800157617611



Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x163mm
Box Qty:	24 Pcs



**Wall Fitting-Up-Down-GU10-PIR**  
**VT-7622PIR**  
 SKU: 7503 3800157617628



**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x67x220mm
Box Qty:	12 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7622**  
 SKU: 7500 3800157617598



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



**Wall Fitting-IP44-GU10**  
**VT-7621**  
 SKU: 7501 3800157617604

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	93x85x118mm
Box Qty:	24 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7632**  
 SKU: 7504 3800157617635



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x178mm
Box Qty:	12 Pcs



**Wall Fitting-IP44-GU10**  
**VT-7631**  
 SKU: 7505 3800157617642

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	110x60x125mm
Box Qty:	24 Pcs



**Wall Light-IP44-GU10**  
**VT-7641**  
 SKU: 7506 3800157617659

Type:	Wall Fixtures
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x118mm
Box Qty:	24 Pcs



**Wall Fitting-Up-Down-GU10**  
**VT-7642**  
 SKU: 7507 3800157617666



Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Stainless Steel Brush
IP Rating:	IP44
Dimension:	105x76x207mm
Box Qty:	16 Pcs

## Wall Fitting-Round-IP44-GU10

## VT-7651RD

SKU: 7508 3800157617673



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

## Wall Fitting-Up-Down-GU10-IP44

## VT-7652RD

SKU: 7509 3800157617680




Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs

## Wall Fitting-Square-IP44-GU10

## VT-7651SQ

SKU: 7510 3800157617697



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

## Wall Fitting-Up-Down-GU10-IP44

## VT-7652SQ

SKU: 7511 3800157617703




Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs

## Wall Fitting-Up-Down-GU10-IP44

## VT-7662

SKU: 7512 3800157617710




Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

## Wall Fitting-Up-Down-GU10

## VT-7662-W

SKU: 7543 3800157630740




Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	85x87x250mm
Box Qty:	12 Pcs

## Wall Fitting-Square-IP44-GU10

## VT-7651SQ-W

SKU: 7539 3800157630702



Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs

## Wall Fitting-Round-IP44-GU10

## VT-7651RD-W

SKU: 7540 3800157630719




Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	24 Pcs



**Wall Fitting-Square-IP44-GU10**  
**VT-7652SQ-W**  
 SKU: 7541 3800157630726

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x150mm
Box Qty:	16 Pcs



**Wall Fitting-Up-Down-GU10-IP44**  
**VT-7652RD-W**  
 SKU: 7542 3800157630733

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2xGU10
Material:	Aluminium
Color of Fixture:	White
IP Rating:	IP44
Dimension:	92x68x80mm
Box Qty:	16 Pcs

**NEW**



**Wall Fitting-Up-Down-GU10**  
**VT-7622-W**  
 SKU: 7570 3800157640442

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt White
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs

**NEW**



**Wall Fitting-Up-Down-GU10**  
**VT-7622-B**  
 SKU: 7569 3800157640435

**UP & DOWN LIGHTS**

Type:	Wall Fixtures
Holder:	2XGU10
Material:	Stainless Steel
Color of Fixture:	Matt Black
IP Rating:	IP44
Dimension:	93x85x163mm
Box Qty:	16 Pcs



**Wall Fitting-IP44-GU10**  
**VT-7611**  
 SKU: 7553 3800157633574

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	100x66x92mm
Box Qty:	24 Pcs



**Wall Fitting-IP44-GU10**  
**VT-7612**  
 SKU: 7554 3800157633581

Type:	Wall Fixtures
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	1170x50mm
Box Qty:	6 Pcs

**NEW**



**Underground Fittings-MR16**  
**VT-7678-1**  
 SKU:8567 3800157644518

**IP67 RATING**

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs

**NEW**



**Underground Fittings-MR16**  
**VT-7678-2**  
 SKU:8568 3800157644525

**IP67 RATING**

Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs

**NEW**

Underground Fittings-MR16

**VT-7678-3**

SKU:8566 3800157644532



Type:	Underground Fittings
Holder:	MR16
Material:	Stainless Steel
Color of Fixture:	Black+Silver
IP Rating:	IP67
Dimension:	D:87x128mm
Box Qty:	12 Pcs



Underground Fitting-Round-GU10

**VT-7677RD**

SKU: 7515 3800157617741



Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs



Underground Fitting-Square-GU10

**VT-7677SQ**

SKU: 7516 3800157617758



Type:	Underground Fittings
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Black
IP Rating:	IP65
Dimension:	110x110x120mm
Box Qty:	24 Pcs



Garden Spike-Single Head-E27

**VT-728**

SKU: 7044 3800157606332

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x27mm
Box Qty:	12 Pcs



Garden Spike-Double Head-E27

**VT-729**

SKU: 7045 3800157606349

Type:	Garden Lamps
Holder:	E27
Material:	ABS
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	450x205mm
Box Qty:	12 Pcs



Garden Spike-Black-IP44

**VT-769**

SKU: 7517 3800157617765

Type:	Garden Lamps
Holder:	GU10
Material:	Aluminium
Color of Fixture:	Black
IP Rating:	IP44
Dimension:	95x95x335mm
Box Qty:	12 Pcs



Garden Spike-White-IP44

**VT-770**

SKU: 7518 3800157617772

Type:	Garden Lamps
Holder:	GU10
Material:	Stainless Steel
Color of Fixture:	Silver
IP Rating:	IP44
Dimension:	60x60x420mm
Box Qty:	8 Pcs



Garden Lamp  
**12W VT-857-B**

SKU: 7544 - 3000K Warm White 3800157633444  
 SKU: 7545 - 4000K Day White 3800157633451  
 SKU: 7546 - Green 3800157633468



Commercial Type:	Garden Spike Light	CRI:	>80
Voltage/Frequency:	AC:100-240V,50/60Hz	IP Rating:	IP65
Luminous Flux:	720lm	Body Type:	Aluminium
Beam Angle:	30°	Dimension:	73x255mm
PF	>0.6	Box Qty:	50 Pcs



Garden Lamp  
**12W VT-857-W**

SKU: 7547 - 3000K Warm White 3800157633475  
 SKU: 7548 - 4000K Day White 3800157633482  
 SKU: 7549 - Green 3800157633499



Commercial Type:	Garden Spike Light	CRI:	>80
Voltage/Frequency:	AC:100-240V,50/60Hz	IP Rating:	IP65
Luminous Flux:	720lm	Body Type:	Aluminium
Beam Angle:	30°	Dimension:	73x255mm
PF	>0.6	Box Qty:	50 Pcs



Garden Lamp  
**12W VT-857-G**

SKU: 7550 - 3000K Warm White 3800157633505  
 SKU: 7551 - 4000K Day White 3800157633512  
 SKU: 7552 - Green 3800157633529



Commercial Type:	Garden Spike Light	CRI:	>80
Voltage/Frequency:	AC:100-240V,50/60Hz	IP Rating:	IP65
Luminous Flux:	720lm	Body Type:	Aluminium
Beam Angle:	30°	Dimension:	73x255mm
PF	>0.6	Box Qty:	50 Pcs



Pool Lights-PAR56  
8W VT-1258

SKU: 7556 - 3000K Warm White 3800157633789  
SKU: 7555 - 6400K White 3800157633772  
SKU: 7557 - Blue 3800157633796




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB  
8W VT-1268

SKU: 7558 - RGB 3800157633802




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	800lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs



Pool Lights-PAR56  
12W VT-1262

SKU: 7560 - 3000K Warm White 3800157633826  
SKU: 7559 - 6500K White 3800157633819  
SKU: 7561 - Blue 3800157633833




Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs



Pool Lights-PAR56-RGB  
12W VT-1263

SKU: 7562 - RGB 3800157633840



Commercial Type:	PAR56
Voltage/Frequency:	AC/DC:12V,50Hz
Luminous Flux:	1200lm
Beam Angle:	120°
CRI:	>80
IP Rating:	IP68
Body Type:	Glass
Dimension:	178x114mm
Cutting Size:	275x145mm
Box Qty:	12 Pcs





## Garden Lamps

V-TAC presents an elegant series of garden lighting-allowing your garden to glow in style when the sun goes down. Step outside with our wide range of contemporary outdoor lighting and decorate your pathways, walls, floors and ceilings with our modern designs.

### Product Features

- Traditional Garden Lamps designed to fit the Modern day requirements
- Available in different designs, shapes and sizes
- Easy installation
- Applicable with GU10 -E27 base lights
- Suitable for Walls, Floor, Pathways and Ceiling Lights

### Applications


Suitable for Outdoor Lighting



## Wall Lamp

VT-837-B

SKU: 8517 3800157637435




Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs



## Wall Lamp

VT-837

SKU: 8518 3800157637442




Voltage:	AC:220-240V, 50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Clear Glass
Size:	113x236x113mm
Box Qty:	10 Pcs



## Wall Fittings GU10

VT-7613

SKU: 7563 3800157636360




Voltage:	AC:220-240V/50-60HZ
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	121x80x250mm
Box Qty:	6 Pcs



## Garden Lamps GU10

VT-7614

SKU: 7564 3800157636377




Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x500mm
Box Qty:	4 Pcs




## Garden Lamps GU10

VT-7615

SKU: 7565 3800157636384



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+clear PC diffuser
Size:	80x80x800mm
Box Qty:	4 Pcs




Wall Fittings GU10

**VT-7616**

SKU: 7566 3800157636391



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	121x80x220mm
Box Qty:	6 Pcs




Garden Lamps GU10

**VT-7617**

SKU: 7567 3800157636407



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x500mm
Box Qty:	4 Pcs




Garden Lamps GU10

**VT-7618**

SKU: 7568 3800157636414



Voltage:	AC:220-240V,50-60Hz
Max.Watts:	35W
IP Rating:	IP54
Holder:	GU10
Color of Fixture:	Black
Body Type:	Aluminium body+opal PC diffuser
Size:	80x800mm
Box Qty:	4 Pcs




Wall Lamp

**VT-7670**

SKU: 7513 3800157617727



Voltage:	AC:220-240V,50Hz
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp

**VT-7680**

SKU: 7514 3800157617734



Voltage:	AC:220-240V
Max.Watts:	14W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Stainless Steel
Body Type:	Stainless Steel+PC
Size:	250x90x100mm
Box Qty:	12 Pcs




Wall Lamp  
VT-745-B

SKU: 7064

3800157614399



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs




Wall Lamp  
VT-745-DG

SKU: 7065

3800157614405



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP54
Holder:	E27
Color of Fixture:	Dark Grey
Body Type:	Aluminium
Size:	145X265mm
Box Qty:	12 Pcs




Wall Lamp  
VT-754-MB

SKU: 7076

3800157616294

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs




Wall Lamp  
VT-754-MW

SKU: 7077

3800157616300

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x180x93mm
Box Qty:	10 Pcs




Wall Lamp  
VT-760-B

SKU: 7519

3800157617789

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs




Wall Lamp  
**VT-760-W**

SKU: 7520

3800157617796

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	225x400x148mm
Box Qty:	12 Pcs




Wall Lamp  
**VT-761-B**

SKU: 7521

3800157617802

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs




Wall Lamp  
**VT-761-W**

SKU: 7522

3800157617819

Voltage:	AC:220-240V
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	245x445x185mm
Box Qty:	8 Pcs




Wall Lamp  
**VT-730**

SKU: 7046

3800157610391

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs




Wall Lamp  
**VT-731**

SKU: 7047

3800157610407

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	200x238mm
Box Qty:	6 Pcs




## Wall Lamp

VT-852

SKU: 7531

3800157630078

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs




## Wall Lamp

VT-853

SKU: 7532

3800157630085

Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium, Glass
Size:	290x250x525mm
Box Qty:	6 Pcs



## Wall Lamp


VT-751-B

SKU: 7070

3800157616232



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs



## Wall Lamp


VT-751-W

SKU: 7071

3800157616249



Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	215x375x170mm
Box Qty:	10 Pcs




## Wall Lamp

VT-749-B

SKU: 7066

3800157616195


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp  
VT-749-W

SKU: 7067 3800157616201


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp  
VT-750-B

SKU: 7068 3800157616218


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Wall Lamp  
VT-750-W

SKU: 7069 3800157616225


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	208x360x170mm
Box Qty:	10 Pcs



Ceiling Lamp  
VT-752-B

SKU: 7072 3800157616256


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



Ceiling Lamp  
VT-752-W

SKU: 7073 3800157616263

Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	White
Body Type:	Aluminium+Glass
Size:	170x840mm
Box Qty:	10 Pcs



## Ceiling Lamp

VT-735

SKU: 7058

3800157612616

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 170x720mm

Box Qty: 10 Pcs



## Stand Lamp

VT-736

SKU: 7059

3800157612623

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+Glass

Size: 170x600mm

Box Qty: 10 Pcs



## Ceiling Lamp

VT-850

SKU: 7529

3800157630054

Voltage: AC:200-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Matt Black

Body Type: Aluminium+PC

Size: 250x890mm

Box Qty: 8 Pcs



## Pole Lamp

VT-851

SKU: 7530

3800157630061

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP44


Holder: E27

Color of Fixture: Black

Body Type: Aluminium+PC

Size: 250x1110mm

Box Qty: 1 Pcs



## Stand Lamp

VT-734

SKU: 7057

3800157612609

Voltage: AC:220-240V,50Hz

Max.Watts: 60W

IP Rating: IP65

Holder: E27

Color of Fixture: Black


Body Type: Aluminium+Glass

Size: 170x290

Box Qty: 10 Pcs








Stand Lamp  
**VT-753-B**

SKU: 7074      3800157616270


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt Black
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp  
**VT-753-W**

SKU: 7075      3800157616287


Voltage:	AC:220-240V,50Hz
Max.Watts:	40W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Matt White
Body Type:	Aluminium+Glass
Size:	170x403mm
Box Qty:	10 Pcs



Stand Lamp  
**VT-737**

SKU: 7060      3800157612630


Voltage:	AC:220-240V,50Hz
Max.Watts:	60W
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	345x1365mm
Box Qty:	1 Pcs



Stand Lamp  
**VT-738**

SKU: 7061      3800157612647


Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	480x1410mm
Box Qty:	1 Pcs



Stand Lamp  
**VT-739**

SKU: 7062      3800157612654

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx2
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs




## Stand Lamp


VT-740

SKU: 7063

3800157612661

Voltage:	AC:220-240V,50Hz
Max.Watts:	60Wx3
IP Rating:	IP44
Holder:	E27
Color of Fixture:	Black
Body Type:	Aluminium+Glass
Size:	500x1990mm
Box Qty:	1 Pcs





# LED Display Screen

VTAC LED's Display screen series perfectly designed for the best video output and display of images and information. Offering Display color of 281 trillions(synchronized). The perfect product for advertising and marketing.

## Product Features

- Powerful LED display screen available in Indoor and Outdoor series
- Displays digital content such as Video, Images & Information
- Good Brand Value addition for Advertising
- Easy Installation

## Applications

Suitable for Outdoor and Indoor Advertising, Hotel conference room, Restaurants, Showrooms, Casinos, Government facilities, Theaters, Retail outlets, Traffic control room, Security monitoring room, Stage background, HD cinema, Shopping malls, Railway stations, Airports.



## Indoor Display Screen

**P3 Indoor LED Display Screen**

SKU: 11109 3800157644686

 Box Qty.  
**6 Pcs**


Pixel pitch	3mm	Brightness	≥1100 CD/M2
Panel size	L192xH192xT13mm	Working environment temperature	-10 to +40°C
Physical density	111111/M2	Working environment humidity	10%~70% RH
Pixel configuration	1,1,1(R,G,B)	Display working voltage	AC46~4HZ,220V±15%/110V±15%
Driving method	1/16 Constant current	Color temperature	8500K-11500K
LED Chip Type	SMD2121	Gray scale/color	≥16.7M color
Display resolution	4096(64x64)dots	Input signal	RF\ S-Video\ RGB etc
Module weight	0.35Kg	Control system	PCTV nonlinearity card, DVI Display card, Linsn control system
Module port	HUB75-B	Mean free error time	>5000 Hours
Module working voltage	5VDC	Life Hours	100000 Hours
Power	30W	Steel box weight	40 Kg/M2
Viewing angle	120 Degrees	Steel box size	L576Xh768x80mm
Option distance	3-45M		
Driving device	5020		
Every square metre module	27.13 PCS		
Maximum power	1000 W/M2		
Frame Frequency	60Hz		
Refresh frequency	400-800 Hz/S		



Indoor Display Screen

**P4 Indoor LED Display Screen**

SKU: 11079 3800157619493

Box Qty.  
**6 Pcs**



- Plug & Play
- Ideal For Renting Purpose
- Portable Moving For Events

### Screen Parameter

Pixel Density	62500dots/sqm
Brightness	1100nits
Optimum View Distance	more than 5m
Gray Scale	16bits
Display Color	281 trillions(synchronized)
Operation Power	AC 220V-240V/ 50/60Hz
Power Consumption	300W/cabinet
Control Mode	Synchronized
Refresh Frequency	400-700HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness)	100000hrs
IP(Front)	IP40
Control System	PCTV nonlinearity card, DVI display card Linsn control system

### LED Cabinet Parameter

Cabinet Size(L*h*d)	512*512*85mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	2*4=8
Power Consumption	300w/cabinet
Cabinet Material	Iron
Cabinet Weight	8kg/cabine

### LED Module Parameter

Pixel Pitch	4mm
Led Specification	SMD2121
Led Configuration	SMD 3 in 1
Module Size	256*128mm
Module Resolution	64*32=2048dot
Drive Method	1/16 scan constant current
Drive IC	SM16106
Power Consumption	25-30W



## Indoor Display Screen

**P5 Indoor LED Finished Cabinet**
 Box Qty.  
**6 Pcs**

SKU: 11077 3800157617468

## Screen Parameter

Pixel Density:	40000dots/sqm
Brightness:	1800nits
Optimum View Distance:	more than 5m
Gray Scale:	16bits
Display Color:	281 trillions(synchronized)
Operation Power:	220V-240V
Max Power Consumption:	750W/sqm
Control Mode:	Synchronized
Refresh Frequency:	400-700HZ
Fram Frequency:	60HZ
Support Signal Input:	S-Video,RGBHV,YUV etc.
Control Distance:	UTP140M,SINGLE MODE FIBER 15KM
Life Span(50% Brightness):	100000hrs
IP(Front/rear):	IP20

## LED Cabinet Parameter

Cabinet Size(L*h*d):	640*640mm
Cabinet Resolution:	128*128
Module Quantity Each Cabinet:	2*4=8
Average Power Consumption:	300w/cabinet
Cabinet Material:	Iron
Cabinet Size:	8kg/cabinet

## LED Module Parameter

Pixel Pitch:	5mm
Led Specification:	SMD3528
Led Configuration:	SMD 3 in 1
Module Size:	320*160mm
Module Resolution:	64*32=2048dot
Drive Method:	1/16 scan constant current
Drive IC:	SM16106

 Windows 10
**COM700-MEDIA PLAYER**

SKU: 11088 3800157622820

## LED Display Player with Industrial PC

One TS802 sending card inside
Dual Display - Supports Max 1280*800
Supports SD Memory Card/USB/HDMI Out/Internet
USB and SD Card Memory Playing
Compact and Easy to Install
7" Touch Screen with windows 10 Inside
Size - 320*180*50mm
Input - AC:120-260V
1 x Audio In
1 x Audio Out
1 x DVI In
1 x HDMI Out
4 USB Interface

Sending Box  Box Qty.  
**20 Pcs**

SKU: 500082

Sending Card  Box Qty.  
**20 Pcs**

SKU: 500081





Outdoor Display Screen

**P6 Outdoor LED Finished Cabinet** Box Qty. **6 Pcs**

SKU: 11078 3800157617475



### Screen Parameter

Pixel Density	27777dots/sqm
Brightness	6500nits
Optimum View Distance	more than 6m
Gray Scale	16bits
Display Color	281 Trillions(synchronized)
Operation Power	220V-240V
Max Power Consumption	1350W/sqm
Control Mode	Synchronized
Refresh Frequency	400-800HZ
Fram Frequency	60HZ
Support Signal Input	S-Video,RGBHV,YUV etc.
Control Distance	Utp140m, Single Mode Fiber 15km
Operating Humidity	10%-90%
Life Span(50% Brightness)	100000hrs
IP(Front/rear)	IP65/IP45

### LED Cabinet Parameter

Cabinet Size(L*h*d)	768*768mm
Cabinet Resolution	128*128
Module Quantity Each Cabinet	4*4=16
Average Power Consumption	800w/cabinet
Cabinet Material	Iron
Cabinet Size	25kg/cabinet

### LED Module Parameter

Pixel Pitch	6mm
Led Specification	SMD3535
Led Configuration	SMD 3 in 1
Module Size	192*192mm
Module Resolution	32*32=1024dot
Drive Method	1/8 scan constant current
Drive IC	SM16106



# Stylish Pendants

---


Includes all mounting hardware for quick and easy installation and filament vintage style bulb recommended (sold separately).

## Product Features


- Stylish pendant lamps available in various shapes, material, and sizes.
- Most suitable with A60, Candle, ST-64 & Globe Bulb Series.
- Easy to Install.
- Vibrant & elegant colors available.

## Applications

Perfect choice for Hotels, Bars, Commercial & Residential Lighting.









**Diamond Cut Glass-Transparent**

Model:	VT-7350-HT
SKU:	3879
EAN:	3800157620970
Size:	Ø330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Diamond Cut Glass-Black**

Model:	VT-7350-HB
SKU:	3880
EAN:	3800157620987
Size:	330x260x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



**Designer Glass-Transparent**

Model:	VT-7254
SKU:	3882
EAN:	3800157621007
Size:	Ø250x230x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Designer Glass-Transparent**

Model:	VT-7306
SKU:	3883
EAN:	3800157621014
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




**Designer Glass-Transparent**

Model:	VT-7305
SKU:	3881
EAN:	3800157620994
Size:	Ø270x1280mm
Box Qty:	4Pcs
Material:	Glass




**Designer Glass-Gun Grey**

Model:	VT-7292
SKU:	3887
EAN:	3800157621052
Size:	Ø300x265x1000mm
Box Qty:	8Pcs
Material:	Glass




**Designer Glass-Gun Grey**


Model:	VT-7380
SKU:	3888
EAN:	3800157621069
Size:	Ø380x330x1000mm
Box Qty:	4Pcs
Material:	Glass



**Amber Glass-Metal Series**


Model:	VT-7303
SKU:	3866
EAN:	3800157620765
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal






Transparent Glass-Metal Series

Model:	VT-7302
SKU:	3865
EAN:	3800157620758
Size:	300x280x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Metal Series

Model:	VT-7229
SKU:	3867
EAN:	3800157620772
Size:	265x190x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal



Double Glass-Amber-White

Model:	VT-7304-AW
SKU:	3875
EAN:	3800157620932
Size:	Ø250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Amber-White

Model:	VT-7181-AW
SKU:	3878
EAN:	3800157620963
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7304-GW
SKU:	3876
EAN:	3800157620949
Size:	250x420x1000mm
Box Qty:	8Pcs
Material:	Glass+Metal




Double Glass-Gungrey-White

Model:	VT-7181-GW
SKU:	3877
EAN:	3800157620956
Size:	180x350x1000mm
Box Qty:	9Pcs
Material:	Glass+Metal




Modern-White Glass Pendant

Model:	VT-7281-WG
SKU:	3884
EAN:	3800157621021
Size:	Ø285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal



Modern-Black Glass Pendant


Model:	VT-7281-BG
SKU:	3885
EAN:	3800157621038
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal






**Modern-Amber Glass Pendant**

Model:	VT-7281-AG
SKU:	3886
EAN:	3800157621045
Size:	285x440x1000mm
Box Qty:	4Pcs
Material:	Glass+Metal




**Glass-Metal Series**

Model:	VT-7210
SKU:	3730
EAN:	3800157611039
Size:	245x230x1100mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**

Model:	VT-7140-A
SKU:	3736
EAN:	3800157611091
Size:	140x240x1130mm
Box Qty:	12Pcs
Material:	Glass+Metal



**Transparent Glass-Metal Series**


Model:	VT-7140-T
SKU:	3735
EAN:	3800157611084
Size:	140x240x1130mm
Box Qty:	8Pcs
Material:	Glass+Metal






**Transparent Glass-Metal Series**

Model:	VT-7185
SKU:	3738
EAN:	3800157611114
Size:	180x230x1110mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Transparent Glass-Metal Series**

Model:	VT-7250
SKU:	3739
EAN:	3800157611121
Size:	250x330x1220mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**


Model:	VT-7290
SKU:	3741
EAN:	3800157611145
Size:	260x260x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



**Transparent Glass-Metal Series**


Model:	VT-7300
SKU:	3737
EAN:	3800157611107
Size:	300x250x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal






**Amber Glass-Metal Series**

Model:	VT-7320
SKU:	3740
EAN:	3800157611138
Size:	250x280x1180mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Amber Glass-Metal Series**

Model:	VT-7150-AG
SKU:	3732
EAN:	3800157611053
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal



**Green Glass-Metal Series**

Model:	VT-7150-GG
SKU:	3734
EAN:	3800157611077
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Red Glass-Metal Series**

Model:	VT-7150-RG
SKU:	3731
EAN:	3800157611046
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Glass-Metal Series**

Model:	VT-7150-CG
SKU:	3733
EAN:	3800157611060
Size:	145x160x1050mm
Box Qty:	12Pcs
Material:	Glass+Metal




**Amber Glass Pendant**

Model:	VT-7220-A
SKU:	3726
EAN:	3800157610995
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal




**Transparent Glass Pendant**

Model:	VT-7220-T
SKU:	3727
EAN:	3800157611008
Size:	220x280x1150mm
Box Qty:	8Pcs
Material:	Glass+Metal



**Transparent Glass-Wood Pendant**

Model:	VT-7130
SKU:	3818
EAN:	3800157615433
Size:	135x240x1150mm
Box Qty:	8Pcs
Material:	Glass+Wood









Transparent Glass-Wood Pendant

Model:	VT-7170
SKU:	3819
EAN:	3800157615440
Size:	165x220x1100mm
Box Qty:	8Pcs
Material:	Glass+Wood




Trio Glass Pendant-Lampholder

Model:	VT-7307
SKU:	3926
EAN:	3800157626217
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Glass+Wood



Transparent Glass-Wood Pendant


Model:	VT-7240
SKU:	3820
EAN:	3800157615457
Size:	235x140x1050mm
Box Qty:	8Pcs
Material:	Glass+Wood





3D Glass-Black Canopy

Model:	VT-7015
SKU:	3830
EAN:	3800157616652
Size:	150x140x1200mm
Box Qty:	10Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy

Model:	VT-7152
SKU:	40111
EAN:	3800157640619
Size:	ø150x100x1020mm
Box Qty:	8Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy

Model:	VT-7206
SKU:	40121
EAN:	3800157640626
Size:	ø200x100x1070mm
Box Qty:	8Pcs
Material:	Glass




**NEW**



3D Glass-Black Canopy


Model:	VT-7256
SKU:	40131
EAN:	3800157640633
Size:	ø250x100x1110mm
Box Qty:	8Pcs
Material:	Glass






Transparent Glass-V Shape

Model:	VT-7180
SKU:	3863
EAN:	3800157620734
Size:	Ø250x90mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Globe

Model:	VT-7226
SKU:	3864
EAN:	3800157620741
Size:	Ø250x230mm
Box Qty:	8Pcs
Material:	Glass+Metal




Transparent Glass-Cone Shape

Model:	VT-7142
SKU:	3861
EAN:	3800157620710
Size:	140x160mm
Box Qty:	8Pcs
Material:	Glass+Metal



Transparent Glass-V Shape


Model:	VT-7143
SKU:	3862
EAN:	3800157620727
Size:	185x140 mm
Box Qty:	8Pcs
Material:	Glass+Metal






6 Bulb Chandelier-Movable

Model:	VT-7400
SKU:	3889
EAN:	3800157621076
Size:	791x900mm
Box Qty:	4Pcs
Material:	Metal




Aluminium Shade-Black


Model:	VT-7422-B
SKU:	3728
EAN:	3800157611015
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium



Aluminium Shade-White


Model:	VT-7422-WH
SKU:	3729
EAN:	3800157611022
Size:	230x310x1150mm
Box Qty:	8Pcs
Material:	Aluminium






**Mesh Metal-Grey**

Model:	VT-7200-MG
SKU:	3822
EAN:	3800157616577
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




**Mesh Metal-Gold**

Model:	VT-7200-CG
SKU:	3821
EAN:	3800157616560
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal



**Mesh Metal-White**

Model:	VT-7200-MW
SKU:	3823
EAN:	3800157616584
Size:	200x270x1300mm
Box Qty:	8Pcs
Material:	Metal




**Can Shape-Gold Pendant**

Model:	VT-7131-CG
SKU:	3824
EAN:	3800157616591
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Black Pendant

Model:	VT-7131-MB
SKU:	3825
EAN:	3800157616607
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-WhitePendant

Model:	VT-7131-MW
SKU:	3826
EAN:	3800157616614
Size:	130x250x1300mm
Box Qty:	10Pcs
Material:	Metal




Can Shape-Gold Pendant

Model:	VT-7132-CG
SKU:	3827
EAN:	3800157616621
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal



Can Shape-Black Pendant


Model:	VT-7132-MB
SKU:	3828
EAN:	3800157616638
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal






Can Shape-WhitePendant

Model:	VT-7132-MW
SKU:	3829
EAN:	3800157616645
Size:	130x220x1300mm
Box Qty:	10Pcs
Material:	Metal




Mesh Metal-Globe

Model:	VT-7332
SKU:	3859
EAN:	3800157620697
Size:	Ø290x1000x1340mm
Box Qty:	8Pcs
Material:	Metal



Mesh Metal-GV Shape

Model:	VT-7252
SKU:	3860
EAN:	3800157620703
Size:	285x170x1000mm
Box Qty:	12Pcs
Material:	Metal



Copper Series-Rose Gold

Model:	VT-8150-CO
SKU:	3713
EAN:	3800157610865
Size:	Ø150
Box Qty:	10Pcs
Material:	Metal





Copper Series-Rose Gold

Model: VT-8300  
 SKU: 3710  
 EAN: 3800157610834  
 Size: Ø300  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8220  
 SKU: 3711  
 EAN: 3800157610841  
 Size: Ø220  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8255  
 SKU: 3709  
 EAN: 3800157610827  
 Size: Ø250mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



Copper Series-Rose Gold

Model: VT-8150-CH  
 SKU: 3712  
 EAN: 3800157610858  
 Size: Ø150mm  
 Box Qty: 10Pcs  
 Material: Iron with electric copper paint







**Copper Series-Chrome**

Model: VT-8180-CH  
 SKU: 3707  
 EAN: 3800157610803  
 Size: Ø180mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8180-CO  
 SKU: 3708  
 EAN: 3800157610810  
 Size: Ø180mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8170  
 SKU: 3714  
 EAN: 3800157610872  
 Size: Ø170mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8230  
 SKU: 3715  
 EAN: 3800157610889  
 Size: Ø230mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint





**Copper Series-Chrome**

Model: VT-8175-CH  
 SKU: 3705  
 EAN: 3800157610780  
 Size: Ø170  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8175-CO  
 SKU: 3706  
 EAN: 3800157610797  
 Size: Ø170mm  
 Box Qty: 8Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**

Model: VT-8200  
 SKU: 3716  
 EAN: 3800157610896  
 Size: Ø200mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint



**Copper Series-Rose Gold**


Model: VT-8250  
 SKU: 3717  
 EAN: 3800157610902  
 Size: Ø250mm  
 Box Qty: 4Pcs  
 Material: Iron with electric copper paint






White Glass-Wood Pendant

Model:	VT-7205
SKU:	3759
EAN:	3800157611329
Size:	190x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7175
SKU:	3758
EAN:	3800157611312
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood




White Glass-Wood Pendant

Model:	VT-7177
SKU:	3760
EAN:	3800157611336
Size:	170x320x1120mm
Box Qty:	8Pcs
Material:	Glass+Wood



Aluminum Pendant-White


Model:	VT-7162-WH
SKU:	3868
EAN:	3800157620789
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium






**Aluminum Pendant-Black**

Model:	VT-7162-B
SKU:	3869
EAN:	3800157620796
Size:	Ø160x350x600mm
Box Qty:	20Pcs
Material:	Aluminium




**Concrete-Mesh**

Model:	VT-7330
SKU:	3849
EAN:	3800157618984
Size:	400x250x1100mm
Box Qty:	4Pcs
Material:	Concrete+Iron




**Concrete-Mesh**


Model:	VT-7121
SKU:	3847
EAN:	3800157618960
Size:	120x380x1300mm
Box Qty:	6Pcs
Material:	Concrete+Iron



**Concrete-Mesh**


Model:	VT-7253
SKU:	3848
EAN:	3800157618977
Size:	250x310x1200mm
Box Qty:	4Pcs
Material:	Concrete+Iron






**Concrete-Lampshade**

Model:	VT-7155
SKU:	3850
EAN:	3800157618991
Size:	160x290x1250mm
Box Qty:	6Pcs
Material:	Concrete




**Concrete-Lampshade**

Model:	VT-7202
SKU:	3853
EAN:	3800157619028
Size:	180x160x1100mm
Box Qty:	4Pcs
Material:	Concrete



**Concrete-Acrylic**

Model:	VT-7291
SKU:	3854
EAN:	3800157619035
Size:	265x260x1050mm
Box Qty:	4Pcs
Material:	Concrete+Wood





**Concrete-Wooden**

Model:	VT-7301
SKU:	3858
EAN:	3800157619073
Size:	290x250x1150mm
Box Qty:	4Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-GY
SKU:	3855
EAN:	3800157619042
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-GN
SKU:	3856
EAN:	3800157619059
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood




**Concrete-Wooden**

Model:	VT-7125-R
SKU:	3857
EAN:	3800157619066
Size:	120x210x1080mm
Box Qty:	8Pcs
Material:	Concrete+Wood



**Concrete-Table Lamp**


Model:	VT-7160
SKU:	3851
EAN:	3800157619004
Size:	160x150x2000mm
Box Qty:	4Pcs
Material:	Concrete






Concrete-Table Lamp

Model:	VT-7171
SKU:	3852
EAN:	3800157619011
Size:	180x130x2000mm
Box Qty:	8Pcs
Material:	Concrete




Geometric Series-Gold Canopy

Model:	VT-7141-CG
SKU:	3831
EAN:	3800157616669
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7141-MB
SKU:	3832
EAN:	3800157616676
Size:	250x190x1250mm
Box Qty:	8Pcs
Material:	Metal



Geometric Series-Gold Canopy


Model:	VT-7161-CG
SKU:	3833
EAN:	3800157616683
Size:	225x225x1250mm
Box Qty:	10Pcs
Material:	Metal







Geometric Series-Black Canopy

Model:	VT-7161-MB
SKU:	3834
EAN:	3800157616690
Size:	225x225x1250mm
Box Qty:	8Pcs
Material:	Metal




Geometric Series-Black Canopy

Model:	VT-7144
SKU:	3927
EAN:	3800157626224
Size:	300x1300mm
Box Qty:	4Pcs
Material:	Metal Finish




Geometric Series-Gold Canopy

Model:	VT-7322-CG
SKU:	3835
EAN:	3800157616706
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal



Geometric Series-Black Canopy

Model:	VT-7322-MB
SKU:	3836
EAN:	3800157616713
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal









**Geometric Series-Gold Canopy**

Model:	VT-7321-CG
SKU:	3837
EAN:	3800157616720
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal




**Geometric Series-Black Canopy**

Model:	VT-7321-MB
SKU:	3838
EAN:	3800157616737
Size:	320x320x1350mm
Box Qty:	10Pcs
Material:	Metal




**Danish Wood-Bronze Canopy**


Model:	VT-7225
SKU:	3816
EAN:	3800157612760
Size:	260x330x1111mm
Box Qty:	8Pcs
Material:	Aluminium+Sand Finish



**Danish Wood-Bronze Canopy**


Model:	VT-7340
SKU:	3817
EAN:	3800157612777
Size:	360x420x1200mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish






Aluminum-Sand finish-Black

Model:	VT-7520-B
SKU:	3700
EAN:	3800157610735
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish




Aluminum-Sand finish-Grey

Model:	VT-7520-G
SKU:	3701
EAN:	3800157610742
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+Sand Finish




Aluminum-Sand finish-White

Model:	VT-7520-WH
SKU:	3702
EAN:	3800157610759
Size:	220x310x1375mm
Box Qty:	4Pcs
Material:	Aluminium+ Sand Finish




Modern Wooden Top-White

Model:	VT-7425-WH
SKU:	3756
EAN:	3800157611299
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top




Modern Wooden Top-Black

Model:	VT-7425-B
SKU:	3757
EAN:	3800157611305
Size:	250x200x1100mm
Box Qty:	8Pcs
Material:	Aluminium+Wooden Top



Wooden Top Iron-White

Model:	VT-7525-WH
SKU:	3761
EAN:	3800157611343
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-Black

Model:	VT-7525-B
SKU:	3762
EAN:	3800157611350
Size:	250x400x1200mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-White

Model:	VT-7535-W
SKU:	3763
EAN:	3800157611367
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-Black

Model:	VT-7535-B
SKU:	3764
EAN:	3800157611374
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top




Wooden Top Iron-White


Model:	VT-7545-WH
SKU:	3765
EAN:	3800157611381
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top



Wooden Top Iron-Black


Model:	VT-7545-B
SKU:	3766
EAN:	3800157611398
Size:	350x300x1100mm
Box Qty:	8Pcs
Material:	Iron+Wooden Top






Pendant-Aluminium Shade-White

Model:	VT-7100-WH
SKU:	3920
EAN:	3800157626156
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Black

Model:	VT-7100-B
SKU:	3921
EAN:	3800157626163
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium



Pendant-Aluminium Shade-Grey

Model:	VT-7100-G
SKU:	3922
EAN:	3800157626170
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Pink

Model:	VT-7100-P
SKU:	3923
EAN:	3800157626187
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Red

Model:	VT-7100-R
SKU:	3924
EAN:	3800157626194
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Pendant-Aluminium Shade-Blue

Model:	VT-7100-BL
SKU:	3925
EAN:	3800157626200
Size:	180x100x1200mm
Box Qty:	12Pcs
Material:	Plastic+Aluminium




Metal Plate-Rose Gold

Model:	VT-7777-RG
SKU:	3751
EAN:	3800157611244
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal



Metal Plate-Matt Gold

Model:	VT-7777-MG
SKU:	3752
EAN:	3800157611251
Size:	300x90x1000mm
Box Qty:	20Pcs
Material:	Metal





**Net Prism-White Pendant**

Model:	VT-7401-W
SKU:	3943
EAN:	3800157630115
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



**Net Prism-Black Pendant**

Model:	VT-7401-B
SKU:	3944
EAN:	3800157630122
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



**Net Prism-Black Pendant**

Model:	VT-7401-BG
SKU:	3945
EAN:	3800157630139
Size:	400x540mm
Box Qty:	2Pcs
Material:	Metal



**Prism-Blue Pendant**

Model:	VT-7310-B
SKU:	3946
EAN:	3800157630146
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal





**Prism-Yellow Pendant**

Model:	VT-7310-Y
SKU:	3947
EAN:	3800157630153
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



**Prism-White Pendant**

Model:	VT-7310-W
SKU:	3948
EAN:	3800157630160
Size:	310x190mm
Box Qty:	4Pcs
Material:	Metal



**Prism-Wooden-White**

Model:	VT-7323-W
SKU:	3949
EAN:	3800157630177
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal



**Prism-Wooden-Yellow**

Model:	VT-7323-Y
SKU:	3950
EAN:	3800157630184
Size:	320x270mm
Box Qty:	4Pcs
Material:	Metal







**Prism-Wooden-Pink**

Model: VT-7323-P  
 SKU: 3951  
 EAN: 3800157630191  
 Size: 320x270mm  
 Box Qty: 4Pcs  
 Material: Metal



**Cone Prism-White**

Model: VT-7255-W  
 SKU: 3952  
 EAN: 3800157630207  
 Size: 250x255mm  
 Box Qty: 4Pcs  
 Material: Metal



**Cone Prism-Blue**

Model: VT-7255-B  
 SKU: 3953  
 EAN: 3800157630214  
 Size: 250x255mm  
 Box Qty:  
 Material: Metal




**Cone Prism-Yellow**

Model: VT-7255-Y  
 SKU: 3954  
 EAN: 3800157630221  
 Size: 250x255mm  
 Box Qty:  
 Material: Metal



**Metal W/Crystal**

Model:	VT-7334-T
SKU:	3955
EAN:	3800157630238
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal



**Metal W/Crystal**

Model:	VT-7334-M
SKU:	3956
EAN:	3800157630245
Size:	330x300mm
Box Qty:	4Pcs
Material:	Metal



**Metal W/Crystal**


Model:	VT-7334-B
SKU:	3957
EAN:	3800157630252
Size:	300x360mm
Box Qty:	4Pcs
Material:	Metal






**Vintage Metal**

Model:	VT-7424
SKU:	3753
EAN:	3800157611268
Size:	260x170x1080mm
Box Qty:	12Pcs
Material:	Metal



**Vintage Metal-Pulley**

Model:	VT-7201
SKU:	3845
EAN:	3800157617192
Size:	220x140x600-1600mm
Box Qty:	8Pcs
Material:	Metal




**Pendant-Hemp Rope**

Model:	VT-7118
SKU:	3754
EAN:	3800157611275
Size:	45x57x1500mm
Box Qty:	12Pcs
Material:	Rope



**Globe-Chrome Canopy**

Model:	VT-7251
SKU:	3839
EAN:	3800157616744
Size:	250x250x1300mm
Box Qty:	4Pcs
Material:	Acrylic Glass





Pendant Holder-Bottle-E14

Model:	VT-7558-GN
Color:	Green
SKU:	3767
EAN:	3800157611404
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-BL
Color:	Blue
SKU:	3768
EAN:	3800157611411
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-R
Color:	Red
SKU:	3769
EAN:	3800157611428
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-A
Color:	Amber
SKU:	3770
EAN:	3800157611435
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-T
Color:	Transparent
SKU:	3771
EAN:	3800157611442
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-P
Color:	Pink
SKU:	3772
EAN:	3800157611459
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-Y
Color:	Yellow
SKU:	3773
EAN:	3800157611466
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-RO
Color:	Rose
SKU:	3774
EAN:	3800157611473
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-GY
Color:	Grey
SKU:	3775
EAN:	3800157611480
Material:	Glass
Size:	78x280x1150mm
Box Qty:	25Pcs



Pendant Holder-Bottle-E14

Model:	VT-7558-BR
Color:	Brown
SKU:	3776
EAN:	3800157611497
Material:	Glass
Size:	72x280x1150mm
Box Qty:	25Pcs





Metal Holder-Canopy

Model:	VT-7555-RB
Color:	Red Bronze
SKU:	3840
EAN:	3800157617147
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BBR
Color:	Brown Bronze
SKU:	3841
EAN:	3800157617154
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BB
Color:	Brass Bronze
SKU:	3842
EAN:	3800157617161
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-BR
Color:	Bronze
SKU:	3843
EAN:	3800157617178
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal Holder-Canopy

Model:	VT-7555-MG
Color:	Gold
SKU:	3844
EAN:	3800157617185
Material:	Metal
Size:	Ø50x90x900mm
Box Qty:	30Pcs



Metal-Adjustable Canopy

Model:	VT-7999-G2
Color:	Gold Aluminum
SKU:	3811
EAN:	3800157612425
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs



Metal-Adjustable Canopy

Model:	VT-7999-G3
Color:	Gold Aluminum
SKU:	3812
EAN:	3800157612432
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs



Metal-Adjustable Canopy

Model:	VT-7999-B
Color:	Bronze Aluminum
SKU:	3813
EAN:	3800157612449
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs



Metal-Adjustable Canopy

Model:	VT-7999-BV
Color:	Bronze Aluminum
SKU:	3814
EAN:	3800157612456
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs



Metal-Adjustable Canopy

Model:	VT-7999
Color:	Rose Gold Aluminum
SKU:	3815
EAN:	3800157612463
Material:	Aluminium
Size:	50x100mm
Box Qty:	60Pcs



Wooden Holder-White Wire

Model:	VT-7778-W
Color:	White Wire
SKU:	3720
EAN:	3800157610933
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Black Wire

Model:	VT-7778-BK
Color:	Black Wire
SKU:	3721
EAN:	3800157610940
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Blue Wire

Model:	VT-7778-BL
Color:	Blue Wire
SKU:	3722
EAN:	3800157610957
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Red Wire

Model:	VT-7778-R
Color:	Red Wire
SKU:	3723
EAN:	3800157610964
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Purple Wire

Model:	VT-7778-PR
Color:	Purple Wire
SKU:	3724
EAN:	3800157610971
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Wooden Holder-Green Wire

Model:	VT-7778-GN
Color:	Green Wire
SKU:	3725
EAN:	3800157610988
Material:	Wooden
Size:	73x102x1000mm
Box Qty:	50Pcs



Pendant-Porcelain Set

Model:	VT-7998-W
Color:	White
SKU:	3803
EAN:	3800157612340
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BK
Color:	Black
SKU:	3804
EAN:	3800157612357
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GN
Color:	Green
SKU:	3805
EAN:	3800157612364
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BL
Color:	Blue
SKU:	3806
EAN:	3800157612371
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-R
Color:	Red
SKU:	3807
EAN:	3800157612388
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-GY
Color:	Grey
SKU:	3808
EAN:	3800157612395
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-Y
Color:	Yellow
SKU:	3809
EAN:	3800157612401
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Pendant-Porcelain Set

Model:	VT-7998-BR
Color:	Brown
SKU:	3810
EAN:	3800157612418
Material:	Porcelain
Size:	Ø105x750mm
Box Qty:	60Pcs



Porcelain Holder

Model:	VT-799-W
Color:	White
SKU:	3795
EAN:	3800157612265
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BK
Color:	Black
SKU:	3796
EAN:	3800157612272
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GN
Color:	Green
SKU:	3797
EAN:	3800157612289
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BL
Color:	Blue
SKU:	3798
EAN:	3800157612296
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-R
Color:	Red
SKU:	3799
EAN:	3800157612302
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-GY
Color:	Grey
SKU:	3800
EAN:	3800157612319
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-Y
Color:	Yellow
SKU:	3801
EAN:	3800157612326
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Porcelain Holder

Model:	VT-799-BR
Color:	Brown
SKU:	3802
EAN:	3800157612333
Material:	Porcelain
Size:	Ø47x64mm
Box Qty:	100Pcs



Concrete Holder-Canopy

Model:	VT-7668-GN
Color:	Green
SKU:	3742
EAN:	3800157611152
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-R
Color:	Red
SKU:	3743
EAN:	3800157611169
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BL
Color:	Blue
SKU:	3744
EAN:	3800157611176
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-Y
Color:	Yellow
SKU:	3745
EAN:	3800157611183
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-W
Color:	White
SKU:	3746
EAN:	3800157611190
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BK
Color:	Black
SKU:	3747
EAN:	3800157611206
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-GY
Color:	Grey
SKU:	3748
EAN:	3800157611213
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BR
Color:	Brown
SKU:	3749
EAN:	3800157611220
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Concrete Holder-Canopy

Model:	VT-7668-BE
Color:	Beige
SKU:	3750
EAN:	3800157611237
Material:	Concrete
Size:	50x95x1050mm
Box Qty:	40Pcs



Gold Holder-Gold Canopy

Model:	VT-7448
Color:	Rose Gold Set
SKU:	3777
EAN:	3800157611503
Material:	
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-W
Color:	White
SKU:	3755
EAN:	3800157611282
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BK
Color:	Black
SKU:	3782
EAN:	3800157611558
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BL
Color:	Blue
SKU:	3783
EAN:	3800157611565
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BN
Color:	Brown
SKU:	3784
EAN:	3800157611572
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GN
Color:	Green
SKU:	3785
EAN:	3800157611589
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-GY
Color:	Grey
SKU:	3786
EAN:	3800157611596
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-LB
Color:	Light Blue
SKU:	3787
EAN:	3800157611602
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-O
Color:	Orange
SKU:	3788
EAN:	3800157611619
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PK
Color:	Pink
SKU:	3789
EAN:	3800157611626
Material:	Chrome
Size:	36x60mm
Box Qty:	1Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-PE
Color:	Purple
SKU:	3790
EAN:	3800157611633
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-R
Color:	Red
SKU:	3791
EAN:	3800157611640
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-RR
Color:	Rose Red
SKU:	3792
EAN:	3800157611657
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-Y
Color:	Yellow
SKU:	3793
EAN:	3800157611664
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs



Chrome Holder-Chrome Canopy

Model:	VT-7338-BE
Color:	Beige
SKU:	3794
EAN:	3800157611671
Material:	Chrome
Size:	36x60mm
Box Qty:	40Pcs





Pendant-Silicone

Model:	VT-7228-BN
Color:	Brown
SKU:	3475
EAN:	3800157607919
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BE
Color:	Blue
SKU:	3476
EAN:	3800157607926
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-W
Color:	White
SKU:	3477
EAN:	3800157607933
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-BK
Color:	Black
SKU:	3478
EAN:	3800157607940
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PN
Color:	Pink
SKU:	3479
EAN:	3800157607957
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-R
Color:	Red
SKU:	3480
EAN:	3800157607964
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-GY
Color:	Grey
SKU:	3481
EAN:	3800157607971
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-LB
Color:	Light Blue
SKU:	3482
EAN:	3800157609463
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-PE
Color:	Purple
SKU:	3483
EAN:	3800157609470
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-O
Color:	Orange
SKU:	3484
EAN:	3800157609487
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone

Model:	VT-7228-Y
Color:	Yellow
SKU:	3485
EAN:	3800157609494
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Pendant-Silicone


Model:	VT-7228-GN
Color:	Green
SKU:	3486
EAN:	3800157609500
Material:	Silicone
Size:	1000mm
Box Qty:	100Pcs



Sleek Designer

# LED Pendants

Offering cutting edge designs as per your mood. From warm to bright task lighting, our pendants come in a wide variety of styles, colors and materials



Designer Sleek Pendant-Chrome

18w VT-7018

Built In LED



SKU: 3890 - 4000K Day White

3800157621083

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED: 90 pcs

Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.38 Kg
Life Span:	20,000 Hours
Size :	940x55x800mm
Box Qty:	12Pcs



Designer Sleek Pendant-Chrome

24w VT-7024

Built In LED



SKU: 3891 - 4000K Day White

3800157621090

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1800lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED: 120 pcs

Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.59 Kg
Life Span:	20,000 Hours
Size :	1220x55x800mm
Box Qty:	12Pcs



## Designer Sleek Pendant-Chrome

36w VT-7036

Built In LED

SKU: 3892 - 4000K Day White

3800157621106

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 180 pcs


Material : Stainless Steel+Metal+PMMA

Unit GW : 1.82 Kg

Life Span: 20,000 Hours

Size : 1820x55x800mm

Box Qty: 12Pcs



## Designer Sleek Chrome Surface Lamp

36w VT-7037

Built In LED

SKU: 3893 - 4000K Day White

3800157621113

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2700lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.8

Beam Angle: 120°

No. of LED: 180 pcs


Material : Stainless Steel+Metal+PMMA

Unit GW : 2.24 Kg

Life Span: 20,000 Hours

Size : 940x120x60mm

Box Qty: 6Pcs




Mirror Light-Picture Chrome Wall Lamp

8w VT-7008 **Built In LED**

SKU: 3985 - 3000K Warm White 3800157637978  
SKU: 3894 - 4000K Day White 3800157621120

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Metal+PMMA
Unit GW :	0.72 Kg
Life Span:	20,000 Hours
Size :	500x55x185mm
Box Qty:	12Pcs





Mirror Light-Picture Chrome Wall Lamp

12w VT-7012 **Built In LED**

SKU: 3982 - 3000K Warm White 3800157637947  
SKU: 3895 - 4000K Day White 3800157621137

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Metal+PMMA
Unit GW :	0.82 Kg
Life Span:	20,000 Hours
Size :	640x55x185mm
Box Qty:	12Pcs




Mirror Movable Wall Lamp

8w VT-7009CH **Built In LED**

SKU: 3984 - 3000K Warm White 3800157637961  
SKU: 3900 - 4000K Day white 3800157621854

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs




Mirror Movable Wall Lamp Golden

**8w**    **VT-7009**    **Built In LED**  
 SKU: 3983 - 3000K Warm White    3800157637954  
 SKU: 3901 - 4000K Day white    3800157621861

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	600lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	40 pcs
Material :	Stainless Steel+Aluminium+PMMA
Unit GW :	0.8 Kg
Life Span:	20,000 Hours
Size :	455x45x190mm
Box Qty:	11Pcs





Mirror Surface Light - Chrome Cap

**10w**    **VT-7010-CH**    **Built In LED**  
 SKU: 3916 - 4000K Day White    3800157626118  
 SKU: 3917 - 6400K White    3800157626125

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs




Mirror Surface Light - White Cap

**10w**    **VT-7010-WH**    **Built In LED**  
 SKU: 3918 - 4000K Day White    3800157626132  
 SKU: 3919 - 6400K White    3800157626149

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	950lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	150°

No. of LED:	N/A
Material :	Aluminium+PC
Unit GW :	0.63 Kg
Life Span:	30,000 Hours
Size :	605x53.6x64.6mm
Box Qty:	10Pcs



Mirror Surface Light-Chrome

12w VT-7014


Built In LED

SKU: 3902 - 4000K Day white

3800157621878

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.08 Kg
Life Span:	20,000 Hours
Size :	640x65x65mm
Box Qty:	12Pcs



Mirror Surface Light-Chrome

18w VT-7021


Built In LED

SKU: 3903 - 4000K Day white

3800157621885

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+PMMA
Unit GW :	1.28 Kg
Life Span:	20,000 Hours
Size :	940x65x65mm
Box Qty:	12Pcs



Designer Bend Glass-Surface Lamp

12w VT-7013


Built In LED

SKU: 3896 - 4000K Day White

3800157621144

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	900lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	60 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.01 Kg
Life Span:	20,000 Hours
Size :	685x55x65mm
Box Qty:	6Pcs





Designer Bend Glass-Surface Lamp

18w VT-7019 Built In LED

SKU: 3897 - 4000K Day white 3800157621151

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.50 Kg
Life Span:	20,000 Hours
Size :	985x55x65mm
Box Qty:	6Pcs




Designer Bend Glass-Hanging Pendant

18w VT-7020 Built In LED

SKU: 3898 - 4000K Day white 3800157621168

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1350lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	90 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	1.98 Kg
Life Span:	20,000 Hours
Size :	985x55x800mm
Box Qty:	6Pcs



Designer Bend Series - Surface Chrome


36w VT-7038 Built In LED

SKU: 3899 - 4000K Day white 3800157621175

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2700lm
LED Type:	SMD
CRI:	>80
PF:	>0.8
Beam Angle:	120°

No. of LED:	180 pcs
Material :	Stainless Steel+Metal+Glass
Unit GW :	3.53 Kg
Life Span:	20,000 Hours
Size :	985x120x75mm
Box Qty:	6Pcs






Pendant Light-Gold Lamp Shade

7W VT-7333-G Built In LED

SKU: 3934 - 3000K Warm White 3800157628952  
SKU: 3928 - 4000K Day White 3800157626569

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-White Lamp Shade

7W VT-7333-WH Built In LED

SKU: 3935 - 3000K Warm White 3800157628969  
SKU: 3929 - 4000K Day White 3800157626576

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.4 Kg
Life Span:	30,000 Hours
Size :	Ø120xH190mm
Box Qty:	12Pcs




Pendant Light-Gold Lamp Shade

7W VT-7444-G Built In LED

SKU: 3936 - 3000K Warm White 3800157628976  
SKU: 3930 - 4000K Day White 3800157626583

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	400lm
LED Type:	SMD
CRI:	>80
PF:	>0.5
Beam Angle:	120°
No. of LED:	14 pcs
Material :	Metal Finish
Unit GW :	1.9 Kg
Life Span:	30,000 Hours
Size :	Ø250xH190mm
Box Qty:	8Pcs



## Pendant Light-White Lamp Shade

7W VT-7444-WH Built In LED

SKU: 3937 - 3000K Warm White 3800157628983  
SKU: 3931 - 4000K Day White 3800157626590

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 1.9 Kg

Life Span: 30,000 Hours

Size : Ø250xH190mm

Box Qty: 8Pcs



## Pendant Light-Gold Lamp Shade

7W VT-7666-G Built In LED

SKU: 3938 - 3000K Warm White 3800157628990  
SKU: 3932 - 4000K Day White 3800157626606

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs



## Pendant Light-White Lamp Shade

7W VT-7666-WH Built In LED

SKU: 3939 - 3000K Warm White 3800157629003  
SKU: 3933 - 4000K Day White 3800157626613

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 400lm

LED Type: SMD

CRI: >80

PF: >0.5

Beam Angle: 120°

No. of LED: 14 pcs


Material : Metal Finish

Unit GW : 2.4 Kg

Life Span: 30,000 Hours

Size : Ø340xH190mm

Box Qty: 4Pcs




Pendant Light-White

20w VT-25-1-W Built In LED

SKU: 3992 -3000K Warm White 3800157638777

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Black

20w VT-25-1-B Built In LED

SKU: 3993 -3000K Warm White 3800157638784

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs




Pendant Light-Coffee

20w VT-25-1-C Built In LED

SKU: 3994 -3000K Warm White 3800157638791

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	140 pcs
Material :	Iron+Acrylic
Unit GW :	3.2 Kg
Life Span:	30,000 Hours
Size :	450mm
Box Qty:	1Pcs



## Pendant Light-White

30w VT-32-1-W Built In LED

SKU: 3995 -3000K Warm White 3800157638807

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



## Pendant Light-Black

30w VT-32-1-B Built In LED

SKU: 3996 -3000K Warm White 3800157638814

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs


Material : Iron+Acrylic

Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs



## Pendant Light-Coffee

30w VT-32-1-C Built In LED

SKU: 3997 -3000K Warm White 3800157638821

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2250lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 180 pcs

Material : Iron+Acrylic


Unit GW : 4.3 Kg

Life Span: 30,000 Hours

Size : 600mm

Box Qty: 1Pcs

**NEW**




Designer Series-TRIAC Dimmable

**25w** VT-7351

SKU: 40021 - 3000K Warm White 3800157640503

Voltage/Frequency:	AC:220-240V
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	132 pcs
Material :	PC + Iron
Unit GW :	2.2 kgs
Life Span:	30,000 Hours
Size :	ø350x2000mm
Box Qty:	1Pcs

**NEW**





Designer Series-TRIAC Dimmable

**40w** VT-7502

SKU: 40031 - 3000K Warm White 3800157640510

Voltage/Frequency:	AC:220-240V
Luminous Flux:	3200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	216 pcs
Material :	PC + Iron
Unit GW :	3.8 kgs
Life Span:	30,000 Hours
Size :	ø500x2000mm
Box Qty:	1Pcs

**NEW**





Designer Series-TRIAC Dimmable

**72w** VT-7390

SKU: 40011 - 3000K Warm White 3800157640497

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	432 pcs
Material :	PC + Iron
Unit GW :	6.2 kgs
Life Span:	30,000 Hours
Size :	ø390x2000mm
Box Qty:	1Pcs

NEW



Wall Lamp-TRIAC Dimmable

12W VT-7203

SKU: 40041 - 3000K Warm White 3800157640527

Voltage/Frequency: AC:220-240V

Luminous Flux: 1000lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 72 pcs

Material: PC + Iron



Unit GW: 1.2 kgs

Life Span: 30,000 Hours

Size: ø200x125mm

Box Qty: 1Pcs

NEW



Wall Lamp-TRIAC Dimmable

25W VT-7352

SKU: 40051 - 3000K Warm White 3800157640534

Voltage/Frequency: AC:220-240V

Luminous Flux: 2100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 132 pcs

Material: PC + Iron



Unit GW: 2.1 kgs

Life Span: 30,000 Hours

Size: ø350x168mm

Box Qty: 1Pcs

NEW



Wall Lamp-TRIAC Dimmable

40W VT-7503

SKU: 40061 - 3000K Warm White 3800157640541

Voltage/Frequency: AC:220-240V

Luminous Flux: 3100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 216 pcs

Material: PC + Iron


Unit GW: 3.8 kgs

Life Span: 30,000 Hours

Size: ø500x215mm

Box Qty: 1Pcs

**NEW**




Wall Lamp-TRIAC Dimmable

**20w VT-7331**

SKU: 40091 - 3000K Warm White 3800157640572

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1700lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC + Iron
Unit GW :	0.187 kgs
Life Span:	30,000 Hours
Size :	330x380x230mm
Box Qty:	6Pcs

**NEW**



Designer Series-TRIAC Dimmable

**105w VT-7910**

SKU: 40101 - 3000K Warm White 3800157640589

Voltage/Frequency:	AC:220-240V
Luminous Flux:	6300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	576 pcs
Material :	PC + Iron
Unit GW :	11.05 kgs
Life Span:	30,000 Hours
Size :	910x2000mm
Box Qty:	1Pcs

**NEW**





Table Lamps

**12w VT-7204**

SKU: 40071 - 3000K Warm White 3800157640558

Voltage/Frequency:	AC:220-240V
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	72 pcs
Material :	PC + Iron
Unit GW :	0.483 kgs
Life Span:	30,000 Hours
Size :	ø200x335mm
Box Qty:	6Pcs

**NEW**

## Table Lamps

**25W VT-7353**

SKU: 40081 - 3000K Warm White 3800157640565

Voltage/Frequency: AC:220-240V

Luminous Flux: 2550lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 132 pcs

Material: PC + Iron

Unit GW: 5.5 kgs

Life Span: 30,000 Hours

Size: ø350x365mm

Box Qty: 1Pcs

## Designer Series Pendant-Color Changing

**32W VT-7460**

SKU: 3958 -3IN1 3800157636520

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 320 pcs

Material: PC

Unit GW: 2.20 kgs

Life Span: 30,000 Hours

Size: 460x1200mm

Box Qty: 1Pcs

## Designer Series Pendant-Color Changing

**38W VT-7605**

SKU: 3959 -3IN1 3800157636537

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material: PC

Unit GW: 3.90 kgs

Life Span: 30,000 Hours

Size: 600x1200mm

Box Qty: 1Pcs

**COLOR  
CHANGING  
WITH REMOTE****COLOR  
CHANGING  
WITH REMOTE**



Designer Series Pendant-Color Changing

82W VT-7750

SKU: 3960-3IN1

3800157636544

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 6.85 kgs

Life Span: 30,000 Hours

Size : 750x1200mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

40W VT-7461

SKU: 3962-3IN1

3800157636568

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.00 kgs

Life Span: 30,000 Hours

Size : 460x460x1200mm

Box Qty: 1Pcs



Designer Series Pendant-Color Changing

42W VT-7607

SKU: 3963-3IN1

3800157636575

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 4.80 kgs

Life Span: 30,000 Hours

Size : 600x600x1200mm

Box Qty: 1Pcs



## Designer Series Pendant-Color Changing

80W VT-7751

SKU: 3964 -3IN1

3800157636582

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 768 pcs



Material : PC

Unit GW : 7.00 kgs

Life Span: 30,000 Hours

Size : 750x750x120mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

## Designer Series Pendant-Color Changing

60W VT-7606

SKU: 3961 -3IN1

3800157636551

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 5400lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 604 pcs


Material : PC

Unit GW : 7.5 kgs

Life Span: 30,000 Hours

Size : 600x300mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

## Designer Series Pendant-Color Changing

68W VT-7608

SKU: 3965 -3IN1

3800157636599

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6000lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 624 pcs



Material : PC

Unit GW : 6.50 kgs

Life Span: 30,000 Hours

Size : 600x300mm

Box Qty: 1Pcs



**COLOR  
CHANGING  
WITH REMOTE**

Designer Series Surface-Color Changing

22W VT-7308

SKU: 3966 -3IN1

3800157636605

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 240 pcs


Material : PC

Unit GW : 16.50 kgs

Life Span: 30,000 Hours

Size : 300x80mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

32W VT-7462

SKU: 3967 -3IN1

3800157636612

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 2.90 kgs

Life Span: 30,000 Hours

Size : 460x120mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

38W VT-7609

SKU: 3968 -3IN1

3800157636629

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3300lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs


Material : PC

Unit GW : 4.90 kgs

Life Span: 30,000 Hours

Size : 600x120mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

82W VT-7752

SKU: 3969 -3IN1

3800157636636

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 7300lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 768 pcs


Material : PC

Unit GW : 9.65 kgs

Life Span: 30,000 Hours

Size : 750x120mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

26W VT-7309

SKU: 3970 -3IN1

3800157636643

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 240 pcs



Material : PC

Unit GW : 18.50 kgs

Life Span: 30,000 Hours

Size : 300x300x80mm

Box Qty: 1Pcs



## Designer Series Surface-Color Changing

40W VT-7463

SKU: 3971 -3IN1

3800157636650

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3600lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 3.95 kgs

Life Span: 30,000 Hours

Size : 460x460x95mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

42W VT-7610

SKU: 3972 -3IN1

3800157636667

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 384 pcs



Material : PC

Unit GW : 6.55 kgs

Life Span: 30,000 Hours

Size : 600x600x115mm

Box Qty: 1Pcs



Designer Series Surface-Color Changing

80W VT-7753

SKU: 3973 -3IN1

3800157636674

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 6600lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 768 pcs



Material : PC

Unit GW : 10.50 kgs

Life Span: 30,000 Hours

Size : 750x120mm

Box Qty: 1Pcs



Designer Series Pendant-TRIAC Dimmable

32W VT-7049

SKU: 3978 -3000K Warm White

3800157636728

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: >80

PF: >0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material : PC


Unit GW : 2.6 kgs

Life Span: 30,000 Hours

Size : ø125x840mm

Box Qty: 1Pcs





## Designer Series Pendant-TRIAC Dimmable

52w VT-7072

SKU: 3979 -3000K Warm White 3800157636735

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 3400lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 300 pcs


Material : PC

Unit GW : 3.5 kgs

Life Span: 30,000 Hours

Size :  $\phi$ 125x1260mm

Box Qty: 1Pcs



## Designer Series Pendant-TRIAC Dimmable

18w VT-7027

SKU: 3980 -3000K Warm White 3800157636742

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 1200lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 100 pcs

Material : PC

Unit GW : 2.05 kgs

Life Span: 30,000 Hours

Size :  $\phi$ 125x420mm

Box Qty: 1Pcs



## Designer Series Pendant-TRIAC Dimmable

32w VT-7050

SKU: 3981 -3000K Warm White 3800157636759

Voltage/Frequency: AC:220-240V,50Hz

Luminous Flux: 2100lm

LED Type: SMD

CRI: &gt;80

PF: &gt;0.9

Beam Angle: 120°

No. of LED: 200 pcs

Material : PC

Unit GW : 2.60 kgs

Life Span: 30,000 Hours

Size :  $\phi$ 125x840mm

Box Qty: 1Pcs

Wall Lamp-TRIAC Dimmable

18W VT-7025

SKU: 3974 - 3000K Warm White 3800157636681

Voltage/Frequency:	AC:220-240V,50/60Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC+Iron
Unit GW :	2.05 kgs
Life Span:	30,000 Hours
Size :	ø125x420mm
Box Qty:	1Pcs




Table Lamps

18W VT-7026

SKU: 3975 3000K Warm White 3800157636698

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	1200lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	100 pcs
Material :	PC
Unit GW :	2.80 kgs
Life Span:	30,000 Hours
Size :	ø125x420mm
Box Qty:	1Pcs




Floor Lamps

32W VT-7048

SKU: 3976 3000K Warm White 3800157636704

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	2100lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	200 pcs
Material :	PC
Unit GW :	5.60 kgs
Life Span:	30,000 Hours
Size :	ø125x840mm
Box Qty:	1Pcs





Floor Lamps

65W VT-7096

SKU: 3977 3000K Warm White 3800157636711

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	4300lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°
No. of LED:	864 pcs
Material :	PC
Unit GW :	6.50 Kgs
Life Span:	30,000 Hours
Size :	ø125x1680mm
Box Qty:	1Pcs



Indoor / Outdoor  
**Decorative Lights**

**NEW**



Ball Light  
VT-7801

SKU: 40141 - RGB 3800157641029

Watts:	0.5w
Luminous Flux:	18lm
Size :	200x200x140mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs



**NEW**



Stone Light  
VT-7802

SKU: 40151 - RGB 3800157641036

Watts:	0.5w
Luminous Flux:	18lm
Size :	280x210x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	8Pcs





**NEW**






**Ball Light**  
**VT-7803**  
SKU: 40161 - RGB 3800157641043

Watts:	0.5w
Luminous Flux:	18lm
Size :	300x300x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**

**Stone Light**  
**VT-7804**  
SKU: 40171 - RGB 3800157641050

Watts:	0.5w
Luminous Flux:	18lm
Size :	320x250x170mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP67
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**




**Pot Light**  
**VT-7805**  
SKU: 40181 - RGB 3800157641067

Watts:	0.5w
Luminous Flux:	18lm
Size :	280x280x290mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 1000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**





**Pot Light**  
**VT-7808**  
SKU: 40211 - RGB 3800157641098

Watts:	1.5w
Luminous Flux:	54lm
Size :	355x355x325mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**





**Ice Bucket Light**  
**VT-7806**  
SKU: 40191 - RGB 3800157641074

Watts:	1.5w
Luminous Flux:	54lm
Size :	290x330x350mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**





**Ball Light**  
**VT-7807**  
SKU: 40201 - RGB 3800157641081

Watts:	1.5w
Luminous Flux:	54lm
Size :	400x400x390mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**




**Ball Light**  
**VT-7809**  
SKU: 40221 - RGB 3800157641104

Watts:	3w
Luminous Flux:	108lm
Size :	500x500x260mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**



**Stool Light**  
**VT-7810**  
SKU: 40231 - RGB 3800157641111

Watts:	1.5w
Luminous Flux:	54lm
Size :	400x400x360mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 2000mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**



**Cube Light**  
**VT-7811**  
SKU: 40241 - RGB 3800157641128

Watts:	3w
Luminous Flux:	108lm
Size :	400x400x400mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**



**Table Light**  
**VT-7812**  
SKU: 40251 - RGB 3800157641135

Watts:	3w
Luminous Flux:	108lm
Size :	720x720x580mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 3600mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**



**Table Light**  
**VT-7813**  
SKU: 40261 - RGB 3800157641142

Watts:	1w
Luminous Flux:	100lm
Size :	600x600x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**



**Stool Light**  
**VT-7814**  
SKU: 40271 - RGB 3800157641159

Watts:	1w
Luminous Flux:	100lm
Size :	500x560x1100mm
Material :	LLDPE
Life Span:	50,000 Hours
Battery:	Lithium Battery 5200mAh
IP Rating:	IP54
Box Qty:	1Pcs

**RGB** **RECHARGEABLE**

**NEW**

Starlight-Ceiling

**VT-7128-W**

SKU: 40281 - 3IN1 3800157641166

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs

**NEW**

Starlight-Ceiling

**VT-7128-B**

SKU: 40291 - 3IN1 3800157641173

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs

**NEW**

Starlight-Ceiling

**VT-7128-G**

SKU: 40301 - 3IN1 3800157641180

Watts:	8w
Luminous Flux:	900lm
Size :	300x300x40mm
Material :	ABS
Life Span:	20000 Hours
Battery:	Linkable Up to 60 Units
IP Rating:	IP20
Box Qty:	12Pcs

NEW



Solar Egg Light

VT-7815

SKU: 8557 - RGB+WW

3800157641418

Watts:	1w
Luminous Flux:	5lm
Size :	D:188x395mm
Material :	PC
Life Span:	20000 Hours
Battery:	1xAA BATTERY, 1.2V/500mAH NI-MH
IP Rating:	IP44
Box Qty:	4Pcs



Solar Lights

2IN1 COLOR CHANGING + WARM WHITE

NEW



Solar Wall Light-Flame

VT-719

SKU: 8558 - 2200K Warm White

3800157641425

Watts:	1w
Luminous Flux:	150lm
Size :	100x100x650mm
Material :	PC
Life Span:	20000 Hours
Battery:	3.7V/500mAH Lithium Battery,
IP Rating:	IP44
Box Qty:	12Pcs



Solar Lights


- STAND
- MOUNT
- SPIKE
- HANGING



Modern Circular

# Chandeliers & Pendants

With Built in LED lights



White Chandelier-2 Step-Dimmable

115w VT-101-2-W


Built In LED

SKU: 3986 - 3000K Warm White

3800157638715

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



Black Chandelier-2 Step-Dimmable

115w VT-101-2-B


Built In LED

SKU: 3987 - 3000K Warm White

3800157638722

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



Coffee Chandelier-2 Step-Dimmable

115w VT-101-2-C


Built In LED

SKU: 3988 - 3000K Warm White

3800157638739

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	7500lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	600 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/400/200mm
Box Qty:	1Pcs



White Chandelier-3 Step-Dimmable

92w VT-82-3-W

Built In LED


SKU: 3989 - 3000K Warm White

3800157638746

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs






**Black Chandelier-3 Step-Dimmable**

92w VT-82-3-B **Built In LED**  
 SKU: 3990 - 3000K Warm White 3800157638753

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs




**Coffee Chandelier-3 Step-Dimmable**

92w VT-82-3-C **Built In LED**  
 SKU: 3991 - 3000K Warm White 3800157638760

Voltage/Frequency:	AC:220-240V,50Hz
Luminous Flux:	5925lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	470 pcs
Material :	Aluminium+Acrylic
Unit GW :	4.7 Kg
Life Span:	25,000 Hours
Size :	600/500/400mm
Box Qty:	1Pcs



Chandelier Series

40w VT-40-1


Built In LED

SKU: 3874 - 3000K Warm White

3800157620888

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	2800lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	240 pcs
Material :	Steel+PC
Unit GW :	3.90 Kg
Life Span:	20,000 Hours
Size :	400X210X1000mm
Box Qty:	1Pcs



Chandelier-3 Step

70w VT-70-3D


Built In LED

SKU: 3904 - 3000K Warm White  
SKU: 3905 - 4000K Day White

3800157624633  
3800157624640

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	4900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	360 pcs
Material :	Acrylic+Aluminium
Unit GW :	3.50 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



Chandelier-3 Step

80w VT-80-3D


Built In LED

SKU: 3906 - 3000K Warm White  
SKU: 3907 - 4000K Day White

3800157624657  
3800157624664

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5600lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	4.7 Kg
Life Span:	20,000 Hours
Size :	600x600x1200mm
Box Qty:	1Pcs



Ceiling Light-3 Step

85w VT-85-3

Built In LED

SKU: 3910 - 3000K Warm White  
SKU: 3911 - 4000K Day White

3800157624695  
3800157624701

Voltage/Frequency:	AC:100-240V,50Hz
Luminous Flux:	5900lm
LED Type:	SMD
CRI:	>80
PF:	>0.9
Beam Angle:	120°

No. of LED:	510 pcs
Material :	Acrylic+Aluminium
Unit GW :	5.5 Kg
Life Span:	20,000 Hours
Size :	200x400x600mm
Box Qty:	1Pcs

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
101	165	176	161	249	157	366	114	433	23	502	27	576	51	696	85
102	166	177	162	250	157	367	114	434	23	503	27	577	51	697	85
103	164	178	162	251	157	368	116	435	23	504	27	578	51	703	68
104	164	179	162	252	157	369	116	436	25	505	131	580	49	704	68
105	153	186	171	253	157	370	116	437	25	506	131	581	49	705	68
106	152	187	171	254	157	371	116	438	25	507	131	583	51	706	66
107	150	188	171	255	157	372	116	439	15	508	131	586	47	707	66
108	145	189	146	256	157	373	116	440	15	509	49	584	51	708	66
109	145	190	146	257	157	374	98	441	15	510	145	586	51	709	68
110	166	191	146	258	156	375	98	442	11	511	145	585	48	710	68
111	160	192	146	259	156	376	98	443	11	512	145	589	55	711	68
112	160	193	146	260	156	377	100	444	11	517	87	590	55	712	66
113	160	194	146	261	156	378	100	445	19	518	87	600	98	713	66
114	162	195	147	262	156	379	100	446	19	519	87	601	98	714	66
115	162	196	147	263	156	380	104	447	19	520	171	602	98	715	68
116	162	197	147	264	156	381	104	448	23	521	171	603	104	716	68
117	160	198	147	265	156	382	106	449	23	525	41	604	104	717	68
118	160	199	147	266	156	383	102	450	23	526	41	606	94	718	66
119	160	200	147	267	159	384	102	451	25	527	41	607	94	719	66
123	170	201	145	268	159	385	105	452	25	528	41	608	96	720	66
124	170	202	145	269	159	386	105	453	25	529	41	609	96	721	68
125	170	203	145	270	165	387	105	454	19	530	41	632	60	722	68
126	163	204	146	271	166	388	105	455	19	531	41	633	60	723	68
127	163	205	146	272	153	389	105	456	19	532	41	634	60	724	66
128	163	206	146	275	153	390	105	457	23	533	43	650	77	725	66
131	144	207	146	278	153	391	105	458	23	534	43	651	77	726	66
132	144	208	146	279	153	392	105	459	23	535	43	652	77	727	62
133	144	209	146	280	154	393	105	460	25	536	43	653	77	728	62
135	167	210	167	282	150	394	105	461	25	537	43	654	77	729	62
136	167	211	167	283	171	395	107	462	25	538	43	655	77	730	64
137	167	212	167	284	171	396	107	463	19	539	43	656	77	731	64
138	167	213	169	285	171	397	107	464	19	540	43	657	77	732	64
139	167	214	169	286	150	398	107	465	19	541	35	658	77	733	62
140	167	215	169	287	152	399	107	466	23	542	35	659	80	734	62
141	167	216	169	290	151	400	15	467	23	543	35	660	80	735	62
142	167	217	169	291	151	401	15	468	23	544	35	661	80	736	64
143	167	218	169	292	154	402	15	469	25	545	37	662	81	737	64
144	159	219	169	293	151	403	11	470	25	546	35	663	81	738	64
145	159	220	169	294	154	404	11	471	25	547	35	664	81	739	62
146	159	221	169	320	141	405	11	472	20	548	35	665	81	740	62
147	168	222	170	321	141	406	15	473	20	550	53	666	81	741	62
148	168	223	170	322	141	407	15	474	20	551	53	667	81	742	64
149	168	224	170	323	141	408	15	475	16	552	53	668	81	743	64
150	168	225	170	324	141	409	11	476	16	553	53	669	81	744	64
151	168	226	170	325	141	410	11	477	16	554	53	670	81	748	61
152	168	227	170	326	141	411	11	478	12	555	53	671	81	749	61
153	168	228	162	327	141	412	16	479	12	556	53	672	76	750	60
154	168	229	162	328	141	413	16	480	12	557	53	673	76	751	60
155	168	230	162	331	140	414	16	481	20	558	49	674	76	753	88
156	162	231	163	332	140	415	12	482	20	559	49	675	76	754	89
159	163	232	163	333	140	416	12	483	20	560	49	676	91	755	82
160	163	233	163	350	115	417	12	484	20	561	49	677	91	756	83
161	163	234	159	351	115	418	16	485	20	562	49	678	91	757	83
162	163	235	159	352	115	419	16	486	12	563	49	679	91	758	83
163	163	236	159	353	114	420	12	487	12	564	49	680	90	759	83
164	163	237	163	354	114	421	12	488	20	565	49	681	90	759	89
165	147	238	163	355	114	422	16	489	20	566	47	686	76	780	133
166	147	239	163	356	115	423	16	490	29	567	47	687	76	781	133
167	147	240	144	357	115	424	15	493	29	568	47	688	76	782	37
168	161	241	144	358	115	425	15	494	31	569	47	689	76	783	37
169	161	242	144	359	114	426	15	495	31	570	47	689	85	784	132
170	161	243	144	360	114	427	11	496	31	570	51	690	85	785	132
171	160	244	144	361	114	428	11	497	31	571	47	691	85	786	133
172	160	245	144	362	115	429	11	498	31	571	51	692	85	801	121
173	160	246	144	363	115	430	19	499	31	572	57	693	85	802	121
174	161	247	144	364	115	431	19	500	31	573	57	694	85	803	122
175	161	248	144	365	114	432	19	501	31	575	51	695	85	804	122

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
805	122	878	147	1276	337	1356	366	1430	350	1670	223	2431	307	2703	203
806	121	879	147	1277	337	1357	329	1431	350	1671	223	2459	307	2704	193
807	126	880	147	1278	337	1358	329	1432	350	1672	221	2460	305	2705	193
808	126	881	129	1279	337	1359	329	1433	350	1673	221	2461	305	2706	193
809	126	882	98	1281	357	1360	109	1434	351	1674	221	2462	305	2707	180
812	123	883	39	1282	357	1361	109	1435	351	1685	222	2463	305	2708	180
813	130	884	39	1284	339	1362	109	1436	351	1686	222	2512	308	2709	180
814	130	885	39	1285	332	1363	110	1437	351	1687	222	2513	308	2710	180
815	121	886	39	1286	332	1364	110	1438	351	1688	224	2514	309	2711	180
816	121	887	39	1287	332	1365	110	1439	351	1690	224	2515	309	2712	180
817	123	888	39	1288	338	1366	111	1440	351	1693	222	2516	309	2713	186
818	122	889	39	1289	338	1367	111	1441	351	1695	222	2517	309	2714	186
819	122	890	39	1292	330	1368	111	1442	351	2002	307	2518	309	2715	186
820	124	891	55	1293	330	1369	366	1443	351	2005	306	2527	310	2716	186
821	125	892	55	1294	330	1370	353	1444	351	2009	306	2529	310	2717	186
822	125	893	55	1295	330	1371	353	1445	351	2011	306	2531	310	2718	186
823	125	894	55	1296	330	1372	353	1446	369	2013	306	2535	311	2719	220
824	131	895	55	1297	330	1373	353	1451	111	2015	306	2536	311	2720	220
825	131	896	55	1298	330	1374	353	1452	111	2016	306	2537	311	2721	220
826	131	897	145	1299	330	1375	353	1453	337	2025	307	2538	311	2722	220
827	131	1100	337	1300	330	1376	354	1455	346	2031	306	2539	311	2723	220
828	131	1103	338	1301	330	1377	354	1456	327	2032	306	2540	311	2724	220
829	131	1191	331	1302	330	1378	354	1457	327	2034	306	2541	311	2728	217
830	131	1192	331	1303	330	1379	354	1458	327	2035	306	2542	311	2730	181
831	131	1202	331	1304	338	1380	354	1459	327	2036	306	2543	311	2731	181
832	127	1207	339	1305	338	1381	354	1460	349	2037	307	2544	304	2732	181
835	136	1208	339	1306	338	1382	111	1461	349	2038	307	2545	304	2733	185
836	136	1209	339	1307	338	1383	111	1462	350	2041	306	2546	304	2734	185
837	137	1210	339	1308	353	1384	111	1463	339	2042	307	2547	306	2735	185
838	137	1229	332	1309	353	1385	111	1464	340	2043	306	2548	303	2736	183
839	127	1230	332	1310	353	1388	352	1465	340	2044	307	2549	303	2737	183
840	127	1231	332	1311	353	1389	352	1466	340	2118	305	2550	303	2738	183
841	127	1232	332	1312	353	1390	352	1467	340	2120	306	2551	303	2739	223
842	127	1233	331	1313	353	1391	352	1468	340	2122	306	2552	307	2740	223
843	127	1234	331	1314	341	1392	352	1469	340	2124	305	2553	307	2741	223
844	127	1235	331	1315	341	1393	352	1470	340	2126	306	2554	318	2742	219
845	127	1236	331	1316	341	1394	352	1471	340	2128	306	2555	319	2743	219
846	127	1237	331	1317	341	1395	352	1472	340	2133	305	2556	319	2744	219
847	137	1238	331	1318	342	1396	352	1473	347	2135	305	2557	319	2745	219
850	165	1241	332	1319	342	1397	352	1474	347	2137	306	2558	304	2746	219
851	165	1242	332	1320	342	1398	343	1475	348	2138	306	2559	303	2747	219
852	165	1243	242	1321	342	1399	343	1476	348	2143	306	2560	303	2748	195
853	166	1244	242	1322	342	1400	343	1477	335	2144	305	2561	303	2749	195
854	166	1245	242	1323	342	1401	343	1478	335	2145	305	2562	308	3009	318
855	166	1246	242	1324	342	1402	343	1479	335	2148	306	2563	308	3018	318
856	161	1247	242	1325	342	1403	343	1480	335	2149	306	2564	308	3035	325
857	161	1248	242	1326	341	1404	343	1481	335	2150	306	2568	310	3057	322
858	160	1255	332	1327	341	1405	343	1482	335	2155	306	2569	310	3101	324
859	160	1256	332	1328	341	1406	343	1483	335	2156	306	2570	310	3110	263
860	164	1257	332	1329	341	1407	343	1484	335	2159	307	2571	310	3111	236
861	164	1259	356	1330	341	1408	344	1485	336	2161	305	2573	303	3112	236
862	154	1260	356	1331	341	1409	344	1486	336	2162	305	2574	303	3113	237
863	161	1261	356	1332	329	1410	328	1487	336	2163	305	2575	394	3114	237
864	161	1262	356	1333	329	1411	328	1488	336	2164	304	2576	394	3115	238
865	161	1263	355	1334	329	1412	328	1489	336	2165	304	2580	304	3116	238
866	161	1264	355	1335	329	1413	328	1490	346	2166	304	2581	304	3117	238
867	161	1265	355	1336	329	1414	354	1500	367	2350	311	2582	304	3118	238
868	161	1266	355	1337	329	1415	354	1657	221	2351	311	2583	394	3119	238
869	145	1267	355	1338	329	1419	360	1658	221	2352	311	2584	394	3120	238
870	145	1268	355	1339	329	1420	360	1659	221	2353	311	2585	394	3121	239
871	145	1269	357	1340	329	1421	360	1663	222	2354	311	2586	394	3122	239
872	147	1270	337	1349	356	1424	360	1664	222	2355	311	2587	311	3123	239
873	147	1271	337	1350	357	1425	360	1665	222	2356	311	2588	311	3124	239
874	147	1272	337	1351	357	1426	360	1666	222	2403	307	2589	311	3125	239
875	147	1273	337	1353	357	1427	360	1667	222	2404	307	2700	193	3126	239
876	147	1274	337	1354	366	1428	350	1668	222	2405	307	2701	203	3127	239
877	147	1275	337	1355	366	1429	350	1669	223	2430	307	2702	203	3128	239

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3129	237	3256	323	3482	511	3613	234	3701	496	3770	506	3841	507	3916	516
3130	237	3257	323	3483	511	3614	234	3702	496	3771	506	3842	507	3917	516
3131	361	3258	323	3484	511	3615	234	3703	383	3772	506	3843	507	3918	516
3132	361	3259	322	3485	511	3616	234	3704	383	3773	506	3844	507	3919	516
3133	361	3260	325	3486	511	3617	333	3705	488	3774	506	3845	505	3920	499
3134	236	3261	321	3500	311	3618	333	3706	488	3775	506	3847	490	3921	499
3135	236	3262	321	3501	311	3619	333	3707	487	3776	506	3848	490	3922	499
3136	237	3263	322	3502	311	3621	256	3708	487	3777	510	3849	490	3923	499
3137	237	3264	325	3503	311	3622	257	3709	486	3782	510	3850	491	3924	500
3138	237	3265	324	3504	311	3623	257	3710	486	3783	510	3851	492	3925	500
3139	237	3269	325	3505	311	3624	301	3711	486	3784	510	3852	493	3926	479
3140	237	3270	325	3507	311	3625	318	3712	486	3785	510	3853	491	3927	494
3141	238	3300	318	3508	311	3627	228	3713	485	3786	510	3854	491	3928	519
3142	238	3303	318	3509	311	3629	228	3714	487	3787	510	3855	492	3929	519
3143	238	3307	318	3510	311	3630	228	3715	487	3788	510	3856	492	3930	519
3144	239	3309	318	3511	311	3631	228	3716	488	3789	510	3857	492	3931	520
3145	240	3312	318	3512	311	3632	228	3717	488	3790	510	3858	491	3932	520
3146	240	3318	318	3522	333	3640	230	3720	507	3791	510	3859	485	3933	520
3147	240	3319	318	3523	333	3641	230	3721	507	3792	510	3860	485	3934	519
3148	240	3320	318	3524	333	3642	231	3722	508	3793	510	3861	481	3935	519
3149	240	3321	318	3525	333	3643	231	3723	508	3794	510	3862	481	3936	519
3150	240	3322	318	3526	333	3644	231	3724	508	3795	508	3863	481	3937	520
3151	240	3326	318	3528	333	3646	231	3725	508	3796	508	3864	481	3938	520
3152	240	3327	318	3529	333	3647	231	3726	478	3797	509	3865	473	3939	520
3153	226	3331	310	3553	333	3648	229	3727	478	3798	509	3866	472	3943	501
3154	226	3333	310	3554	333	3649	229	3728	482	3799	509	3867	473	3944	501
3155	226	3334	310	3556	333	3650	229	3729	482	3800	509	3868	489	3945	501
3156	226	3337	319	3560	333	3651	229	3730	475	3801	509	3869	490	3946	501
3157	226	3338	319	3565	333	3652	229	3731	477	3802	509	3874	544	3947	502
3158	226	3339	319	3566	333	3653	230	3732	477	3803	508	3875	473	3948	502
3159	226	3340	319	3570	333	3654	230	3733	478	3804	508	3876	474	3949	502
3160	226	3341	319	3575	243	3655	333	3734	477	3805	508	3877	474	3950	502
3161	226	3350	313	3576	243	3656	333	3735	475	3806	508	3878	473	3951	503
3162	227	3351	313	3577	243	3657	333	3736	475	3807	508	3879	471	3952	503
3163	227	3352	313	3578	256	3658	333	3737	476	3808	508	3880	471	3953	503
3164	227	3353	313	3581	243	3659	333	3738	476	3809	508	3881	472	3954	503
3165	227	3354	314	3582	243	3660	333	3739	476	3810	508	3882	471	3955	504
3166	227	3355	314	3583	243	3663	319	3740	477	3811	507	3883	471	3956	504
3167	227	3356	314	3584	230	3664	229	3741	476	3812	507	3884	474	3957	504
3169	227	3357	314	3585	230	3665	229	3742	509	3813	507	3885	474	3958	526
3170	227	3358	314	3586	231	3666	229	3743	509	3814	507	3886	475	3959	526
3226	322	3359	315	3587	235	3667	229	3744	509	3815	507	3887	472	3960	527
3227	322	3360	315	3588	235	3668	301	3745	509	3816	495	3888	472	3961	528
3228	322	3361	315	3589	235	3669	234	3746	509	3817	495	3889	482	3962	527
3229	322	3362	315	3590	235	3673	217	3747	509	3818	478	3890	513	3963	527
3230	322	3363	315	3591	235	3674	230	3748	509	3819	479	3891	513	3964	528
3231	323	3364	314	3592	236	3675	228	3749	509	3820	479	3892	514	3965	528
3232	323	3365	314	3593	231	3676	228	3750	509	3821	483	3893	514	3966	529
3233	323	3366	314	3594	231	3680	362	3751	500	3822	483	3894	515	3967	529
3234	324	3367	313	3595	235	3681	362	3752	500	3823	483	3895	515	3968	529
3235	324	3368	313	3596	235	3682	362	3753	505	3824	483	3896	517	3969	530
3236	324	3369	313	3597	235	3683	361	3754	505	3825	484	3897	518	3970	530
3237	325	3370	313	3598	235	3684	361	3755	510	3826	484	3898	518	3971	530
3238	325	3420	216	3599	232	3685	361	3756	497	3827	484	3899	518	3972	531
3239	325	3469	233	3600	232	3686	362	3757	497	3828	484	3900	515	3973	531
3240	325	3470	233	3601	232	3687	362	3758	489	3829	485	3901	516	3974	533
3243	321	3471	233	3602	232	3688	362	3759	489	3830	480	3902	517	3975	533
3244	321	3472	233	3603	232	3689	234	3760	489	3831	493	3903	517	3976	533
3246	321	3473	233	3604	232	3690	234	3761	497	3832	493	3904	544	3977	534
3247	321	3474	233	3605	232	3691	230	3762	497	3833	493	3905	544	3978	531
3248	324	3475	511	3606	232	3692	230	3763	498	3834	494	3906	545	3979	532
3249	325	3476	511	3607	232	3694	236	3764	498	3835	494	3907	545	3980	532
3250	324	3477	511	3608	233	3695	236	3765	498	3836	494	3910	545	3981	532
3251	324	3478	511	3609	233	3696	236	3766	498	3837	495	3911	545	3982	515
3252	324	3479	511	3610	233	3697	236	3767	506	3838	495	3912	381	3983	516
3253	323	3480	511	3611	234	3698	217	3768	506	3839	505	3913	381	3984	515
3254	323	3481	511	3612	234	3700	496	3769	506	3840	507	3914	381	3985	515

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
3986	541	4448	176	4856	267	4940	272	5130	320	5935	251	6199	293	6342	276
3987	541	4449	176	4857	268	4941	272	5131	320	5936	251	6200	293	6344	277
3988	542	4453	180	4858	268	4942	272	5132	320	5937	251	6201	293	6346	276
3989	542	4457	180	4859	268	4943	272	5133	320	5938	251	6217	259	6347	276
3990	543	4459	176	4860	268	4944	272	5134	320	5939	251	6221	259	6348	276
3991	543	4460	176	4861	268	4945	272	5135	320	5940	247	6222	259	6349	277
3992	521	4461	176	4862	268	4946	272	5136	320	5941	247	6229	283	6350	277
3993	521	4472	197	4863	269	4947	272	5137	320	5942	247	6231	283	6351	277
3994	521	4473	202	4864	269	4948	272	5138	320	5943	246	6238	260	6352	276
3995	522	4474	206	4865	269	4949	272	5139	320	5944	246	6239	260	6353	276
3996	522	4475	206	4866	269	4966	357	5140	320	5945	246	6250	285	6354	276
3997	522	4476	206	4867	269	4967	365	5475	300	5946	247	6251	285	6355	277
4061	242	4477	206	4868	269	4968	365	5476	300	5947	247	6256	262	6356	277
4062	242	4478	206	4869	269	4973	357	5487	299	5948	247	6257	262	6357	277
4084	242	4479	206	4870	269	4982	365	5489	299	5949	246	6258	262	6358	277
4122	182	4482	209	4871	269	4987	287	5490	299	5950	246	6262	283	6359	277
4140	185	4483	209	4872	268	4997	356	5493	299	5951	246	6263	284	6360	277
4164	183	4484	209	4873	268	4998	356	5494	299	5952	247	6264	284	6361	278
4166	182	4485	209	4874	268	4999	356	5501	300	5953	247	6265	284	6363	278
4207	181	4486	208	4887	269	5031	273	5554	296	5954	247	6266	293	6364	277
4216	182	4487	208	4888	269	5032	273	5555	296	5955	246	6268	263	6365	277
4220	185	4488	208	4889	269	5033	273	5558	296	5956	246	6270	263	6366	277
4223	242	4489	205	4890	279	5050	356	5560	296	5957	246	6271	263	6367	278
4224	242	4490	205	4891	279	5051	356	5562	354	5958	247	6272	283	6368	278
4225	242	4491	205	4892	279	5052	356	5563	354	5959	247	6273	284	6369	278
4242	185	4497	208	4893	279	5053	355	5564	354	5960	247	6276	281	6370	278
4244	185	4498	197	4894	279	5056	355	5565	354	5961	246	6277	280	6371	278
4246	185	4737	281	4895	279	5057	358	5566	352	5962	246	6278	281	6372	278
4254	187	4738	281	4896	280	5058	358	5567	352	5963	246	6279	280	6373	278
4255	242	4739	280	4897	280	5059	358	5570	339	5964	247	6280	281	6375	278
4256	242	4740	280	4898	280	5068	288	5571	368	5965	247	6281	280	6376	260
4257	242	4741	281	4904	273	5069	288	5572	368	5966	247	6283	291	6380	260
4259	211	4742	281	4905	273	5070	288	5584	297	5967	246	6284	291	6381	260
4274	187	4743	280	4906	273	5071	288	5586	295	5968	246	6285	291	6384	262
4276	187	4744	280	4907	274	5072	288	5588	295	5969	246	6286	291	6385	262
4277	187	4745	281	4908	274	5073	288	5607	295	5970	245	6287	291	6386	263
4278	187	4746	281	4909	274	5074	288	5608	295	5971	245	6292	267	6387	291
4301	212	4759	280	4910	273	5075	288	5609	296	5972	245	6293	267	6388	291
4302	213	4760	280	4911	273	5076	288	5610	296	5977	255	6294	267	6389	288
4308	213	4797	272	4912	273	5077	365	5611	296	5978	255	6295	269	6392	283
4361	199	4798	272	4913	274	5078	368	5612	296	5979	255	6296	269	6393	283
4362	200	4800	275	4914	274	5079	369	5699	253	5980	256	6297	269	6394	283
4366	214	4801	275	4915	274	5081	369	5735	249	5981	256	6299	283	6399	291
4368	199	4802	275	4916	273	5082	369	5745	254	5982	256	6306	284	6400	291
4369	186	4803	274	4917	273	5083	369	5752	253	5983	256	6309	284	6401	266
4388	213	4804	274	4918	273	5084	368	5755	251	5984	254	6310	284	6402	266
4389	186	4805	274	4919	274	5085	368	5804	252	5985	254	6313	284	6403	266
4390	186	4806	275	4920	274	5086	364	5806	252	5986	255	6314	284	6404	266
4394	215	4807	275	4921	274	5087	364	5819	252	5987	255	6318	285	6405	266
4399	216	4808	275	4922	279	5088	364	5824	252	5988	248	6319	285	6406	266
4407	211	4809	274	4923	279	5089	364	5827	245	5989	248	6320	285	6407	266
4409	211	4810	274	4924	279	5090	364	5840	252	5990	248	6321	285	6408	266
4418	187	4811	274	4925	279	5091	365	5842	252	5991	248	6322	285	6409	266
4419	187	4812	275	4926	279	5096	338	5844	245	5992	248	6323	285	6410	266
4420	187	4813	275	4927	279	5097	338	5858	245	5993	248	6324	286	6411	266
4421	200	4814	275	4928	279	5110	338	5894	250	6018	264	6325	286	6412	266
4426	215	4815	275	4929	279	5116	319	5895	251	6029	263	6326	286	6413	267
4427	214	4816	275	4930	279	5117	319	5896	256	6054	286	6327	264	6414	267
4428	214	4817	275	4931	271	5118	319	5897	256	6055	286	6328	263	6415	267
4431	213	4818	270	4932	271	5119	319	5906	245	6056	286	6329	262	6416	267
4432	213	4821	270	4933	271	5120	319	5917	254	6057	286	6332	262	6417	267
4439	224	4824	270	4934	271	5121	319	5927	248	6167	287	6333	262	6418	267
4440	184	4826	270	4935	271	5123	319	5928	248	6169	287	6334	276	6420	259
4441	182	4827	271	4936	271	5124	320	5930	248	6172	287	6336	276	6422	268
4445	212	4833	271	4937	272	5127	320	5931	248	6184	293	6338	276	6423	268
4446	212	4854	267	4938	272	5128	320	5932	248	6185	293	6340	276	6424	268
4447	176	4855	267	4939	272	5129	320	5934	251	6198	293	6341	276	6427	263

SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
6428	268	7068	461	7176	207	7298	191	7423	214	7501	449	7569	451	8223	443
6429	268	7069	461	7177	207	7300	192	7424	214	7502	449	7570	451	8224	443
6430	270	7070	460	7178	208	7303	223	7425	214	7503	449	7700	410	8225	442
6431	270	7071	460	7179	208	7304	223	7427	216	7504	449	7701	410	8226	442
6432	263	7072	461	7180	208	7305	223	7428	221	7505	449	7702	411	8227	442
6433	263	7073	461	7181	209	7306	223	7429	220	7506	449	7703	411	8228	442
6436	263	7074	463	7182	209	7307	223	7430	220	7507	449	7704	410	8232	441
6437	263	7075	463	7183	209	7308	223	7431	220	7508	450	7705	410	8233	440
6438	78	7076	458	7184	210	7309	191	7432	220	7509	450	7706	410	8234	440
6439	78	7077	458	7185	210	7317	176	7433	220	7510	450	7707	410	8235	440
6440	79	7078	437	7186	210	7320	184	7434	220	7511	450	7708	411	8236	441
6441	79	7079	437	7187	210	7324	190	7435	217	7512	450	7709	411	8237	441
6442	78	7080	437	7188	210	7325	190	7436	217	7513	457	7710	411	8238	441
6443	78	7081	438	7189	210	7326	190	7437	217	7514	457	7711	411	8239	440
6444	79	7082	438	7190	210	7327	198	7438	217	7515	452	7900	415	8240	440
6445	79	7083	438	7191	210	7328	202	7439	217	7516	452	7901	415	8241	440
6446	292	7086	441	7196	182	7331	224	7440	217	7517	452	7902	415	8242	440
6447	292	7087	437	7197	182	7332	224	7450	392	7518	452	8070	281	8243	440
6448	292	7088	437	7198	182	7333	224	7451	392	7519	458	8073	281	8244	440
6449	292	7089	437	7199	184	7334	224	7452	392	7520	459	8074	281	8245	440
6450	264	7090	438	7200	184	7335	197	7453	216	7521	459	8075	281	8246	440
6451	261	7091	438	7201	184	7336	197	7454	216	7522	459	8076	281	8247	440
6452	261	7092	438	7202	181	7337	219	7455	216	7523	386	8080	394	8250	446
6453	261	7093	441	7203	181	7338	219	7456	203	7524	439	8099	371	8251	446
6454	261	7098	378	7204	181	7339	219	7457	198	7525	439	8100	371	8252	446
6458	261	7099	378	7216	202	7340	219	7458	212	7526	439	8119	264	8253	446
6459	290	7103	205	7217	201	7341	177	7459	212	7527	439	8156	264	8254	447
6460	290	7106	206	7218	199	7342	177	7460	212	7529	462	8157	264	8255	447
6461	290	7109	207	7219	197	7343	178	7461	195	7530	462	8158	264	8256	447
6462	290	7110	207	7220	199	7344	178	7462	195	7531	460	8173	128	8257	447
6463	290	7111	207	7224	177	7346	184	7463	196	7532	460	8174	128	8258	447
6464	290	7112	207	7229	180	7350	179	7464	196	7533	257	8175	128	8259	447
6465	290	7113	204	7230	182	7351	179	7465	196	7534	257	8176	128	8260	447
6466	290	7114	205	7231	182	7352	179	7466	196	7535	257	8177	128	8261	447
6467	292	7115	205	7234	243	7354	179	7467	196	7536	257	8178	128	8262	445
6468	292	7116	205	7235	243	7355	190	7468	196	7537	257	8185	409	8263	445
6469	292	7121	176	7236	243	7356	190	7470	393	7538	257	8187	407	8264	445
6470	292	7123	186	7240	178	7357	185	7471	392	7539	450	8188	407	8265	445
6471	259	7124	186	7242	178	7358	185	7472	204	7540	450	8189	407	8266	445
7033	380	7126	222	7246	178	7359	185	7473	203	7541	451	8190	407	8267	445
7034	379	7127	222	7251	203	7360	190	7474	198	7542	451	8191	408	8268	445
7035	380	7128	222	7252	203	7361	190	7475	201	7543	450	8192	408	8269	445
7039	379	7133	188	7260	179	7362	181	7476	219	7544	453	8193	408	8270	446
7040	379	7134	188	7261	179	7363	181	7477	219	7545	453	8194	408	8271	446
7042	379	7142	204	7262	179	7364	181	7478	219	7546	453	8195	408	8272	446
7043	379	7143	204	7263	183	7365	189	7479	175	7547	453	8196	408	8273	446
7044	452	7144	204	7264	183	7366	188	7480	175	7548	453	8202	444	8274	373
7045	452	7145	201	7265	183	7367	189	7481	175	7549	453	8203	444	8275	265
7046	459	7146	200	7266	178	7368	190	7482	175	7550	453	8204	444	8276	386
7047	459	7147	201	7269	223	7402	179	7483	175	7551	453	8205	444	8277	386
7051	380	7148	200	7270	223	7403	179	7484	175	7552	453	8206	444	8278	386
7052	380	7150	176	7271	223	7407	181	7485	175	7553	451	8207	444	8279	387
7053	381	7151	176	7282	189	7408	181	7486	175	7554	451	8208	441	8280	435
7054	381	7153	209	7283	189	7409	181	7487	175	7555	454	8209	433	8281	435
7055	383	7154	209	7284	189	7410	214	7488	174	7556	454	8210	433	8282	435
7056	383	7155	202	7285	191	7411	214	7489	174	7557	454	8211	433	8283	435
7057	462	7156	201	7286	191	7412	215	7490	174	7558	454	8212	433	8284	435
7058	462	7157	198	7287	191	7413	215	7491	174	7559	454	8213	434	8285	435
7059	462	7159	188	7288	191	7414	210	7492	174	7560	454	8214	434	8286	436
7060	463	7160	188	7289	191	7415	202	7493	174	7561	454	8215	434	8287	436
7061	463	7161	188	7290	191	7416	200	7494	174	7562	454	8216	434	8288	436
7062	463	7163	188	7291	190	7417	177	7495	174	7563	456	8217	439	8289	436
7063	464	7164	188	7292	190	7418	184	7496	174	7564	456	8218	439	8290	436
7064	458	7166	188	7293	190	7419	182	7497	221	7565	456	8219	439	8291	436
7065	458	7169	221	7295	191	7420	199	7498	221	7566	457	8220	439	8292	436
7066	460	7170	211	7296	191	7421	198	7499	221	7567	457	8221	443	8293	436
7067	461	7173	186	7297	191	7422	179	7500	449	7568	457	8222	443	8294	436



SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.	SKU	P-No.
8295	435	8382	373	8504	384	8704	423	8771	418	11078	469	60246	259		
8296	435	8384	297	8505	384	8705	423	8772	418	11079	467	60256	259		
8297	435	8385	389	8506	384	8706	425	8773	418	11088	468	60266	262		
8298	435	8387	389	8507	382	8707	425	8774	418	11109	466	60276	262		
8299	435	8389	389	8508	382	8708	425	8775	418	15011	367	60286	259		
8300	435	8395	390	8514	380	8709	425	8776	418	15021	367	60303	265		
8301	438	8397	390	8517	456	8710	425	8777	418	15031	367	60696	262		
8302	438	8399	390	8518	456	8711	425	8778	417	34235	241	62186	259		
8303	438	8400	403	8519	378	8712	425	8779	417	36205	241	62196	259		
8304	438	8401	390	8520	378	8713	426	8780	417	36265	241	62206	259		
8305	438	8402	390	8521	375	8714	426	8781	417	40011	523	62366	260		
8306	438	8414	399	8522	375	8715	426	8782	417	40021	523	62376	260		
8307	443	8415	399	8523	376	8716	427	8783	420	40031	523	62406	260		
8308	443	8416	399	8524	376	8717	428	8784	421	40041	524	62416	260		
8309	443	8417	396	8525	377	8718	428	8785	421	40051	524	62426	260		
8310	443	8418	396	8526	377	8719	428	8786	421	40061	524	62436	260		
8311	372	8419	396	8527	437	8720	428	8787	421	40071	525	63776	260		
8312	371	8420	400	8528	437	8721	428	8788	421	40081	526	63796	260		
8313	371	8421	400	8529	437	8722	428	8789	421	40091	525	64511	261		
8314	372	8422	400	8530	437	8723	428	8790	421	40101	525	64521	261		
8315	372	8423	397	8531	437	8724	428	8791	422	40111	480	71011	206		
8316	432	8424	397	8532	437	8725	429	8792	423	40121	480	71031	206		
8317	432	8425	398	8533	444	8726	429	8793	423	40131	480	71041	206		
8318	432	8427	399	8534	444	8727	429	8794	423	40141	534	71071	207		
8319	432	8428	399	8535	444	8728	429	8795	422	40151	534	71081	207		
8320	432	8429	396	8536	444	8729	424	8796	422	40161	535	71091	207		
8321	432	8430	397	8537	431	8730	424	8797	398	40171	535	71811	209		
8322	432	8431	397	8538	431	8731	424	8798	398	40181	535	80981	373		
8323	432	8432	398	8539	431	8732	425	8799	417	40191	536	500081	468		
8324	432	8433	398	8540	431	8733	426	8800	417	40201	536	500082	468		
8325	432	8436	393	8541	431	8734	426	8801	421	40211	535				
8326	432	8437	372	8542	431	8735	426	8802	422	40221	536				
8327	432	8438	404	8543	431	8736	427	8803	422	40231	536				
8328	432	8439	404	8544	431	8737	427	8804	422	40241	537				
8329	432	8440	404	8547	249	8738	427	8805	422	40251	537				
8330	432	8441	404	8548	300	8739	427	8806	422	40261	537				
8331	432	8445	405	8549	300	8740	427	8850	408	40271	537				
8332	432	8446	398	8550	249	8741	427	8851	408	40281	538				
8333	432	8447	400	8551	434	8742	427	8852	408	40291	538				
8334	433	8448	412	8552	434	8743	429	8853	408	40301	538				
8335	433	8449	412	8553	434	8744	429	8854	409	42151	183				
8336	433	8450	412	8554	434	8745	424	8855	409	42501	184				
8337	433	8451	412	8557	539	8746	429	9104	257	42511	184				
8338	433	8452	413	8558	539	8747	423	9546	257	42521	184				
8339	433	8453	413	8559	217	8748	426	9757	300	42581	183				
8340	433	8454	412	8560	431	8749	426	9944	333	42591	211				
8341	433	8455	413	8561	431	8750	216	9945	333	43001	215				
8342	433	8456	412	8562	431	8751	216	9947	317	43011	212				
8344	442	8457	413	8563	431	8752	216	9952	333	43071	213				
8345	442	8458	388	8564	383	8753	216	9953	333	43421	183				
8346	442	8459	388	8565	383	8754	418	9954	333	43431	183				
8347	442	8460	388	8566	452	8755	419	9955	333	43441	183				
8348	344	8461	388	8567	451	8756	419	9956	317	43641	211				
8349	344	8462	388	8568	451	8757	419	9957	317	43651	212				
8350	344	8463	388	8569	382	8758	419	9969	264	43881	213				
8351	344	8464	403	8570	382	8759	419	9970	264	44801	208				
8352	344	8465	403	8571	382	8760	419	9981	316	44941	208				
8353	344	8466	401	8573	249	8761	419	9982	316	45641	194				
8354	389	8467	401	8574	249	8762	419	9983	316	45651	194				
8355	405	8468	401	8575	250	8763	420	9984	316	45661	194				
8357	389	8469	401	8576	250	8764	420	9985	316	45671	194				
8359	405	8470	399	8577	250	8765	420	9986	317	45681	187				
8360	389	8471	413	8578	250	8766	420	9989	264	45691	187				
8369	390	8472	413	8700	424	8767	420	9990	317	56011	297				
8372	390	8500	378	8701	424	8768	420	9997	264	56021	297				
8377	403	8501	384	8702	424	8769	420	9999	264	56031	297				
8379	390	8503	384	8703	424	8770	417	11077	468	56041	297				

# NEW ARRIVAL



SMART CAMERAS




SUPER PRO  
STREET LIGHTS



DIGITAL ACCESSORIES




HOTEL DOWNLIGHT



DECORATIVE LIGHTS



SOCKETS AND ADAPTERS



SMART FIRE RATED  
DOWNLIGHT



DECORATIVE BULBS



SMART HOME






# V-TAC SMART HOME

works with  
 amazon alexa

 works with the  
Google Assistant

 works with  
nest



More than  
**3500**  
Products

## Head Offices

Sofia | London

Europe Office  
1, Iliansko Shaussee Blvd,  
Sofia 1220, Bulgaria  
[www.v-tac.eu](http://www.v-tac.eu)

## UK Office

Springheath House,  
Kelpatrick Road,  
Slough, Berkshire,  
SL1 6BW, UK.  
[www.v-tac.co.uk](http://www.v-tac.co.uk)

## Middle East Office

Unit# 407/8/9 Jumeirah  
Bay Towers,  
Plot# X3, JLT,  
P.O. Box 45244, Dubai.  
[www.vtacexports.com](http://www.vtacexports.com)



DECORATIVE PENDANTS LED STRIP LIGHTS LED STRIP LIGHTS LED TRACK LIGHTS  
TOWER FANS LED SPOT LIGHTS CAMERAS FIRE RATED LIGHTS  
TABLE LIGHTS SOCKETS LED LINEAR LIGHTS LED SOLAR LIGHTS